References

Appendix B – Forest Plan Amendments

- Abella, S.R., and C.W. Denton. 2009. Spatial variation in reference conditions: Historical tree density and pattern on a Pinus ponderosa landscape. Canadian Journal of Forestry 39:2391–2403.
- Aumack, E., T. Sisk, and J. Palumbo. 2007. Statewide strategy for restoring Arizona's forests. Arizona Governor's Forest Health Council. 140 pp.
- Cooper, C.F. 1960. Changes in vegetation, structure, and growth of southwestern pine forests since white settlement. Ecological Monographs 30:129–164.
- Covington, W.W., P.Z. Fulé, M.M. Moore, S.C. Hart, T.E. Kolb, J.N. Mast, S.S. Sackett, and M.R. Wagner. 1997. Restoring ecosystem health in ponderosa pine forests of the southwest. Journal of Forestry 94(4):23–29.
- Greene, Heather. 2010. Coconino NF goshawk acreage. Personal Communication with Paula Cote, 4FRI.
- Pearson, G.A. 1950. Management of ponderosa pine in the Southwest: As developed by research and experimental practice. Agriculture Monograph No. 6. USDA Forest Service, Fort Collins, CO. 34 pp.
- USDI Fish and Wildlife Service. 1995. Recovery Plan for the Mexican Spotted Owl: Vol. I. Albuquerque, NM. 172 pp.
- USDI Fish and Wildlife Service. 2012. Mexican Spotted Owl Recovery Plan, First Revision (*Strix occidentalis lucida*). U.S. Fish and Wildlife Service. Albuquerque, NM, USA. 414 pp.
- ______. 2011. Coconino National Forest Draft Land Management Plan. USDA Forest Service, Southwestern Region. pp. 178.

 Online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5334962.pdf.
- USDA Forest Service. 1987. Coconino National Forest Land and Resource Management Plan and amendments. USDA Forest Service, Southwestern Region. 270 pp.

 Online: http://www.redrockcountry.org/about-us/fpr/current-forest-plan-w-amends.pdf.
 - _____. 1988. Kaibab National Forest Land Management Plan, as Amended. USDA Forest Service, Southwestern Region. 173 pp.
 - Online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsm91_050003.pdf.
- ______. 2012. Kaibab National Forest Draft Land Management Plan. USDA Forest Service, Southwestern Region. pp. 196.

 Online: http://prdp2fs.ess.usda.gov/detail/kaibab/landmanagement/planning/?cid=ST
 - Online: http://prdp2fs.ess.usda.gov/detail/kaibab/landmanagement/planning/?cid=STELP RDB5106605
- White, A.S. 1985. Pre-settlement regeneration patterns in a Southwestern ponderosa pine stand. Ecology 66:589–594.
- Woolsey, T.S. Jr. 1911. Western yellow pine in Arizona and New Mexico. USDA Forest Service, Bulletin 101. Washington, DC.

Appendix D – Implementation Plan

- Abella, Scott R. 2008a. Managing Gambel oak in southwestern ponderosa pine forests: the status of our knowledge. Gen. Tech. Rep. RMRS-GTR-218. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 27 pp. Online at: http://www.fs.fed.us/rm/pubs/rmrs_gtr218.pdf.
- Abella, Scott R. 2008b. Gambel oak growth forms: management opportunities for increasing ecosystem diversity. Res. Note RMRSRN-37. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 6pp. Online at: http://www.fs.fed.us/rm/pubs/rmrs_rn037.pdf.
- Abella, Scott R.; Springer, Judith D. 2008. Canopy-tree influences along a soil parent material gradient in Pinus ponderosa-Quercus gambelii forests, northern Arizona. Journal of the Torrey Botanical Society. 135:26–36.

 Online: http://faculty.unlv.edu/abellas2/files/Abella%202008%20canopy-tree%20influences%20in%20pine-oak%20forests%20JTBS.pdf.
- Abella, S.R., W.W. Covington, P.Z. Fulé, L.B. Lentile, A.J. Sánchez Meador, and P. Morgan. 2007. Past, present, and future old growth in frequent-fire conifer forests of the western United States. *Ecology and Society* 12(2):16.

 Online: http://www.ecologyandsociety.org/vol12/iss2/art16.
- Bartos, D.L. 2001. Landscape dynamics of aspen and conifer forests. Pages 5–14 In: Shepperd, Wayne D.; Binkley, Dan; Bartos, Dale L.; Stohlgren, Thomas J.; and Eskew, Lane G., compilers. 2001. Sustaining Aspen in Western Landscapes: Symposium Proceedings; 13–15 June 2000; Grand Junction, CO. Proceedings RMRS-P-18. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 460 pp. Online: http://www.fs.fed.us/rm/pubs/rmrs_p018/rmrs_p018_005_014.pdf.
- Bernardos, D.A., C.L. Chambers, and M.J. Rabe. 2004. Selection of Gambel oak roosts by Southwestern myotis in ponderosa pine-dominated forests, northern Arizona. Journal of Wildlife Management 68(3):595–601.

 Online: http://www.bioone.org/doi/pdf/10.2193/0022-541X%282004%29068%5B0595%3ASOGORB%5D2.0.CO%3B2.
- Brown, D.E., and C.H. Lowe. 1982. Biotic communities of the Southwest (scale 1:1,000,000). General Technical Report RM-78, United States Forest Service, Fort Collins, CO. Reprinted and revised 1994 by University Utah Press, Salt Lake City, UT. Online: http://sdfsnet.srnr.arizona.edu/data/alris/alris/04/metadata/natveg.shp.html
- Castelli, R.M., J.C. Chambers, and R.J. Tausch. 2000. Soil-plant relations along a soil-water gradient in Great Basin riparian meadows. Wetlands 20(2):251–266.

 Online: http://images.water.nv.gov/images/Misc/spring%20valley%20hearings/USFWS/FWS-2007.pdf.
- Chambers, C.L. 2002. Final Report: status and habitat use of oaks. Arizona Game and Fish Heritage Grant I98012. 52 pp.

- Clary, W.P., and A.R. Tiedemann. 1992. Ecology and values of Gambel oak woodlands. Pages 87–95 In P.F. Ffolliott, G.J. Gottfried, D.A. Bennett, V.M. Hernandex, C.A. Ortega-Rubio, and R.H. Hamre, eds. Ecology and management of oak and associated woodlands: perspectives in the southwestern U.S. and northern Mexico. USDA Forest Service GTR RM-218.
- Coop, J.D., Thomas J. Givnish. 2007. Spatial and temporal patterns of recent forest encroachment in montane grasslands of the Valles Caldera, NM, USA. Journal of Biogeography 34(5):914–927.
- Covington, W.W., P.Z. Fulé, M.M. Moore, S.C. Hart, T.E. Kolb, J.N. Mast, S.S. Sackett, and M.R. Wagner. 1997. Restoring ecosystem health in ponderosa pine forests of the Southwest. Journal of Forestry 95:23–29.

 Online: http://cpluhna.nau.edu/Research/pinerestoration.htm.
- Covington, W.W., and Moore, M.M. 1992. Southwestern Ponderosa Forest Structure: Changes since Euro-American settlement. Journal of Forestry 92(1):39–47. (Kaye et al. 1999).
- Covington, W.W., and S.S. Sackett. 1992. Soil mineral nitrogen changes following prescribed burning in ponderosa pine. Forest Ecology and Management 54:175–191.

 Online: http://www4.nau.edu/direnet/publications/publications_c/files/Covington_WW_S ackett SS Soil mineral nitrogen changes following.pdf.
- Dahl, T.E. 1990. Wetland losses in the United States, 1780s to 1980s. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC. 21 pp.

 Online: http://www.npwrc.usgs.gov/resource/wetlands/wetloss/.
- Di Orio, A.P., R. Callas, and R.J. Schaefer. 2005. Forty-eight year decline and fragmentation of aspen (*Populus tremuloides*) in the South Warner Mountains of California. Forest Ecology & Management 206: 307–313.

 Online: http://www.sciencedirect.com/science/article/pii/S037811270400814X.
- Dwire, K.A., J.B. Kauffman, and J.E. Baham. 2006. Plant species distribution in relation to watertable depth and soil redox potential in montane riparian meadows. Wetlands 26(1): 131–146.
- Fairweather, M.L., Geils, B.W., Manthei, M. 2008. Aspen decline on the Coconino National Forest. Pages 53–62 In: McWilliams, M.G., editor. Proceedings of the 55th Western International Forest Disease Work Conference, 2007 October 15–19, Sedona, AZ. Salem, OR: Oregon Department of Forestry.

 Online: http://www.fs.fed.us/rm/pubs_other/rmrs_2008_fairweather_m001.pdf.
- Feth, H., and Hem, J.D.1963. Reconnaissance of headwater springs in the Gila River drainage basin. Arizona: U.S. Geological Survey Water-Supply Paper I6I9-H. 54 p. 4 sheets, scales 1:500,000, and 1:63,360.
- Finch, Deborah M., Editor. 2004. Assessment of grassland ecosystem conditions in the Southwestern United States. Volume 1. Gen. Tech. Rep. RMRS-GTR-135 Vol. 1. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 167 pp. Online: http://www.fs.fed.us/rm/pubs/rmrs_gtr135_2.pdf.

- Ffolliott, Peter F., and Gerald J. Gottfried. 1991. Natural tree regeneration after clearcutting in Arizona's ponderosa pine forests: two long-term case studies. Res. Note RM-507. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 6 pp.
- Fulé, Peter Z., Daniel C. Laughlin, and W. Wallace Covington. 2005. Pine-oak forest dynamics five years after ecological restoration treatments, AZ, USA. Forest Ecology and Management. 218:129–145.

 Online: http://www.sciencedirect.com/science/article/pii/S0378112705004573.
- Fulé, P.Z., W.W. Covington, and M.M. Moore. 1997. Determining reference conditions for ecosystem management of southwestern ponderosa pine forests. Ecological Applications 7: 895–908.

 Online: http://library.eri.nau.edu/gsdl/collect/erilibra/index/assoc/hash31bc.dir/doc.pdf.
- Gage, E., and D.J. Cooper. 2008. Historic range of variation assessment for wetland and riparian ecosystems, U.S. Forest Service Region 2. USDA Forest Service, Region 2, Golden, CO.
- Harper, K.T., F.J. Wagstaff, and L.M. Kunzler. 1985. Biology and management of the Gambel oak vegetative type: a literature review. USDA Forest Service General Technical Report INT-179. Intermountain Research Station. Ogden, UT, USA.
- Hendrickson, D.A., and W.L. Minckley. 1985. Ciénegas vanishing climax communities of the American Southwest. Desert Plants 6:131–175.

 Online: www.rmrs.nau/publications/madrean/bibfiles/Riparian.doc.
- Jones, J.R. 1975. Regeneration on an aspen clearcut in Arizona. U.S. Forest Service Research Note RM-285, Fort Collins, CO, USA. Shepperd and Fairweather 1994: http://www.fs.fed.us/rm/pubs_rm/rm_gtr119/rm_gtr119_197_208.pdf.
- Judd, B.I. 1972. Vegetation zones around a small pond in the White Mountains of Arizona. Great Basin Naturalist 32(2):91–96.
- Kruse, William H. 1992. Quantifying wildlife habitats within Gambel oak/forest/woodland vegetation associations in Arizona. Pages 182–186.
- Larson, M.M. 1959. Regenerating aspen by suckering in the Southwest. Rocky Mountain Forest and Range Experimental Station, Research Note 39, 2 pp.
- Long, J.W. 2002. Evaluating recovery of riparian wetlands on the White Mountain Apache Reservation. Ph.D. dissertation, Northern Arizona University, Flagstaff, AZ, USA.
- Long, J.W. 2000. Restoration of Gooseberry Creek. p. 356–358 In P.F. Ffolliott, M.B. Baker Jr., C.B. Edminster, B. Carleton, M.C. Dillon, and K.C. Mora (tech. eds.). Proceedings of land stewardship in the 21st Century: The contributions of watershed management. USDA Forest Service Proceedings RMRS-P-13, Rocky Mountain Research Station, Fort Collins, CO, USA.
 Online: http://www.fs.fed.us/rm/pubs/rmrs_p013/rmrs_p013_356_358.pdf.
- Machinski, J. 2001. Impacts of ungulate herbivores on a rare willow at the southern edge of its range. Biological Conservation 101:119–130.

- Martin, E.C. 1965. Growth and change in structure of an aspen stand after a harvest cutting. Res. Note RM-45. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 2 pp.
- Martin, T.E. 2007. Climate correlates of 20 years of trophic changes in a high-elevation riparian system. Ecology 88(2):367–380.

 Online: http://www.umt.edu/mcwru/personnel/martin/PDF%20Martin/Martin%202007%20Ecology%20Climate%20correlates.pdf.
- Medina, A.L., and J.E. Steed. 2002. West Fork Allotment riparian monitoring study 1993–1999. USDA Forest Service, Rocky Mountain Research Station, Final Project Report Volume I.
- Moore, Margaret M., and D.W. Huffman. 2004. Tree Encroachment on meadows of the North Rim, Grand Canyon National Park, AZ, USA. Arctic, Antarctic, and Alpine Research 36 (4):474–483.

 Online: http://library.eri.nau.edu/gsdl/collect/erilibra/index/assoc/HASHc37e.dir/doc.pdf.
- Muldavin, E., P. Durkin, M. Bradley, M. Stuever, and P. Mehlhop. 2000. Handbook of wetland vegetation communities of New Mexico, Volume I: Classification and community descriptions. New Mexico Natural Heritage Program, Biology Department, University of New Mexico, Albuquerque, NM, USA.
 Online: http://nhnm.unm.edu/vlibrary/pubs_archive/nhnm/nonsensitive/U00MUL01NM_US.pdf.
- Neary, D.G., and A.L. Medina. 1996. Geomorphic response of a montane riparian habitat to interaction of ungulates, vegetation, and hydrology. Pages 143–147 in Shaw, D.W., and D.M. Finch (tech. coords.), Desired future conditions for southwestern riparian ecosystems: bringing interests and concerns together. USDA Forest Service General Technical Report RM-GTR-272. Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO.

 Online: http://www.fs.fed.us/rm/pubs_rm/rm_gtr272/rm_gtr272_143_147.pdf.
- Neff, Don J., Clay Y. McCulloch, David E. Brown, Charles H. Lowe, and Janet F. Barstad. 1979. Forest, range, and watershed management for enhancement of wildlife habitat in Arizona. Special report no. 7. Phoenix, AZ: Arizona Game and Fish Department. 109 pp.
- Onkonburi, Jeanmarie. 1999. Growth response of Gambel oak to thinning and burning: implications for ecological restoration. Flagstaff, AZ: Northern Arizona University. 129 pp. Unpublished dissertation.
- Patton, D.R., and B.I. Judd. 1970. The role of wet meadows as wildlife habitat in the Southwest. Journal of Range Management 23(4):272–275.

 Online: http://www.environmentalevidencejournal.org/content/pdf/2047-2382-1-11.pdf.
- Pearson, G.A. 1942. Herbaceous vegetation a factor in natural regeneration of ponderosa pine in the Southwest. Ecological Monographs 12: 316–338.
- Pearson, G.A. 1914. The role of aspen in the reforestation of mountain burns in Arizona and New Mexico. Plant World 17: 249–260.
- Quinn, R.D., and L. Wu. 2001. Quaking Aspen Reproduce from Seed After Wildfire in the Mountains of Southeastern Arizona. USDA Forest Service Proceedings RMRS-P-18. Online: http://www.fs.fed.us/rm/pubs/rmrs_p018/rmrs_p018_369_376.pdf.

- Rosenstock, Steven S. 1998. Influence of Gambel oak on breeding birds in ponderosa pine forests of northern Arizona. Condor 100:485–492. Online at: http://library.eri.nau.edu/gsdl/collect/erilibra/index/assoc/HASH0133.dir/doc.pdf.
- Sanchez-Meador, A.J., M.M. Moore, J.D. Bakker, and P.F. Parysow. 2009. 108 years of change in spatial pattern following selective harvest of a Pinus ponderosa stand in northern Arizona, USA. Journal of Vegetation Science 20:79–90.

 Online: http://faculty.washington.edu/jbakker/publications/Sanchez.Meador.et.al.2009.pdf.
- Simonin, K., T.E. Kolb, M. Montes-Helu, and G.W. Koch. 2007. The Influence of Thinning on Components of Stand Water Balance in a Ponderosa Pine Forest During and After Extreme Drought. 11 pages in: ScientDirect. Agricultural and Meteorology. Volume 143 (2007). 226–276.

 Online: http://www4.nau.edu/direnet/publications/publications_s/files/Simonin_K_Kolb_TE_Montes_Helu_M_etal_The_influence_of_thinning.pdf.
- Tew, R.K. 1970. Seasonal variation in the nutrient content of aspen foliage. Journal of Wildlife Management 34(2):475–478.
- The Nature Conservancy. 2006. Biotic Communities of the Southwest GIS layer. Online: http://azconservation.org/downloads/category/gis/.
- Thompson, Bruce C., Patricia L. Matusik-Rowan, and Kenneth G. Boykin. 2002. Prioritizing conservation potential of arid-land montane natural springs and associated riparian areas. Journal of Arid Environments 50:527–547.

 Online: http://www.sciencedirect.com/science/article/pii/S014019630190922X.
- Tilman and Downing. 1994. Biodiversity and Stability in Grasslands in Nature. Volume 367. Pages 363–365.

 Online: http://www.nature.com/nature/journal/v367/n6461/pdf/367363a0.pdf.
- USDA Forest Service. 1997. Plant associations of Arizona and New Mexico Volume 1: Forests. Edition 3 USDA Forest Service, SW Region Habitat Typing Guides. 291 pp.
- USDI Fish and Wildlife Service. 1995. Recovery Plan for the Mexican spotted owl: Vol. I. Albuquerque, NM. 172 pp.
 Online: http://www.fws.gov/southwest/es/arizona/Documents/RecoveryPlans/MexicanSp ottedOwl.pdf.
- Wagstaff, E.J. 1984. Economic considerations in use and management of Gambel oak for firewood. U.S. Forest Service, Intermountain Range Experiment Station, GTR INT-165, Ogden, UT, USA.
- Waltz, A.E.M., and W.W. Covington. 2004. Ecological restoration treatments increase butterfly richness and abundance: mechanisms of response. Restoration Ecology 12:85–96. Online: http://library.eri.nau.edu/gsdl/collect/erilibra/index/assoc/HASHf395.dir/doc.pdf.
- White, A.S. 1985. Pre-settlement regeneration patterns in a southwestern ponderosa pine stand. Ecology 66:589–594.

Appendix E – Monitoring and Adaptive Management

- Block, W.M., Franklin, A.B., Ward, J.P.J., Ganey, J.L. & G.C. White, G.C. 2001. Design and Implementation of Monitoring Studies to Evaluate the Success of Ecological Restoration on Wildlife. Restoration Ecology 9: 293-303
- Busch, David, E., and Joel C. Trexler. 2003. Monitoring ecosystems: interdisciplinary approaches for evaluating ecoregional initiatives. Island Press. Washington, D.C. ISBN: 1559638516. 384 pp. Online: http://www.sciencedirect.com/science/article/pii/S0921800903003082.
- Lindenmayer, Gene E., and David B. Likens. 2010. A strategic plan for an Australian Long-Term Environmental Monitoring Network. Austral Ecology (2011) 36, 1–8.

 Online: http://onlinelibrary.wiley.com/doi/10.1111/j.1442-9993.2010.02179.x/pdf.
- Noon, B.R. 2003. Conceptual issues in monitoring ecological systems. Pages 27–71 in D.E. Busch and J.C. Trexler, eds. Monitoring ecosystems: Interdisciplinary approaches for evaluating ecoregional initiatives. Island Press, Washington, DC.
- Omnibus Public Land Management Act of 2009. Public Law 111-11. Title IV. Section 4401 to 4404. Online: http://www.gpo.gov/fdsys/pkg/BILLS-111hr146enr/pdf/BILLS-111hr146enr.pdf.
- Palmer, C.J., and B.S. Mulder. 1999. Components of the Effectiveness Monitoring program. Chapter 4 (p. 69–97) In: The Strategy and Design of the Effectiveness Monitoring Program for the Northwest Forest Plan, USDA Forest Service Pacific Northwest Research Station General Technical Report, PNW-GTR-437. Online: http://www.fs.fed.us/pnw/pubs/pnw_gtr437.pdf.
- USDA Forest Service. 2013 Collaborative Forest Landscape Restoration Program. Overview. 1 page. Online: http://www.fs.fed.us/restoration/CFLRP/index.shtml/. Accessed on January 13, 2013.

Appendix F - Cumulative Effects

- Adams, Judy. 2011. Personal communication with Paula Cote. WAPA Proposal for treating 1400-foot KV Corridor within the 4FRI Project Area. October 20, 2011.
- Arizona State Forestry. 2012. Personal communication with Aaron Greene, Assistant Fire Management Officer. State and Private Lands Fuels and Vegetation Data for 2011. January 9, 2012.
- Brewer, D.G. 2011. Parker 3 Step analysis for 4FRI project area. Ms. On file at the Coconino NF 4FRI Project Record.
- Centennial West Clean Line, LLC. 2011. Project Introduction Sheet: Proposed Centennial West Clean Line Transmission Project. October 26, 2011. 7 pp.
- Covington, Wallace. 2003. The Context for Restoration. Page 40.
- Drake, W.M. 1910. A report on the Coconino National Forest. Unpublished report, Coconino National Forest, Flagstaff, AZ.

- Fairweather M.L., K. Barton, B. Geils, and M. Manthei. 2008. Aspen Decline on the Coconino National Forest. In: McWilliams, M.G. comp 2008. Proceedings of the 55th Western International Forest Disease Work Conference; 2007 October 15–19; Sedona, AZ. Salem, OR; Oregon Department of Forestry.
- Flagstaff Fire Department. 2012. Foreseeable Fuels Reduction Treatments. Personal Communication with Paula Cote, 4FRI. February 24, 2012.
- Fleishman, Richard. 2012. Coconino Timber Sales First EIS Area Late 1960s to Early 1980s. Mormon Lake District, Coconino NF Timber Atlas.
- Fleishman, Richard. 2011. Final Revised Shelfstock Acres. April 24, 2011. 1 page.
- Fleishman, Richard. 2013. Transportation Specialist's Report, Four-Forest Restoration Initiative, Coconino and Kaibab National Forest. Cumulative Effects: pp 12–19.
- Friederici, P. 2004. Establishing reference condition for southwestern ponderosa pine forest. Working papers in southwestern ponderosa pine forest restoration. Ecological Restoration Institute. Flagstaff, AZ. 16 pp.
- Greater Flagstaff Forest Partnership. 2010. Annual Report. 2010. Online: http://www.gffp.org/docs/GFFP_2010_Annual_Report.pdf. 2 pages.
- Gitlin, A.R., C.M. Sthultz, M.A. Bowker, S. Stumpf, K.L. Paxton, K. Kennedy, A. Muñoz, J.K. Bailey, and T.G. Whitham. 2006. Mortality gradients within and among dominant plant populations as barometers of ecosystem change during extreme drought. Conservation Biology 20:1477–1486.
- Hannemann, Mike. 2013. Range Specialist Report, Coconino and Kaibab Four-Forest Restoration Initiative (4FRI), DEIS. Ms. On file at Coconino NF, 4FRI project record. 44 pp.
- Hessburg, P.F., and J.S. Beatty. 1985. Incidence, severity, and growth losses associated with ponderosa pine dwarf mistletoe on the Coconino National Forest, Arizona. USDA Forest Service, Southwestern Region, R3-85-12, 30 pp.
- Homes, John. 2011. Personal communication with Paula Cote. South Kaibab Sale History. August 18, 2011.
- Lata, Mary. 2013. Fire Ecology, Fuels and Air Quality Specialist Report, Four-Forest Restoration Initiative. Ms. On file at Coconino NF, 4FRI project record.
- Lynch, A.M., J.H. Anhold, and J.D. McMillin, S.M. Dudley, R.A. Fitzgibbon, and M.L. Fairweather. 2008a. Forest insect and disease activity on the Coconino NF, 1918–2006. USDA Forest Service, Report for the Coconino NF/Regional Analysis Team. Online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsbdev3_021382.pdf.
- Lynch, A.M., J.H. Anhold, and J.D. McMillin, S.M. Dudley, R.A. Fitzgibbon, and M.L. Fairweather. 2008b. Forest insect and disease activity on the Kaibab NF and Grand Canyon N.P., 1918–2006. USDA Forest Service, Draft Report for the Kaibab NF Regional Analysis Team.
 - Online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsbdev3_021515.pdf.

- MacDonald, Christopher D. 2013. Water Quality and Riparian Areas Specialist Report, Four-Forest Restoration Initiative, Coconino and Kaibab National Forests: Cumulative Effects. Pages 51–88.
- McCusker, Neil. 2012. Coconino FACTS database queries run by 4FRI Silviculturist Neil McCusker. 3 pp.
- McCusker, Neil. 2013. Four-Forest Restoration Initiative, Silvicultural Specialist Report. Ms. On file at Coconino NF, 4FRI project record.
- Mueller R.C., C.M. Scudder, M.E. Porter, R.T. Trotter, C.A. Gehring, and T.G. Whitham. 2005. Differential tree mortality in response to severe drought: evidence for long-term vegetation shifts. Journal of Ecology 93:1085–1093.
- Negrón, J.F., J.D. McMillin, J.A. Anhold, and D. Coulson. 2009. Bark beetle-caused mortality in a drought-affected ponderosa pine landscape in Arizona, USA. Forest Ecology and Management 257:1353–1362.
- Newbauer, Kim. 2012. Coconino Cut Volume by Fiscal Year: 1946 to 1989.
- Newbauer, Kim. 2012. Coconino Historic Sold Offered Volumes: 1999.
- Newbauer, Kim. 2012. Sale History: 1995.
- Rowe, Julie. 2012. Personal communication with Paula Cote and Henry Provencio. Acres of power, oil, and gas lines. March 27, 2012.
- Steinke, Rory. 2013. Soil Resources Specialist's Report, 4 Forest Restoration Initiative: Cumulative Effects, pages 68–114. Ms. On file at Coconino NF, 4FRI project record.
- U.S. Department of Defense. 2012. Camp Navajo Army Depot. Camp Navajo Treatments. Bruce Buttrey. March 12, 2012.
- USDA Forest Service. 2003. Assessment of Grassland/Savannah Invasion by Trees on the Williams Ranger District Kaibab National Forest. Kaibab National Forest. October 30, 2003, corrected January 19, 2005.
 ______. 2013. Coconino National Forest Schedule of Proposed Actions (SOPA). Accessed online
- at: http://www.fs.fed.us/sopa/forest-level.php?110304 on January 8, 2013.

 _______. 2012–1971. Coconino and Kaibab NF File Code 1950 NEPA Project Records. Ms. On file at the Coconino National Forest, 4FRI Project Record. 500 pp.
- _____. 2009. Coconino National Forest Ecological Sustainability Report. September 2009. Coconino National Forest. Southwestern Region. 208 pp.
- _____. 2012. FACTS timber database query. Neil McCusker, 4FRI Silviculturist. Ms. On file at the Coconino National Forest, 4FRI Project Record. 3 pp.
- _____. 2000. Forest insect and disease conditions in the Southwestern Region, 1999. USDA Forest Service, Southwestern Region, R3-00-01: 17 pp. Albuquerque, NM.
- _____. 2011. Forest insect and disease conditions in the Southwestern Region, 2010. USDA Forest Service, Southwestern Region, Forestry and Forest Health, PR-R3-16-7, 45 pp. Albuquerque, NM.
 - Online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5316384.pdf.

- .2008. Kaibab National Forest Ecological Sustainability Report. Ms. On File at the Coconino National Forest, 4FRI Project Record. Kaibab National Forest. Southwestern Region. 104 pp.
 Online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsm91_050014.pdf.
 .2013. Kaibab National Forest Schedule of Proposed Actions (SOPA).
 http://www.fs.fed.us/sopa/forest-level.php?110307. Accessed on January 8, 2013.
 .2004. News release: Crews To Begin Tree Removal on Private Property Next Month. Kaibab National Forest Newsroom. August 30, 2004.
 .2011. Proposed Action for Four-Forest Restoration Initiative, Coconino and Kaibab National Forests, Coconino County, Arizona. Four-Forest Restoration Initiative Coconino and Kaibab National Forests Proposed Action. Ms. On file at the Coconino National Forest, 4FRI Project Record. 127 pp.
 .2005. Socio-Economic Assessment for the Kaibab National Forest. Prepared for the Southwest Region. The University of Arizona School of Natural Resources. 145 pp.
- Walton, Colby. 2012. Tusayan Wildlife Waters. Arizona Department of Game and Fish Personal communication with Paula Cote, 4FRI. January 31, 2012.
- White, A.S. 1985. Pre-settlement regeneration patterns in a Southwestern ponderosa pine stand. Ecology 66:589–594.

Appendix G – Bridge Habitat

Hampton, H.M., S.E. Sesnie, B.G. Dickson, J.M. Rundall, T.D. Sisk, G.B. Snider, and J.D. Bailey. 2008. Analysis of Small-Diameter Wood Supply in Northern Arizona. Forest Ecosystem Restoration Analysis Project, Center for Environmental Sciences and Education, Northern Arizona University. 210 pp.

Aquatics


- Abella, S.R. 2008. Managing Gambel oak in southwestern ponderosa pine forests: The status of our knowledge. USDA Forest Service General Technical Report RMRS-GTR-218.
- Abella, S.R., and J.D. Springer. 2008. Estimating soil seed bank characteristics in ponderosa pine forests using vegetation and forest-floor data. Research Note RMRS-RN-35. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fort Collins, CO. 7 pp.
- Abella, S.R., and P.Z. Fulé. 2008. Changes in Gambel oak densities in southwestern ponderosa pine forests since Euro-American settlement. Research Note RMRS-RN-36. USDA Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- ADEQ. 2005. A Manual of Procedures for the Sampling of Surface Waters. Arizona Department of Environmental Quality. Phoenix, AZ. 335 pp.
- ADEQ and USDA. 2008. Intergovernmental agreement between the State of Arizona and U.S. Department of Agriculture, Forest Service Southwestern Region. February 15, 2008.

- Agee, J.K., and C.N. Skinner. 2005. Basic principles of forest fuel reduction treatments. Forest Ecology and Management 211:83–96.
- Allen, S.R., M. Savage, D.A. Falk, K.F. Suckling, T.W. Swetnam, T. Shulke, P.B. Stacey, P. Morgan, M.T. Hoffman, and J.T. Klingel. 2002. Ecological Restoration of Southwestern Ponderosa Pine Ecosystems: A Broad Perspective. Ecological Applications 12(5):1418–1433.
- Anderson, P.G. 1996. Sediment generation from forestry operations and associated effects on aquatic ecosystems. Proceedings of the Forest-Fish Conference: Land Management Practices Affecting Aquatic Ecosystems, Calgary, Alberta.
- Anderson, B.G. 1950. The apparent thresholds of toxicity of Daphnia magna for chlorides of various metals when added to Lake Eerie water. American Fisheries Society 78:96–113.
- Argent, D.G., and P.A. Flebbe. 1999. Fine sediment effects on brook trout eggs in laboratory streams. Fisheries Research 39:253–262.
- Arizona Game and Fish Department. 2002a. Desert sucker *Catostomus* (= *Pantosteus*) *clarki*. Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department. Phoenix, AZ. 4 pp.
- ______. 2002b. Sonora sucker Catostomus insignis. Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department. Phoenix, AZ. 5 pp.
- _____. 2006. Longfin dace *Agosia chrysogaster chrysogaster*. Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department. Phoenix, AZ. 6 pp.
- Barber W.E., D.C. Williams, and W.L. Minckley. 1970. Biology of the Gila spikedace, *Meda fulgida*, in Arizona. Copeia 1970:9–18.
- Benedict, C. 2011. [Letter to M. R. Childs]. December 6. 7 attachments. On file at: U.S. Department of Agriculture, Forest Service, Coconino National Forest Supervisor's Office, Flagstaff, AZ.
- Bisson, P.A., and R.E. Bilby. 1982. Avoidance of suspended sediment by juvenile coho salmon. North American Journal of Fisheries Management 4:371–374.
- Bisson, P.A., B.E. Rieman, C.H. Luce, P.F. Hessberg, D.C. Lee, J.L. Kershner, G.H. Reeves, and R.E. Gresswell. 2003. Fire and Aquatic Ecosystems of the Western USA: Current Knowledge and Key Questions. Forest Ecology and Management.
- Childs, M. 2010. USDA Forest Service, Coconino National Forest, Red Rock Ranger Station. Sedona, AZ.
- 2013. Fisheries Specialist Report, Four-Forest Restoration Initiative. 103 pp.
- Cooper, C.F. 1960. Changes in vegetation, structure, and growth of southwestern pine forests since white settlement. Ecological Monographs 30(2): 129–164.
- Cummins, K.W. 1973. Trophic relations of aquatic insects. Annual Review of Entomology 18:183–206.

- Diggins, Corinne A. 2010. Modeling Forest Change, Bird Communities, and Management Alternatives on a Restored Ponderosa Pine Forest. Master's Thesis. Northern Arizona University, Flagstaff, AZ.
- Earl, S.R., and D.W. Blinn. 2003. Effects of wildfire ash on water chemistry and biota in Southwestern U.S.A. streams. Freshwater Biology 48:1015–1030.
- Elliot, William J., Ina Sue Miller, and Lisa Audin, eds. 2010. Cumulative watershed effects of fuel management in the western United States. Gen. Tech. Rep. RMRS-GTR-231. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 299 pp.
- Elmore, W., and B. Kauffman. 1994. Riparian and Watershed Systems: Degradation and Restoration. Pages 212–231 In: Ecological implications of livestock herbivory in the West. M. Vavra, W.A. Laycock, and R.D. Piper, eds. Society for Range Management, Denver, CO.
- Fairweather, M., B. Geils, B., and M. Manthei 2008. Aspen Decline on the Coconino National Forest. In: McWilliams, M.G. comp 2008. Proceedings of the 55th Western International Forest Disease Work Conference; 2007 October 15–19; Sedona, AZ. Salem, OR; Oregon Department of Forestry.
- Franklin, J.F., T.A. Spies, R. Van Pelt, A.B. Carey, D.A. Thornburgh, D.R. Berg, D.B. Lindenmayer, K. Bible, and J. Chen. 2002. Disturbances and structural development of natural forest ecosystems with silvicultural implications, using Douglas-fir forests as an example. Forest Ecology and Management 155:399–423.
- Fulé, P.Z., T.A. Heinlein, W.W. Covington, and M.M. Moore. 2003. Assessing fire regimes on Grand Canyon landscapes with fire-scar and fire-record data. International Journal of Wildland Fire. 12: 129–145.
- Girmendonk, A.L., and K.L. Young. 1997. Status Review of the Roundtail Chub (*Gila robusta*) in the Verde River Basin. Technical Report 114. Nongame and Endangered Wildlife Program. Arizona Game and Fish Department, Phoenix, AZ. 95 pp.
- Gregory, S.V., G.A. Lamberti, D.C. Erman, K.V. Koski, M.L. Murphy, and J.R. Sedell. 1987. Influence of forest practices on aquatic production. Pages 233–255 in E.O. Salo and T.W. Cundy (eds.), Streamside Management: Forestry and Fishery Interactions. Contr. No. 57, Inst. Forest Resources, Univ. Washington. Seattle, WA.
- Gregory, S.V., F.J. Swanson, W.A. Mckee, and K.W. Cummins. 1991. An Ecosystem Perspective of Riparian Zones. Bioscience 41: 540–551.
- Hann, W.J., A. Shlisky, D. Havalina, K. Schon, S. Barrett, T.D. Meo, K. Pohl, J. Menakis, D. Hamilton, J. Jones, M. Levesque, and C. Frame. 2004. Interagency Fire Regime Condition Class (FRCC) Guidebook Version 1.3.0. Last update, June 2008. Online: www.frcc.gov.
- Heinlein, T.A., M.M. Moore, P.Z. Fulé, and W.W. Covington, 2005. Fire history and stand structure of two ponderosa pine mixed conifer sites: San Francisco Peaks, AZ, USA. International Journal of Wildland Fire 14: 307–320.

- Hessberg, P.F., and J.S. Beatty. 1985. Incidences, Severity and Growth Losses Associated with Ponderosa Pine Dwarf Mistletoe on the Coconino National Forest, Arizona. USDA Forest Service, Southwestern Region. R3-85-12. 30 pp.
- Johnson, E.A, K. Miyanishi, J.M.H. Weir. 1998. Wildfires in Western Canadian Boreal Forest: Landscape Management and Ecological Patterns. Journal of Vegetation Science, 9:603–610.
- Kauffman, J.B., R.L. Beschta, N. Otting, and D. Lytjen. 1997. An ecological perspective of riparian and stream restoration in the Western United States. Fisheries 22:12–24.
- Kruse, William H. 1992. Quantifying Wildlife Habitats within Gambel Oak/Forest/Woodland Associations in Arizona. In: Ecology and Management of Oaks and Associated Woodlands: Perspectives in the Southwestern United States and Northern Mexico. Pp. 182–186. Peter F. Ffolliott, G.J. Gottfried, D.A. Bennett, C. Hernandez, V. Manuel, A. Ortega-Rubio, and H.R. Hamre, tech coords.
- Lata, Mary. 2013. Fire Ecology, Fuels and Air Quality Specialist Report, Four-Forest Restoration Initiative. Ms. On file at Coconino NF, 4FRI project record.
- Laughlin, D.C., and S.R. Abella. 2007. Abiotic and biotic factors explain independent gradients of plant community composition in ponderosa pine forests. Ecological Modeling 205:231–240.
- Lawson, L.L., ed. 2005. Macroinvertebrate sampling and analysis procedures, Section 3, Part A, in a Manual of Procedures for the Sampling of Surface Waters. Arizona Department of Environmental Quality, TM05-01. Phoenix, AZ.
- Lertzman, K., J. Fall, and B. Dorner. 1998. Three Kinds of Heterogeneity in Fire Regimes: At the Crossroads of Fire History and Landscape Ecology. Northwest Science 72:4–23.
- Lisle, T.E. 1989. Sediment transport and resulting deposition in spawning gravels, north coastal California. Water Resources Research 25:1303–1319.
- Long, J.N. 1985. A practical approach to density management. Forestry Chronicle 61:23–27.
- Lynch, Ann M., J.A. Anhold, J.D. McMillin, S.M. Dudley, R.A. Fitzgibbon, and M. Fairweather. 2008. Forest Insect and Disease Activity on the Coconino National Forest 1918–2006. Unpublished Report. USDA Forest Service, Coconino National Forest, Flagstaff, AZ.
- MacDonald, Christorpher. D. 2011. Soil and Watershed Specialist's Report for the Kaibab National Forest Plan Revision. 135 pp.
- ______. 2013. Water Quality and Riparian Areas Specialist Report, Four-Forest Restoration Initiative, Coconino and Kaibab National Forest. Ms. On file at the Coconino NF 4FRI Project Record. Pp. 185.
- National Wildfire Coordinating Group (NWCG). 2008. Glossary of Wildland Fire Terminology. Incident Operations Standards Working Team. Online: http://www.nwcg.gov. Accessed January 4, 2010.
- Neff, D.J., and N.W. Woolsey. 1979. Effects of Predation by Coyotes on Antelope Fawn Survival on Anderson Mesa, AZ. Special Report 8. Arizona Game and Fish Department. 36 pp.

- Pearson, G.A. 1950. Management of ponderosa pine in the Southwest: As developed by research and experimental practice. Agriculture Monograph No. 6. USDA Forest Service, Fort Collins, CO. 34 pp.
- Piechota, T., J. van Ee, J. Batista, K. Stave, and D. James, eds. 2004. Potential environmental impacts of dust suppressants: "Avoiding Another Times Beach." An expert panel summary. Las Vegas, Nevada, May 30–31, 2002. University of Nevada, Las Vegas, and the U.S. Environmental Protection Agency. 97 pp.
- Propst, D.L. and K.R. Bestgen. 1991. Habitat and biology of the loach minnow, *Tiaroga cobitis*, in New Mexico. Copeia 1991, 29–38.
- Reynolds, R.T., R.T. Graham, M.H. Reiser, R.L. Bassett, P.L. Kennedy, D.A. Boyce, G. Goodwin, R. Smith, and E.L. Fisher. 1992. Management recommendations for the northern goshawk in the southwestern United States. U.S. Forest Service Southwestern Region. General Technical Report RM-217, Fort Collins, CO, USA.
- Rinker, M. 2004. Arizona Game and Fish Department West Clear Creek Trip Report: 2004 Fish Sampling, July 26 & 27. 2004. 6 pp.
- Rinker, M. 2007. Arizona Game and Fish Department Oak Creek Trip Report: 2007 Fish Sampling, July/August 2007. 23 pp.
- Rinker, M. 2010. Arizona Game and Fish Department West Fork Oak Creek Fish Sampling Report: 2010 Fish Sampling. 10 pp.
- Rinne, J.N., and D. Miller. 2006. Hydrology, geomorphology and management: Implications for sustainability of native Southwestern fishes. Reviews in Fisheries Science 14: 91–110.
- Roccaforte, J.P., P.Z. Fulé, and W.W. Covington. 2008. Landscape-scale changes in canopy fuels and potential fire behavior following ponderosa pine restoration treatments. International Journal of Wildland Fire 17(2):293–303.
- Rosenstock, S.S. 1998. Influence of Gambel oak on breeding birds in northern Arizona. Condor 100:485–492.
- Sanders, T.G., and J.Q. Addo. 1993. Effectiveness and environmental impact of road dust suppressants. Department of Civil Engineering, Colorado State University. Ft. Collins, CO. 39 pp.
- Steinke, R. 2013. Soil Resources Specialist's Report, 4 Forest Restoration Initiative. On file at the Coconino National Forest. Flagstaff, AZ. 425 pp.
- Swank, W.T., L.F. DeBano, and D. Nelson. 1989. Effects of timber management practices on soil and water. USDA Forest Service Gen. Tech. Rep WO-55: 79–106.
- Swetnam, T.W., and C.H. Baisan. 1996. Historical fire regime patterns in the southwestern United States since AD 1700. In: 2nd La Mesa Fire Symposium; Los Alamos, NM. Pp 11-32. C.
 D. Allen, ed. General Technical Report RM-GTR-286. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. 216 pp.
- Truebe, M., and G. Evans. 1994. Lowell surfacing thickness design test road: Final report. Federal Highway Forest Service. San Dimas Technology and Development Center. San Dimas, CA. 108 pp.



- . 2009. Endangered and threatened wildlife and plants; 12-month finding on a petition to list a distinct population segment of the roundtail chub in the Lower Colorado River Basin. Federal Register 74, 128, 32351–32387.
 . 2011. Sport Fish Stocking Program. Final Environmental Assessment. Prepared by EcoPlan Associates, Inc., for the U.S. Fish and Wildlife Service and the Arizona Game and Fish Department. 602 pp.
 . 2012. Endangered and threatened wildlife and plants; endangered status and designations of critical habitat for spikedace and loach minnow; Final Rule. Federal Register 77, 36, 10809–10932.
 Van Wagner, C.E. 1973. Height of crown scorch in forest fires. Canadian Journal of Forest
- Van Wagner, C.E. 1973. Height of crown scorch in forest fires. Canadian Journal of Forest Resource 3:373–378.
- _____. 1977. Conditions for the start and spread of a crown fire. Canadian Journal of Forest Research 71(3):23–30.
- Voshell, J.R. 2002. A Guide to Common Freshwater Invertebrates of North America. The McDonald and Woodward Publishing Company, Blacksburg, Virginia Wood, P.J., and P.D. Armitage. 1997. Biological effects of fine sediment in the lotic environment. Environmental Management 21:203–217.
- Weaver, H. 1951. Fire as an Ecological factor in southwestern ponderosa pine forests. Journal of Forestry. 49: 93–98.
- Weedman, Dave. 2011. (File to M. R. Childs). December 23. 1 file. On file at: U.S. Department of Agriculture, Forest Service, Coconino National Forest Supervisor's Office, Flagstaff, AZ.
- White, A.S. 1985. Pre-settlement regeneration patterns in a Southwestern ponderosa pine stand. Ecology 66:589–594.
- Wood, P.J., and P.D. Armitage. 1997. Biological effects of fine sediment in the lotic environment. Environmental Management 21: 203–217.
- Ziemer, R.R., J. Lewis, T.E. Lisle, and R.M. Rice. 1991. Long-term sedimentation effects of different patterns of timber harvesting. Pages 143–150. In: Sediment and Stream Water Quality in a Changing Environment: Trends and Explanation. IAHS, Vienna, Austria.

Chapter 1 and 2 References (see those sections):

- USDA 1987, as amended
- USDA 1988, as amended
- USDA 2009a
- USDA 2009b

Botany

- Abella, S.R., W.W. Covington, P.Z. Fulé, L.B. Lentile, A.J. Sánchez Meador, and P. Morgan. 2007. Past, present, and future old growth in frequent-fire conifer forests of the western United States. Ecology and Society 12(2): 16. Online: http://www.ecologyandsociety.org/vol12/iss2/art16/.
- Abella, S.R., E. Cayenne Engel, Judith D. Springer and W. Wallace Covington. 2012. Relationships if exotic plant communities with native vegetation environment factors, disturbance and landscape ecosystems of Pinus ponderosa forests. Forest Ecology and Management. Vol. 271. Pages 65–74.
- Arizona Game and Fish Department. 1993. *Clematis hirsutissima* var. *hirsutissima*. Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ.
- ______. 2002. *Rumex orthoneurus*. Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ. 6 pp.
- _____. 2012. *Actaea arizonica*. Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ. 4 pp.
- Bakker, Jonathan D., and Margaret M. Moore. 2007. Controls on Vegetation Structure in Southwestern Ponderosa Pine Forests, 1941 and 2004. Ecology 88(9):2305–2319.
- Ballard, T.M. 2000. Impacts of forest management on northern forest soils. Forest Ecology and Management 133:37–42.
- Barneby, R.C. 1964. Atlas of North American *Astragalus*. Memoirs of The New York Botanical Garden.Vol.13. Pages 1–1188.
- Bataineh, Amanda L., Brian P. Oswald, Mohammad M. Bataineh, Hans M. Williams, and Dean W. Coble. 2006. Changes in understory vegetation of a ponderosa pine forest in northern Arizona 30 years after a wildfire. Forest Ecology and Management 235:283–294.
- Beck, K. George. Biennial thistles. 1999. In: Biology and Management for Noxious Rangeland Weeds. Roger L. Sheley and Janet K. Petroff, eds. Oregon State University Press. Pages 145–161.
- Boucher, Paul F. 1984. Management Plan for *Hedeoma diffusum* Greene, Elden, Flagstaff, Mormon Lake, and Sedona Ranger Districts. USDA Forest Service, Coconino National Forest. Unpublished document on file at Coconino National Forest Supervisor's Office, Flagstaff, AZ. 5 pp.
- Bradley, B.A., D.M. Blumenthal, D.S. Wilcove, and L.H. Ziska. 2010. Predicting plant invasions in an era of global change. Trends in Ecology and Evolution 25:310–318.
- Choromanska, U., and T.H. DeLuca. 2002. Microbial activity and nitrogen mineralization in forest mineral soils following heating: evaluation of post fire effects. Soil Biology and Chemistry 34: 263–271.
- Clark, J.S., E.C. Grimm, J.J. Donovan, S.C. Fritz, D.R. Engstrom and J.E. Almendinger. 2002. Drought cycles and landscape responses to past aridity on prairies of the northern great plains, USA. Ecology. Vol. 83(3). Pages 595–601.

- Collins, Barndon M., Jason J. Moghaddas, and Scott L. Stevens. 2007. Initial changes in forest structure and understory plant communities following fuel reduction activities in a Sierra Nevada mixed conifer forest. Forest Management and Ecology. Pages 102–111.
- Covington, W.E. 2000. Helping western forests heal. Nature 208:135–136.
- Crane, M.F. 1990. *Actaea rubra*. In: Fire Effects Information System. USDA Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Online: http://www.fs.fed.us/database/feis/. Accessed January 3, 2012.
- Crawford, Julie A, C.H.A. Wahren, S. Kyle and W.H. Moir, 2001. Responses of exotic plant species to fires in Pinus ponderosa forests in northern Arizona. Journal of Vegetation Science. Pages 261–268.
- Crisp, Debra L. 1996. Monitoring of *Penstemon clutei* A. Nels on Tornado Salvage. Pages 243–246. *In* Maschinski, J.H. David Hammond and L. Holter (Eds.) Southwestern Rare and Endangered Plants: Proceedings of the Second Conference. Flagstaff, AZ. Proceedings RMRS-GTR-283. 328 pp.
- _____. 1997. Prescribed Fire Effects on Flagstaff pennyroyal, *Hedeoma diffusum*. An independent study for Northern Arizona University. 26 pp.
- ______. 2004. Survival and recruitment of bull thistle (*Cirsium vulgare* (Savi) Tenore) after pile burning and litter removal. Master of Science thesis. Northern Arizona University. 87 pages.
- _____. 2005. *Hedeoma diffusum* monitoring plots. Unpublished report on file at the Coconino National Forest Supervisor's Office, Flagstaff, AZ. 7 pp.
- _____. 2013. Botany Specialist's Report. Four-Forest Restoration Initiative, Coconino and Kaibab National Forest. Ms. On file at the Coconino NF 4FRI Project Record.
- Fulé, Pete Z., Judy D. Springer, David G. Huffman, and Wallace W. Covington. 2000. Response of a rare endemic, *Penstemon clutei*, to burning and reduced belowground competition. Pages 139–152. In: Southwestern Rare and Endangered Plants: Proceedings of the Third Conference. J. Maschinski and L. Holter, eds. Flagstaff, AZ. Proceedings RMRS-P-23. 248 pp.
- Goodwin, Greg. 1979. Observations on *Penstemon clutei* on the Coconino National Forest. Unpublished report on file at Supervisor's Office, Coconino National Forest. 7 pp.
- _____. 1983. Proposed Thomas and Walnut Timber Sales, Mormon Lake District, Coconino National Forest, Survey Results and Interim Management Guidelines for Hedeoma diffusum Greene. Unpublished document on file at Coconino national Forest Supervisor's Office, Flagstaff, AZ. 17 pp.
- Greishop, Matthew J., and Robert M. Nowierski. 2002. Selected factors affecting seedling recruitment of Dalmatian toadflax. Journal of Range Management 55:612–619.
- Hellmann J.J., J.E. Byers, B.G. Bierwagen, and J.S. Dukes. 2008. Five potential consequences of climate change for invasive species. Conservation Biology 22:534–543.
- Hulbert, Lloyd C. 1995. Ecological Studies of *Bromus tectorum* and Other Annual Bromegrasses. Ecological Monographs 25(2):181–213.

- Jacobs, James S., and Roger L. Sheley. 2003. Prescribed fire effects on Dalmatian toadflax. Journal of Range Management 56:193–197.
- Jeong, Su-Jung, Chang-Hoi Ho, Hyeon-Ju Gim, and Molly E. Brown. 2011. Phenology shifts at start vs. end of growing season in temperate vegetation over the Northern Hemisphere for the period 1982–2008. Global Change Biology 17:2385–2399.
- Lajeunesse, Sherry. 1999. Dalmatian and yellow toadflax. In: Biology and management of noxious rangeland weeds. Roger L. Sheley and Janet K. Petroff, eds. Corvallis, OR: Oregon State University Press: 202–216.
- Laughlin, Daniel C., Jonathan D. Bakker, Mark L. Daniels, Margaret M. Moore, Cheryl A. Casey, and Judith D. Springer. 2008. Restoring plant species diversity and community composition in a ponderosa pine-bunchgrass ecosystem. Plant Ecology 197:139–151.
- Laughlin, Daniel C., Margaret M. Moore, and Peter Z. Fulé. 2011. A century of increasing pine density and associated shifts in understory plant strategies. Ecology 92(3):556–561.
- Kaye, Jason P., and Stephen C. Hart, 1998. Ecological Restoration Alters Nitrogen Transformations in a Ponderosa Pine-Bunchgrass Ecosystem. Ecological Applications 8(4):1052–1060.
- Korb, Julie E. 2001. Understory plant community dynamics in southwestern ponderosa pine forest restoration. PhD Dissertation. Northern Arizona University. Flagstaff, AZ. 120 pp.
- Korb, Julie E., Nancy C. Johnson, and W. Wallace. Covington. 2004. Slash pile burning effects on soil biotic and chemical properties and plant establishment: recommendations for amelioration. Restoration Ecology 12:52–62.
- Makarick, Lori. 2012. 2012 Priority Invasives GCNP. Excel spreadsheet-showing list of nonnative plants targeted for treatment within the Grand Canyon National Park with graph showing increase in the number of species over time.
- Marlon, J.R., P.J. Bartlein, M.K. Walsh, S.P. Harrison, K.J. Brown, and M.E. Edwards. 2009 Wildfire responses to abrupt climate change in North America. Proceedings of the National Academy of Sciences of the United States of America 106:2519–2524.
- Maschinski, Joyce and Thomas J. Whitham. 1989. The Continuum of Plant Responses to Herbivory: The Influence of Plant Association, Nutrient Availability, and Timing. The American Naturalist, Vol. 134 (1). Pages 1–19.
- Maschinski, Joyce, Thomas E. Kolb, Edward Smith, and Barbara Phillips. 1997. Potential impacts of timber harvesting on a rare understory plant, *Clematis hirsutissima* var. arizonica. Biological Conservation 80:49–61.
- Middleton, B.A. 2006. Invasive species and climate change: U.S. Geological Survey Open-File Report: 2006–1153. 2 pp.
- McGlone, C.M., and D. Egan. 2009. Role of Fie in the Establishment and Spread of Nonnative Plants in Arizona Ponderosa Pine Forests: A Review. Journal of the Arizona –Nevada Academy of Science 41(2). Pages 75–86.

- McGlone, Christopher M., Judith D. Springer, and Daniel C. Laughlin. 2009. Can pine forest restoration promote a diverse and abundant understory and simultaneously resist non-native invasion? Forest Ecology and Management 258:2638–2646.
- McGlone, Christopher M., Judith D. Springer, and W. Wallace Covington. 2009. Cheatgrass Encroachment on a Ponderosa Pine Forest Ecological Restoration Project in Northern Arizona. Ecological Restoration 27(1):37–46.
- McKenney, Daniel W., John H. Pedlar, Keven Lawrence, Kathy Campbell, and Michael F. Hutchison. 2007. Potential Impacts of Climate Change on the Distribution of North American Trees. Bioscience 57(11):939–948.
- Moore, Margaret M., Cheryl A. Casey, Jonathan D. Bakker, Judith D. Springer, Peter Z. Fulé, W. Wallace Covington, and Daniel C. Laughlin. 2006. Herbaceous Vegetation Responses (1992–2004) to Restoration Treatments in a Ponderosa Pine Forest. Rangeland Ecology and Management 59:135–144.
- Morecroft, M.D., G.H. Masters, V.K. Brown, J.P. Clark, M.E. Taylor, and A.T. Whitehouse. 2004. Changing precipitation patterns alter plant community dynamics and succession in an exarable grassland. Functional Ecology 18:648–655.
- Parmesan, Camille. 2006. Ecological and Evolutionary Responses to Recent Climate Change. Annual Review of Ecology, and Evolution and Systematics 37:637–669.
- Pierson, Elizabeth A., and Richard N. Mack. 1990a. The Population Biology of *Bromus tectorum* in Forests: Distinguishing the Opportunity for Dispersal from Environmental Restriction. Oecologia 84:519–525.
- _____. 1990b. The population biology of *Bromus tectorum* in forests: effect of disturbance, grazing, and litter on seedling establishment and reproduction. Oecologia 84:526–533.
- Phillips, Arthur M. III, Mimi Murov, and Ron van Ommeren. 1992. Unpublished final report, distribution, and ecology of Sunset Crater Beardtongue (*Penstemon clutei*) in the Cinder Hills area, Coconino National Forest, Flagstaff, Arizona for Coconino National Forest.
- Phillips, Barbara G. 1984. Unpublished final report, Field survey for Hedeoma diffusum, Coconino National Forest. 24 pp.
- Priest, Susan S., Wendell A. Duffield, Karen Malis-Clark, James W. Hendley II, and Peter H. Stauffer. 2001. The San Francisco Volcanic Field, Arizona. USGS Fact Sheet 017-01. 2 pp.
- Pringle, James S. 1997. Clematis. In: Volume 3, Flora of North America. Flora of North America Editorial Committee, ed. Oxford University Press. Pages 158–159.
- Pyke, David A., Matthew L. Brooks, and Carla D' Antonio. 2010. Fire as a Restoration Tool: A Decision Framework for Predicting the Control or Enhancement of Plants Using Fire. Restoration Ecology. Vol. 18. Pages 274–284.
- Raison, R.J. 1979. Modification of the soil environment by vegetation fires, with particular reference to nitrogen transformations review. Plant and Soil 51: 73–108.

- Roche, Cindy Talbott, and Linda M. Wilson. 1999. Mediterranean sage. In: Biology and Management for Noxious Rangeland Weeds. Roger L. Sheley and Janet K. Petroff, eds. Oregon State University Press. Pages 261–270.
- Root, Terry L., Jeff T. Price, Kimberly. R. Hall, Stephen H. Schneider, Cynthia Rosenzweig, and J. Alan Pounds. 2003: Fingerprints of global warming on wild animals and plants. In; Nature. Vol. 421. Pages 57–60.
- Sheley, Roger L., James S. Jacobs, and Michael L. Carpinelli. 1999. Spotted knapweed. In: Biology and Management for Noxious Rangeland Weeds. Roger L. Sheley and Janet K. Petroff, eds. Oregon State University Press. Pages 350–361.
- Tesky, Julie L. 1992. *Salix bebbiana*. In: Fire Effects Information System. USDA Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer).

 Online: http://www.fs.fed.us/database/feis. Accessed May 15, 2009.
- USDA Forest Service. 1998. Noxious Weeds Strategic Plan Working Guidelines, Coconino, Kaibab, and Prescott National Forests. Unpublished document in file at Coconino National Forest Supervisor's Office.
- USDA Forest Service. Coconino National Forest. 1998. Environmental Assessment for the Treatment of Leafy Spurge at Brolliar Park. 56 pp.
 ______. 2000. Decision Notice and Finding of No Significant Impact Leafy Spurge Management Area Environmental Assessment. 7 pp.
 _____. 2009. Leafy Spurge Management Plan for the Coconino National Forest. 24 pp.
- USDA Forest Service. Coconino and Kaibab National Forests. 1995. Arizona bugbane Conservation Agreement and Strategy, 66 pp. Unpublished document in file at Coconino National Forest Supervisor's Office.
- USDA Forest Service. Southwestern Region. 2005. Final Environmental Impact Statement for Integrated Treatment of Noxious or Invasive Weeds, Coconino, Kaibab, and Prescott National Forests within Coconino, Gila, Mojave, and Yavapai Counties, AZ. 613 pp.
- _____. 2010. Southwestern Region Climate Change Trends and Forest Planning, A Guide for Addressing Climate Change in Forest Plan Revisions for Southwestern National Forests and National Grasslands.
- USDA. Fish and Wildlife Service. 1993. 58 Federal Register 51144. September 30, 1993. Part IV Department of the Interior. Fish and Wildlife Service. 50 CFR Part 17. Plant Taxa for Listing as Endangered or Threatened Species; Notice of Review.
- _____. 1999. Federal Register Vol. 64, No. 152 Monday, August 9, 1999 Proposed Rules. Endangered and Threatened Wildlife and Plants; Withdrawal of Proposed Rule to List the Plant *Rumex orthoneurus* (Chiricahua Dock) as Threatened. 6 pp.
- USDI. Fish and Wildlife Service and USDA Forest Service. 1998. Arizona Bugbane Conservation Agreement. 15 pages.
- Whitson, Tom O. 1999. Russian Knapweed. In: Biology and Management for Noxious Rangeland Weeds. Roger L. Sheley and Janet K. Petroff, eds. Oregon State University Press. Pages 315–322.

- Wolfson, B.A.S., T.E. Kolb, C.H. Sieg, K.M. Clancy. 2005. Effects of post-fire conditions on germination and seedling success of diffuse knapweed in northern Arizona. Forest Ecology and Management 216:342–358.
- Young, Jim. 2000. *Bromus tectorum*. In: Invasive Plants of California's Wildlands. Carla M. Bossard, John M. Randall, and Marc. C. Hoshovsky, eds. University of California Press. Pages 76–80.
- Zouhar, Kris. 2001. *Centaurea diffusa*. In: Fire Effects Information System [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Online: http://www.fs.fed.us/database/feis/ Accessed February 16, 2012.
- . 2001. *Centaurea maculosa*. In: Fire Effects Information System [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Online: http://www.fs.fed.us/database/feis/ Accessed February 16, 2012.
- ______. 2002. *Carduus nutans*. In: Fire Effects Information System [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Online: http://www.fs.fed.us/database/feis/ Accessed February 17, 2012.
- ______. 2003. Tamarix spp. In: Fire Effects Information System [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Online: http://www.fs.fed.us/database/feis/ Accessed February 22, 2012.
- ______. 2003. *Linaria* spp. In: Fire Effects Information System [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Online: http://www.fs.fed.us/database/feis/ Accessed February 23, 2012.
- _______, Kris. 2003. *Bromus tectorum*. In: Fire Effects Information System [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Online: http://www.fs.fed.us/database/feis/ Accessed March 1, 2012.
- ______. 2004. *Cardaria* spp. In: Fire Effects Information System [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Online: http://www.fs.fed.us/database/feis/Accessed February 16, 2012.

Climate Change

- Crisp, Deborah. 2013. Botany Specialist's Report. Four-Forest Restoration Initiative, Coconino and Kaibab National Forest. Ms. On file at the Coconino NF 4FRI Project Record.
- Hannemann, Michael. 2013. Range Specialist Report, Coconino and Kaibab Four-Forest Restoration Initiative (4FRI), DEIS. Ms. on file at the Coconino National Forest. Flagstaff, AZ. Pages 25–40.
- Lata, Mary. 2013. Fire Ecology, Fuels and Air Quality Specialist Report, Four-Forest Restoration Initiative. Ms. On file at Coconino NF, 4FRI project record.

- MacDonald, Christopher. 2013. Water Quality and Riparian Areas Specialist Report, Four-Forest Restoration Initiative, Coconino and Kaibab National Forest. Ms. On file at the Coconino NF 4FRI Project Record. 185 pp.
- Minor, Charlotte. 2013. Four-Forest Restoration Initiative Recreation Specialist Report. On file at the Coconino National Forest. Flagstaff. 92 pp.
- McCusker, Neil. 2013. Four-Forest Restoration Initiative Coconino and Kaibab National Forests Silviculture Specialist Report. Ms. On file at the Coconino NF 4FRI Project Record.
- Neary, Daniel G, Steven T. Overby, and Stephen C. Hart. 2002. Soil carbon in arid and semiarid forest ecosystems. In: Kimble, J.M., Linda S. Heath, Richard A. Birdsey, and R. Lal, eds. The potential of U.S. forest soils to sequester carbon and mitigate the greenhouse effect. Boca Raton, FL: CRC Press: 293–310.
 Online: http://www.fs.fed.us/rm/pubs_other/rmrs_2002_neary_d004.pdf. Accessed December 6, 2012.
- Noble, William, et al. 2013. Wildlife Specialist Report and Biological Evaluation, Four-Forest Restoration Initiative Coconino and Kaibab NF Environmental Impact Statement and Biological Evaluation. Pages 169–174.
- Steinke, R. 2013. Soil Resources Specialist's Report, 4 Forest Restoration Initiative. Ms. On file at the Coconino NF 4FRI Project Record. 425 pp.
- USDA Forest Service. Kaibab National Forest. Appendix D. Kaibab National Forest's Climate Change Approach for Plan Revision. 2012. Draft Land and Resource Management Plan for the Kaibab National Forest. Pages 173–182.
- USDA Forest Service. Southwestern Region.2010. Southwestern Climate Change Trends and Forest Planning, A Guide for Addressing Climate Change in Forest Plan Revisions for Southwestern National Forests and National Grasslands. 46 pp.
- USDA Forest Service. Washington Office. 2009. Climate Change Considerations in Project Level NEPA Analysis. 11 pp.

DEIS Chapter 1

- Arizona Forest Health Council. 2007. Statewide Strategy to Restore Arizona's Forests. Statewide Strategy Subcommittee of the Governor's Forest Health Oversight Council. 160 pp. Online: http://www.azsf.az.gov/userfiles/file/07-07-25%20Forest%20Executive%20Summary.pdf.
- Council of Environmental Quality. 1978. Regulations for Implementing NEPA. 40 Code of Federal Regulations Section 1502.14 (c).

 Online: http://ceq.hss.doe.gov/nepa/regs/ceq/1502.htm#1502.14. Accessed for filing purposes on January 13, 2013.
- Federal Register. 2011. Vol. 76 FR. 51936–51938, 4279–4281, 2011–20496.
- Four-Forest Restoration Initiative Stakeholders. 2010. Four Forest Initiative Landscape Restoration Strategy Report, First Analysis Area. October 1, 2010.
- _____. 2011. Old Growth Protection and Large Tree Retention Strategy (OGP and LTRS). September 13, 2011. 34 pp.

- Hampton, H.M., S.E. Sesnie, B.G. Dickson, J.M. Rundall, T.D. Sisk, G.B. Snider, and J.D.
 Bailey. 2008. Final Report. Analysis of Small-Diameter Wood Supply in Northern
 Arizona. Forest Ecosystem Restoration Analysis Project, Center for Environmental
 Sciences and Education, Northern Arizona University. 210 pp.
- Keckler, Chirre. Acres of goshawk habitat on the Kaibab NF. Personal communication with Paula Cote, 4FRI. January 9, 2012.
- Public Law 111-11. 2009. Omnibus Public Land Management Act of 2009. Title IV—Forest Landscape Restoration. 8 pp.
 Online: http://www.fs.fed.us/restoration/documents/cflrp/titleIV.pdf.
- USDA Forest Service. 1987. Coconino National Forest Land and Resource Management Plan and amendments. USDA Forest Service, Southwestern Region. 270 pp.
 Online: http://www.redrockcountry.org/about-us/fpr/current-forest-plan-w-amends.pdf.
 2012–2011. Forest Service Handbook 1909.14.1. Adaptive Management Strategy. Page 32
- _____. 2012. Forest Service Manual, Chapter 2020.5 Definitions. Ecological Restoration and Resilience. 2020.5. Page 12 of 12.
- . 1988. Kaibab National Forest Land Management Plan, as Amended. USDA Forest Service, Southwestern Region. 173 pp.
 Online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsm91_050003.pdf.
- USDI Fish and Wildlife Service. 2012. Mexican Spotted Owl Recovery Plan, First Revision (*Strix occidentalis lucida*). U.S. Fish and Wildlife Service. Albuquerque, NM, USA. 414 pp.

DEIS Chapter 1 References Located in Other Reports

- Chapter 1 Tree Density and Canopy Openness see Silviculture References
- Chapter 1 Stand Density and Key Habitat Components see Silviculture References
- Chapter 1 Vegetation Diversity and Composition –see Wildlife References
- Chapter 1 Aspen –see Silviculture and Cumulative Effects References
- Chapter 1 Grasslands see Cumulative Effects and Fire Ecology References
- Chapter 1 Forest Resiliency (Fire) See Fire Ecology References
- Chapter 1 Soils Productivity, Watershed Function, Springs, Ephemeral Streams, and Roads and Unauthorized Routes – See Soils and Watershed and Cumulative Effects References

DEIS Chapter 2 References

to Page 35. 47 pages.

Battaglia, M., F.W. Smith, and W.D. Shepperd. 2009. Predicting mortality of ponderosa pine regeneration after prescribed fire in the Black Hills, South Dakota, USA. International Journal of Wildland Fire.

- Council of Environmental Quality. 1978. Regulations for Implementing NEPA. 40 Code of Federal Regulations Section 1502.14 (c).

 Online: http://ceq.hss.doe.gov/nepa/regs/ceq/1502.htm#1502.14. Accessed for filing purposes on January 13, 2013.
- Covington, W.W., P.Z. Fulé, S.C. Hart, and R.P. Weaver. 2001. Modeling ecological restoration effects on ponderosa pine forest structure. Restoration Ecology 9(4):421–431.
- Forest Service Manual, Chapter 2020.5 Definitions. Ecological Restoration and Resilience. 2020.5. Page 12 of 12.
- Four-Forest Restoration Initiative Stakeholders. 2011. Old Growth Protection and Large Tree Retention Strategy (OGP and LTRS). September 13, 2011. 34 pp.
- Hood, Sharon M. 2010. Mitigating old tree mortality in long-unburned, fire dependent forests: a synthesis. Gen. Tech. Rep. RMRS-GTR-238. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 71 pp.
- Huffman, D.W., and M.M. Moore. 2008. Population dynamics of buckbrush under simulated forest restoration alternatives. Pp. 257–263 in Susan D. Olberding and Margaret M. Moore, (tech coords.) 2008. Fort Valley Experimental Forest–A Century of Research 1908–2008. Conference Proceedings; August 7–9, 2008; Flagstaff, AZ. Proceedings RMRS-P-53CD. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 408 pp.
- Kolb, T.E., J.K. Agee, P.Z. Fulé, N.G. McDowell, K. Pearson, A. Sala, and R.H. Waring. 2007. Perpetuating old ponderosa pine. Forest Ecology and Management 249:141–157.
- Miller, C., and D.L. Urban. 2000. Connectivity of forest fuels and surface fire regimes. Landscape Ecology. 15:145 154.
- Miller, E.M. and T.R. Seastedt. 2009. Impacts of woodchip amendments and soil nutrient availability on understory vegetation establishment following thinning of a ponderosa pine forest. Forest Ecology and Management 258, 263–272.
- Moir, W.H. and J.H. Deiterich. 1988. Old-Growth ponderosa pine from succession in pine-bunchgrass forests in Arizona and New Mexico. Natural Areas Journal 8(1):17–24.
- Savage, M., and J.N. Mast. 2005. How resilient are southwestern ponderosa pine forests after crown fires? Canadian Journal of Forestry Research 35:967–977.
- Triepke, F.J., B.J. Higgins, R.N. Weisz, J.A. Youtz, and T. Nicolet. 2011. Diameter caps and forest restoration Evaluation of a 16-inch cut limit on achieving desired conditions. USDA Forest Service Forestry Report FR-R3-16-3. Southwestern Region, Regional Office, Albuquerque, NM. 31 pp.

Fire Ecology

- Abella, S.R. 2006. Effects of smoke and fire-related cues on *Penstemon barbatus* seeds. Faculty Publications (SEPA); School of Environmental & Public Affairs, University of Nevada, Las Vegas, NV.
- ______. 2008a. Managing Gambel oak in southwestern ponderosa pine forests: The Status of our knowledge. USDA Forest Service Gen. Tech. Rep. RMRS-GTR-218.

- ______. 2008b. Gambel oak growth forms: Management opportunities for increasing ecosystem diversity (2008). Faculty Publications (SEPA). Paper 348. http://digitalcommons.library.unlv.edu/sea_fac_articles/348.
- _____. 2009. Smoke-cued emergence in Plant Species of Ponderosa Pine Forests: Contrasting Greenhouse and Field Results. Fire Ecology Special Issue 5(1):22–37.
- Abella, S.R., and P.Z. Fulé. 2008. Fire effects on Gambel Oak in southwestern Ponderosa pine-oak forests. Research Note RMRS-RN-34.
- ______. 2008a. Changes in Gambel oak densities in southwestern ponderosa pine forests since Euro-American settlement. Faculty Publications (SEPA). Paper 354. http://digitalcommons.library.unlv.edu/sea_fac_articles/354.
- Abella, S.R., C.W. Denton, C.W., D.G. Brewer, W.A. Robbie, R.W. Steinke, W.W. Covington. 2011. Using a terrestrial ecosystem survey to estimate the historical density of ponderosa pine trees. Res. Note. RMRS-RN-45. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 9 pp.
- Abella, S.R., J.D. Springer, and W.W. Covington. 2007. Seed banks of Arizona Pinus ponderosa landscape: responses to environmental gradients and fire cues. Canadian Journal of Forest Research 37:552 567.
- Achtemeier, G.L., B. Jackson, J.D. Brenner, 2001. Problem and Nuisance Smoke. Smoke Management Guide for Prescribed and Wildland Fire 2001 Edition. NWCG. PMS 420-2, NFES 1279. Boise, ID.
- Agee, J.K. 1993. Fire Ecology of Pacific Northwest Forests. Island Press, Washington, DC.
- Alexander, M.E. 1982. Calculating and interpreting forest fire intensities. Canadian Journal of Botany. Vol. 60.
- Alexander, M.E., and F.G. Hawksworth. 1976. Fire and dwarf mistletoes in North American coniferous forests. Journal of Forestry 74(7):446–449.
- Allen, C.D. 1989. Changes in the landscape of the Jemez Mountains, New Mexico. Dissertation, University of California, Berkeley, CA, USA.
- Allen, C.D., M. Savage, D.A. Falk, D.F. Suckling, T.W. Swetnam, T. Schulke, P.B. Stacey, P. Morgan, M. Hoffman, and J.T. Klingel. 2002. Ecological restoration of southwestern ponderosa pine ecosystems: a broad perspective. Ecological Applications 12(5):1418–1433.
- Amacher, Michael C., Amber D. Johnson, Debra E. Kutterer, and Dale L. Bartos. 2001. First-year postfire and postharvest soil temperatures in aspen and conifer stands. Res. Pap. RMRS-RP-27-WWW. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 24 pp.
- Archer, S., T.W. Boutton, and K.A. Hibbard. 2000. Trees in grasslands: Biogeochemical consequences of woody plant expansion. In: Global Biogeochemical Cycles in the Climate System. E.D. Schulze, S.P. Harrison, M. Heimann, E.A. Holland, J. Lloyd, I.C. Prentice, and D. Schimel, eds. Academic Press, San Diego, CA.

- Arizona Department of Environmental Quality. 2003. Regional Haze State Implementation Plan for the State of Arizona. Phoenix, AZ.

 Online: http://www.azdeg.gov/environ/air/haze/download/2sip.pdf. Accessed August 20,
 - Online: http://www.azdeq.gov/environ/air/haze/download/2sip.pdf. Accessed August 20, 2011.
- . 2004. Revision State Implementation Plan for Regional Haze. Phoenix, AZ. Online: http://www.azdeq.gov/environ/air/haze/download/2004_RH_SIP_Revision.pdf.
- ______. 2004. Title 18 Environmental Quality, Chapter 2 DEQ Pollution Control, Article 15 Forest and Range Management Burns. Phoenix, AZ.

 Online: http://www.azdeq.gov/environ/air/smoke/download/prules.pdf. Accessed March 05, 2011.
- Arno, Stephen F. 1985. Ecological effects and management implications of Indian fires. General Technical Report INT-GTR-182. Ogden, UT: USDA Forest Service Intermountain Forest and Range Experiment Station. Pp. 81–86.
- Barrett, S.; D. Havlina, J. Jones, W. Hann, C. Frame, D. Hamilton, K. Schon, T. Demeo, L. Hutter, and J. Menakis. 2010. Interagency Fire Regime Condition Class Guidebook. Version 3.0 (Homepage of the Interagency Fire Regime Condition Class Web site, USDA Forest Service, U.S. Department of the Interior, and The Nature Conservancy). Online: http://www.frcc.gov/.
- Bartos, D.L. 2001. Landscape dynamics of aspen and conifer forests. In: USDA Forest Service Proceedings RMRS-P-18.
- Biswell, H.H., R.P. Gibbens, and H. Buchanan. 1966. Litter production by big trees and associated species. Calif. Agric. 20:5–7.
- Bond, W.J., and J.E. Keeley. 2005. Fire as a global "herbivore" the ecology and evolution of flammable ecosystems. Trends in Ecology and Evolution. 20(7): 387–394.
- Brewer, D.G., R.K. Jorgensen, L.P. Munk, W.A. Robbie, and J.L. Travis. 1991. Terrestrial Ecosystem Survey of the Kaibab National Forest. USDA Forest Service, Southwestern Region.
- Brown, H.E. 1958. Gambel Oak in West-Central Colorado. Ecology 39(2): 317–327.
- Brown, J.K., E.D. Reinhardt, and K.A. Kramer. 2003. Coarse Woody Debris: Managing Benefits and Fire Hazard in the Recovering Forest. RMRS-GTR-105.
- Cooper, C.F. 1960. Changes in vegetation, structure, and growth of southwestern pine forests since white settlement. Ecological Monographs 30(2): 129–164.
- Core, J.E. 2001. State Smoke Management Programs. Smoke Management Guide for Prescribed and Wildland Fire 2001 Edition. NWCG. PMS 420-2, NFES 1279. Boise, ID.
- Core, J.E. 2001a. Visibility. Smoke Management Guide for Prescribed and Wildland Fire 2001 Edition. NWCG. PMS 420-2, NFES 1279. Boise, ID.

- Covington, W.W. 2002. Ecological Restoration Thinning of Ponderosa Pine Ecosystems:
 Alternative Treatment Outcomes Very Widely. In: Fire, fuel treatments and ecological restoration: Conference proceedings. P.N. Omi and J.L., tech eds. April 16–18, 2002; Fort Collins, CO. Proceedings RMRS-P-29. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 475 pp.
- Covington, W.W. 2011. Discussion on Science Friday, 9/23/20011
- Covington, W.W., and M.M. Moore. 1994. Southwestern ponderosa forest structure: Changes since Euro-American settlement. Journal of Forestry.
- Covington, W.W., and S.S. Sackett. 1984. The effect of a prescribed burn in southwestern ponderosa pine on organic matter and nutrients in woody debris and forest floor. Forest Science. 30(1):183–192.
- Covington, W.W., and S.S. Sackett. 1992. Soil mineral nitrogen changes following prescribed burning in ponderosa pine. Forest Ecology and Management 54:175–191.
- Covington, W.W., P.Z. Fulé, S.C. Hart, and R.P. Weaver. 2001. Modeling ecological restoration effects on ponderosa pine forest structure. Restoration Ecology 9(4):421–431.
- Covington, W.W., P.Z. Fulé, M.M. Moore, S.C. Hart, T.E. Kolb, J.N. Mast, S.S. Sackett, and M.R. Wagner.1997. Restoring Ecosystem Health in Ponderosa Pine Forests of the Southwest. Journal of Forestry 95(4):23–29.
- Crane, Marilyn F. 1982. Fire ecology of Rocky Mountain Region forest habitat types. Final Report Contract No. 43-83X9-1-884. Missoula, MT. U.S. Department of Agriculture, Forest Service, Northern Region. 272 pp. On file with: U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Fire Sciences Laboratory, Missoula, MT. 5292.
- Dahms, Cathy W., and Brian W. Geils, tech. eds. 1997. An assessment of forest ecosystem health in the Southwest. General Technical Report RM-GTR-295. Fort Collins, CO. U.S.A. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 97 pp. Online: http://www.rmrs.nau.edu/publications/rm_gtr_295/. Accessed April, 5, 2012.
- DeByle, N.V. and R.P. Winokur. 1985. Aspen: Ecology and Management in the Western United States. USDA Forest Service, Fort Collins, Colorado. GTR-RM-119.
- DeByle, N.V., C.D. Bevins, and W.C. Fischer. 1987. Wildfire Occurrence in Aspen in the Interior Western United States. Western Journal of Applied Forestry 2(3): 73–76.
- DeLuca, J. 2008. Aspen Stems per Acre on the Williams Ranger District, Kaibab National Forest. Williams Ranger District Data.
- Dieterich, John H. 1980. The composite fire interval a tool for more accurate interpretation of fire history. In: Proceedings of the fire history workshop. October 20–24, 1980. Tucson, AZ. Gen. Tech. Rep. RM-81. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. Pp 8–14.
- Diggins, C., P.Z. Fulé, J.P. Kaye, and W.W. Covington. 2010. Future climate affects management strategies for maintaining forest restoration treatments. International Journal of Wildland Fire. 19:903–913.

- Egan, D. 2011. Protecting old trees from prescribed burning. Working Paper No. 24. Ecological Restoration Institute, Northern Arizona University, Flagstaff, AZ.
- Fairweather, M.L., B.W. Geils, and M. Manthei. 2007. Aspen Decline on the Coconino National Forest, WIFDWC 55.
- Ffolliott, P.F., and G.J. Gottfried. 1991. Natural tree regeneration after clearcutting in Arizona's ponderosa pine forests: two long-term case studies. Res. Note RM-507. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 6 pp.
- Fiedler, C.E., and C.E. Keegan. 2003. Reducing Crown Fire Hazard in Fire-Adapted Forests of New Mexico. In: Fire, Fuel Treatments, and Ecological Restoration, Conference Proceedings. April 2002. Ft. Collins, CO. USDA Forest Service Proceedings RMRS-P-29. Online: http://www.fs.fed.us/rm/pubs/rmrs_p029.html. Accessed October, 11, 2011.
- Finkral, A.J., and A.M. Evans. 2008. The effects of a thinning treatment on carbon stocks in a northern Arizona pine forest. Forest Ecology and Management 255:2743–2750.
- Finney, M.A. 2004. Farsite: Fire area simulator Model Development and Evaluation. USDA Forest Service RMRS-RP-4 Revised.
- Finney, M.A. 2006. An overview of FlamMap modeling capabilities. USDA Forest Service Proceedings RMRS-P-4.
- Finney, M.A., R. Bartlette, L. Bradshaw, K. Close, B.M. Collins, P. Gleason, W.M. Hao, P. Langowski, J. McGinely, C.W. McHugh, E. Martinson, P.N. Omi, W. Shepperd, and K. Zeller. 2003. Fire behavior, fuel treatments, and fire suppression on the Hayman Fire. Hayman fire case study. R.T. Graham, ed. GTR-RMRS-114. USDA Forest Service, Ogden, UT.
- Fitch, M., R. Truman. 2007. Specialist Report for Air Resources: Kaibab National Forest. Williams, AZ.
- Ffolliott, P.F., and G.J. Gottfried. 1991. Natural Tree Regeneration After Clearcutting in Arizona's Ponderosa Pine Forests: Two Long-Term Case Studies. Rocky Mountain Forest and Range Experiment Station. USDA Forest Service. Research Note RM-507.
- ForestEra. 2010. GIS data (process and mask for adjusting fire behavior outputs to reflect changes since the base Landfire data layers were updated). Flagstaff, AZ: Northern Arizona University.
- Fowler, J.F., C. Hull Sieg, and L.L. Wadleigh. 2010. Effectiveness of Litter Removal to Prevent Cambial Kill-Caused Mortality in Northern Arizona Ponderosa Pine. Forest Science. 56(2): 166–171.
- Fulé, P.Z., A.E.M. Waltz, W.W. Covington, and T. A. Heinlein. 2001. Measuring Forest Restoration Effectiveness in Reducing Hazardous Fuels. Journal of Forestry. November 2001.
- Fulé, P.Z. Personal communication email: 1/6/2011. Faculty, Fire Ecology/Forestry, Northern Arizona University, Flagstaff, AZ.

- Fulé, P.Z., C. McHugh, T.A. Heinlein, and W.W. Covington. 2001. Potential fire Behavior is Reduced Following Forest Restoration Treatments. USDA, U.S. Forest Service Proceedings RMRS-P-22.
- Fulé, P. Z., and D. C. Laughlin. 2007. Wildland fire effects on forest structure over an altitudinal gradient, Grand Canyon National Park, USA. Journal of Applied Ecology. 44: 136–146.
- Fulé, P.Z., D.C. Laughlin, and W.W. Covington. 2005. Pine-oak forest dynamics five years after ecological restoration treatments, AZ, USA. Forest Ecology and Management 218:129–145.
- Fulé, P.Z., J.E. Crouse, J.P. Roccaforte, and E.L. Kalies. 2012. Do thinning and/or burning treatments in western USA ponderosa or Jeffrey pine-dominated forests help restore natural fire behavior? Forest Ecology and Management 269:68–81.
- Fulé, P.Z., T.A. Heinlein, W.W. Covington, and M.M. Moore. 2003. Assessing fire regimes on Grand Canyon landscapes with fire-scar and fire-record data. International Journal of Wildland Fire. 12: 129–145.
- Fulé, P.Z., W.W. Covington, and M.M. Moore. 1997a. Determining reference conditions for ecosystem management of southwestern ponderosa pine forests. Ecological Applications 7(3): 895–908.
- Fulé, P.Z., W.W. Covington, M.M. Moore, T.A. Heinlein, and A.E.M. Waltz. 1997b. Natural variability in forests of the Grand Canyon. USA. Ecological Applications 7(3):895–908.
- Garlough, E.C., and C.R. Keyes. 2011. Influences of moisture content, mineral content, and bulk density on smoldering combustion of ponderosa pine duff mounds. International Journal of Wildland Fire. 20: 589–596.
- Gerdes, J. 2012. Personal communication email: 1/23/2012. United States Environmental Protection Agency, Region 9.
- Gori, Dave and Joanna Bate. 2007. Historical Range of Variation and State and Transition Modeling of Historical and Current Landscape Conditions for Pinyon-Juniper of the Southwestern U.S. Prepared for the USDA Forest Service, Southwestern Region by The Nature Conservancy, Tucson, AZ. 141 pp.
- Graham, R. 2012a. Personal communication email: 4/25/2012, 6/7/2012; and 9/12/2012. United States Environmental Protection Agency, Region 8.
- Graham, R.T., A.E. Harvey, M.F. Jurgensen, T.B. Jain, J.R. Tonn, and D.S. Page-Dumroese. 1994. Managing Coarse Woody Debris in Forests of the Rocky Mountains. USDA, Forest Service Research Paper INT-RP-477.
- Grand Canyon National Park. 2011. Unpublished fire effects monitoring data from 1992–2010.
- Gruell, G.E. 1985. Fire on the early western landscape: an annotated record of wildland fires 1776–1900. Northwest Sci. 59:97–107.
- Hall, W., A. Thode, K. Waring, N. McCusker, and M. Lata. 2011. Using the Forest Vegetation
 Simulator to Determine Proposed Restoration Treatment Effectiveness and Maintenance
 Interval: An Analysis of the Four Forest Restoration Initiative (MF Professional Paper).
 Flagstaff, AZ. Northern Arizona University. 69 pp.

- Hann, W.J., A. Shlisky, D. Havalina, K. Schon, S. Barrett, T.D. Meo, K. Pohl, J. Menakis, D. Hamilton, J. Jones, M. Levesque, and C. Frame. 2004. Interagency Fire Regime Condition Class (FRCC) Guidebook Version 1.3.0. Last update, June 2008. Available at www.frcc.gov.
- Hardy, C.C. 2005. Wildland fire hazard and risk: Problems, definitions, and context. Forest Ecology and Management. 211:73–82.
- Hardy, C.C., K.M. Schmidt, J.P. Menakis, and R.N. Sampson. 2001a. Spatial data for national fire planning and management. International Journal of Wildland Fire. 10(3 and 4): 535–572. Online: http://www.publish.csiro.au/?act=view_file&file_id=WF01034.pdf. Accessed on January 5, 2010.
- Hardy, C.C., Roger D. Ottmar, Janice L. Peterson, John E. Core, and Paula Seamon. 2001b.Smoke Management Guide for Prescribed and Wildland Fire, 2001 edition, NFES 1279.National Wildfire Coordinating Group, Fire Use Working Team. 226 pp.
- Hardy, C.C., S.M. Hermann, and John E. Core. 2001b. The Smoke Management Imperative. Smoke Management Guide for Prescribed and Wildland Fire 2001 Edition. NWCG. PMS 420-2, NFES 1279. Boise, ID.
- Hartford, R.A., and W.H. Frandsen. 1992. When It's Hot, It's Hot...or Maybe It's Not! (Surface Flaming May Not Portent Extensive Soil Heating). International Journal of Wildland Fire 2(3):139–144.
- Harrington, M.G., and S.S. Sackett. 1992. Past and present fire influences on Southwestern ponderosa pine old growth. In: Old-growth forests in the Southwest and Rocky Mountain regions; proceedings of a workshop. Pages 44–50. M.R. Kaufmann, W.H. Moir, and R.L. Bassett, tech. coords. March 9, 1992. Portal, AZ. Gen. Tech. Rep. RM-213. Fort Collins, CO. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 201 pp.
- Havlina et al. 2010. Interagency Fire Regime Condition Class website. USDA Forest Service, USDA Department of the Interior, and The Nature Conservancy. Online http://www.frcc.gov/.
- Heinlein, T.A., M.M. Moore, P.Z. Fulé, and W.W. Covington, 2005. Fire history and stand structure of two ponderosa pine mixed conifer sites: San Francisco Peaks, AZ, USA. International Journal of Wildland Fire 14: 307–320.
- Higgins, B.J., H.P. Kleindienst. 2011. Vegetation, Fire, and Fuels Specialist Report. Kaibab National Forest. Williams, AZ.
- Huffman, D.W., P.Z. Fulé, J.E. Crouse, and K.M. Pearson. 2009. A comparison of fire hazard mitigation alternatives in pinyon-juniper woodlands of Arizona. Forest Ecology and Management. 257: 628–635.
- Huffman, D.W., P.Z. Fulé, K.M. Pearson, and J.E. Crouse. 2008. Fire history of pinyon-juniper woodlands at upper ecotones with ponderosa pine forests in Arizona and New Mexico. Canadian Journal of Forest Research. 38:2097–2108.
- Huffman, D.W., P.Z. Fulé, K.M. Pearson, J.E. Crouse, and W.W. Covington. 2006. Pinyon-Juniper Fire Regime: Natural Range of Variability. 04-JF-11221615-271. Final Report. Ecological Restoration Institute, Northern Arizona University.

- Hungerford, Roger D. 1988. Soil temperatures and suckering in burned and unburned aspen stands in Idaho. Research Note INT-378. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station.
- Hurteau, M.D., and M. North. 2009. Fuel treatment effects on tree-based forest carbon storage and emissions under modeled wildfire scenarios. Frontiers in Ecology and the Environment. Vol. 7. Oct. 2009. pp. 409–414.
- Hurteau, M.D., M.T. Stoddard, and P.Z. Fulé. 2011. The carbon costs of mitigating high-severity wildfire in southwestern ponderosa pine. <u>Global Change Biology</u> 17:1516-1521.
- Jones, J.R., and N.V. DeByle. 1985. Chapter II. Ecology/Fire in Aspen Ecology and Management in the Western United States. United States. Eds. N.V. DeByle and R.P. Winokur. USDA Forest Service, Fort Collins, CO. GTR-RM-119.
- Kean, R.E., E.D. Reinhardt, J. Scott, K. Gray, and J. Reardon. 2005. Estimating forest canopy bulk density using six indirect methods. Canadian Journal of Forestry Research. 35(3): 724–739.
- Keeley, J.E. 2009. Fire intensity, fire severity, and burn severity: a brief review and suggested usage. International Journal of Wildland Fire. 18:116–126
- Keeley, J.E., and C.J. Fotheringham. 2000. Role of Fire in Regeneration from Seed. In: Seeds: The Ecology of Regeneration in Plant Communities, 2nd edition. Michael Fenner, ed. Cab International.
- Ketterer, M.E., K.M. Hafer, C.L. Link, D. Kolwaite, J. Wilson, and J.W. Mietelski. 2004. Resolving global *versus* local/regional PU sources in the environment using sector ICP MS. Journal of Analytical Atomic Spectrometry. Vol. 19:241–245.
- Kleindienst, H.P. 2012. Specialists Report on Air Quality for the Kaibab National Forest Plan Revision. Kaibab National Forest, USDA Forest Service.
- Kolb, T.E., J.K. Agee, P.Z. Fulé, N.G. McDowell, K. Pearson, A. Sala, and R.H. Waring. 2007. Perpetuating old ponderosa pine. Forest Ecology and Management 249:141–157.
- Koo, B., C.H. Chien, G. Tonnesen, R. Morris, J. Johnson, T. Sakulyanontvittaya, P. Piyachaturawat, and G. Yarwood. 2010. Natural emissions for regional modeling of background ozone and particulate matter and impacts on emissions control strategies. Atmospheric Environment 44: 2372–2382.
- Kozlowski, T.T., and C.E. Ahlgren. 1974. Fire and Ecosystems. Academic Press, New York. 542 pp.
- Kunzler, L.M.; Harper, K.T. 1980. Recovery of Gambel oak after fire in central Utah. Great Basin Naturalist 40:127–130.
- LANDFIRE. 2010a. LANDFIRE 1.1.0 Landscape (LCP) File FBFM40. U.S. Forest Service. Online: http://www.landfire.gov/datatool.php. Accessed: January, 2012.
- LANDFIRE. 2010b. LANDFIRE Data Access Tool. LANDFIRE Project, U.S. Department of Agriculture, Forest Service; U.S. Department of Interior. Online: http://landfire.gov/.

- Lata, M. 2006. Variables affecting first order fire effects, characteristics, and behavior in experimental and prescribed fires in mixed and tallgrass prairie. Doctoral dissertation. University of Iowa, Department of Geoscience.
- _____. 2013. Fire Ecology, Fuels and Air Quality Specialist Report, Four-Forest Restoration Initiative. Ms. On file at Coconino NF, 4FRI project record. 332 pp
- Laughlin, D.C., and P.Z. Fulé. 2008. Wildland fire effects on understory plant communities in two fire-prone forests. Canadian Journal of Forestry Research 38:133–142.
- Laughlin, D.C., M.M. Moore, P.Z. Fulé. 2011. A century of increasing pine density and associated shifts in understory plant strategies. Ecology 92(3):556–561.
- Leopold, A. 1924. Grass, brush, timber and fire in southern Arizona. Journal of Forestry 22:1–10.
- Leiberg, John B., Theodore F. Rixon, and Arthur Dodwell. 1904. Forest Conditions in the San Francisco Forest Reserve, AZ. U.S. Department of the Interior, United States Geological Survey. Professional Paper No. 22.
- Low, K. 2006. Effects of forest thinning treatments on fire behavior. Working Paper No.15 in Southwestern Ponderosa Pine Forest Restoration. Northern Arizona University, Ecological Restoration Institute, Flagstaff, AZ.
- Lynch, D.L., W.H. Romme, and M.L. Floyd. Forest Restoration in Southwestern Ponderosa Pine Journal of Forestry. August 2000.
- McCusker, N.A. 2013. Four-Forest Restoration Initiative Coconino and Kaibab National Forests Silviculture Specialist Report. Ms. On file at Coconino NF, 4FRI project record.
- Margolis, E.Q., T.W. Swetnam, and C.D. Allen. 2011. Historical stand-replacing fire in upper montane forests of the Madrean sky islands and Mogollon Plateau, Southwestern USA. Fire Ecology. 7(3):88–107.
- Mast, J.N., P.Z. Fulé, M.M. Moore, W.W. Covington, A.E.M. Waltz.1999. Restoration of presettlement age structure of an Arizona ponderosa pine forest. Ecological Applications 9(1):228–239.
- McPherson, Guy R., Dale D. Wade, and Clinton B. Phillips. 1990. Glossary of wildland fire management terms. Bethesda, MD: Society of American Foresters.
- Mitchell, Jerry M. 1984. Fire management action plan: Zion National Park, Utah. Record of Decision. 73 pp. Report on file at: U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Fire Sciences Laboratory, Missoula, MT. 17278
- Moir, W.H. and J.H. Deiterich. 1988. Old-Growth ponderosa pine from succession in pine–bunchgrass forests in Arizona and New Mexico. Natural Areas Journal 8(1):17–24.
- Moore, M.M., and D.W. Huffman. 2004. Tree Encroachment on Meadows of the North Rim, Grand Canyon National Park, AZ, U.S.A. Arctic, Antarctic, and Alpine Research 36(4):474–483.
- Moore, M.M, D.W. Huffman, P.Z. Fulé, W.W. Covington, and J.E. Crouse. 2004. Comparison of Historical and Contemporary Forest Structure and Composition on Permanent Plots in Southwestern Ponderosa Pine Forests. Forest Science 5(2):162–176.

- Moore, M.M., W.W. Covington, and P.Z. Fulé. 1999. Reference conditions and ecological restoration: a southwestern ponderosa pine perspective. Ecological Applications 9(4):1266–1277.
- National Wildfire Coordinating Group (NWCG). 2008. Glossary of Wildland Fire Terminology. Incident Operations Standards Working Team. Online: http://www.nwcg.gov. Accessed January 4, 2010.
- National Interagency Fuels, Fire and Vegetation Technology Transfer (NIFTT). 2010. Fire Regime Condition Class Software Application User's Guide Version 3.0.3.0.
- Neary, Daniel G., Kevin C. Ryan, and Leonard F. DeBano, eds. 2005. (Revised 2008). Wildland fire in ecosystems: effects of fire on soils and water. Gen. Tech. Rep. RMRS-GTR-42-Vol.4. Ogden, UT. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 250 pp.
- New Mexico Environment Department. 2002. Fact Sheet: Cerro Grande Fire. NMED DOE Oversight Bureau. Online: http://www.nmenv.state.nm.us/DOE_Oversight/RAC.htm.
- Nicolet, T. 2011. Fire and Fuels Specialist Report for the Rim Lakes Forest Health Project. Unpublished report on file with USDA Forest Service, Sitgreaves National Forest, Springerville, AZ.
- Noble, William O. et al. 2013. Wildlife Specialist Report and Biological Evaluation, Four-Forest Restoration Initiative Coconino and Kaibab NF Environmental Impact Statement. Ms. On file at the Coconino NF 4FRI Project Record.
- North, M., M. Hurteau, and J. Innes. 2009. Fire suppression and fuels treatment effects on mixed-conifer carbon stocks and emissions. Ecological Applications 19(6):1385–1396.
- Omi, P.N., and E.J. Martinson. 2004. Effectiveness of Thinning and Prescribed Fire in Reducing Wildfire Severity. USDA Forest Service Gen. Tech. Rep. PSW-GTR-193.
- Ottmar, R.D. 2001. Smoke Source Characteristics. Smoke Management Guide for Prescribed and Wildland Fire 2001 Edition. NWCG. PMS 420-2, NFES 1279. Boise, ID.
- Parmeter, J.R., and B. Uhrenholdt. 1974. Some Effects of Pine-Needle or Grass Smoke on Fungi. Pre-published work, Department of Plant Pathology, University of California, Berkeley. Online: http://www.apsnet.org/publications/phytopathology/backissues/Documents/1975 https://www.apsnet.org/publications/phytopathology/backissues/Documents/1975 <a href="ht
- Passovy, M.D., and P.Z. Fulé. 2006. Snag and woody debris dynamics following severe wildfires in northern Arizona ponderosa pine forests. Forest Ecology and Management 223: 237–246.
- Peterson, J.L. 2001. Regulations for Smoke Management. Smoke Management Guide for Prescribed and Wildland Fire 2001 Edition. NWCG. PMS 420-2, NFES 1279. Boise, ID.
- Pearson, G.A. 1931. Forest types in the Southwest as determined by climate and soil. Technical Bulletin 247. Washington, DC. U.S. Department of Agriculture.
- Puhlick, J.J., D.C. Laughlin, and M.M. Moore. 2012. Factors influencing ponderosa pine regeneration in the southwestern USA. Forest Ecology and Management 264:10–19.

- Pyke, A.D., M.L. Brooks, and C. D'Antonio. 2010. Fire as a restoration tool: a decision framework for predicting the control or enhancement of plants using fire. Restoration Ecology 18(3):274–284.
- Pyne, S. 2011. Interview with the National Fire Protection Association.

 Online: http://www.nfpa.org/publicJournalDetail.asp?categoryID=&itemID=53565&src=NFPAJournal&cookie_test=1. Accessed in November 2002.
- Rebain, S.A. comp. 2010 (revised May 10, 2011). The Fire and Fuels Extension to the Forest Vegetation Simulator: Updated Model Documentation. Internal Rep. Fort Collins, CO. U.S. Department of Agriculture, Forest Service, Forest Management Service Center. 387 pp.
- Reynolds, R.T., R.T. Graham, M. Hildegard Reiser, R.L. Bassett, P.L. Kennedy, D.A. Boyce Jr., G. Goodwin, R. Smith, and E.L. Fisher. 1992. Management Recommendations for the Northern Goshawk in the Southwestern United States. USDA Forest Service. Gen Tech Report RM-217.
- Roccaforte, J.P., P.Z. Fulé, W.W. Walker Chancellor, and D.C. Laughlin. 2012. Woody debris and tree regeneration dynamics following severe wildfires in Arizona ponderosa pine forests. Canadian Journal of Forest Research. 42:593 604.
- Roccaforte, J.P., P.Z. Fulé, and W.W. Covington. 2008. Landscape-scale changes in canopy fuels and potential fire behavior following ponderosa pine restoration treatments. International Journal of Wildland Fire 17:293–203.
- Rothermel, R.C. 1991. Predicting behavior and size of crown fires in the Northern Rocky Mountains. USDA Forest Service Intermountain Research Station Research Paper INT-438. Ogden, UT.
- Ryan, M.G. 2010. Temperature and tree growth. Tree Physiol. 30:667–668.
- Ryan, K.C., and W.H. Frandsen. 1991. Basal Injury from smoldering fires in mature Pinus ponderosa Laws. International Journal of Wildland Fire 1(2):107–118.
- Sackett, Stephen S., and Sally M. Haase. 1998. Two case histories for using prescribed fire to restore ponderosa pine ecosystems in northern Arizona. In: Fire in ecosystem management: shifting the paradigm from suppression to prescription. Teresa L. Pruden and Leonard A. Brennan, eds. Pp 380–389. Tall Timbers Fire Ecology Conference Proceedings, No. 20. Tall Timbers Research Station. Tallahassee, FL.
- Sánchez Meador, A.J., M.M. Moore, J.D. Bakker, and P.F. Parysow. 2009. 108 years of change in spatial pattern following selective harvest of a Pinus ponderosa stand in northern Arizona, USA. Journal of Vegetation Science 20:79–90.
- Savage, M., and J.N. Mast. 2005. How resilient are southwestern ponderosa pine forests after crown fires? Canadian Journal of Forestry Research 35:967–977.
- Schmidt, Kirsten M., James P. Menakis, Colin C. Hardy, Wendall J. Hann, and David L. Bunnell. 2002. Development of coarse-scale spatial data for wildland fire and fuel management. General Technical Report RMRS-GTR-87. Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station. 41 pp.

 Online: http://www.fire.org/niftt/released/Schmidt_et_al_2002.pdf. Data accessed January 4, 2010.

- Schollnberger, H., J. Aden, and B.R. Scott. 2002. Respiratory Tract Deposition Efficiencies: Evaluation of Effects from Smoke Released in the Cerro Grande Forest Fire. Journal of Aerosol Medicine 15(4):387–399.
- Schubert, G.H. 1974. Silviculture of southwestern ponderosa pine: the status of our knowledge. Research Paper RM-123. Fort Collins, CO: U.S. Department of Agriculture, Forest Service. 71 pp.
- Schwilk, D. =W., and N. Zavala. 2012. Germination response of grassland species to plant-derived smoke. Journal of Arid Environments. 79:111–115.
- Scott, Joe H. 2003. Canopy fuel treatment standards for the wildland-urban interface. In: Fire, Fuel Treatments, and Ecological Restoration, Conference Proceedings. April 16–18, 2002. Ft. Collins, CO. Philip N. Omi and Linda A. Joyce, tech. eds. 2003. USDA Forest Service Proceedings RMRS-P-29. Online: http://www.fs.fed.us/rm/pubs/rmrs_p029.html. Accessed October 11, 2011.
- Scott, Joe H., and Elizabeth D. Reinhardt. 2001. Assessing crown fire potential by linking models of surface and crown fire behavior. Research Paper RMRS-RP-29. Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station. 59 pp. Online: http://www.treesearch.fs.fed.us/pubs/4623.
- Scott, Joe H., and Elizabeth D. Reinhardt. 2005. Stereo photo guide for estimating canopy fuel characteristics in conifer stands. General Technical Report RMRS-GTR-145. Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station. 49 pp. Online: http://www.treesearch.fs.fed.us/pubs/8473.
- Scott, J.H., and R.E. Burgan. 2005. Standard Fire Behavior Fuel Models: A comprehensive set for use with Rothermel's surface fire spread model. RMRS-GTR-153. USDA Forest Service.
- Shepperd, W.D. 1986. Silviculture of Aspen Forests in the Rocky Mountains and Southwest. USDA Forest Service RM-TT-7.
- Smith, Ed. 2006. Historical Range of Variation and State and Transition Modeling of Historical and Current Landscape Conditions for Ponderosa Pine of the Southwestern U.S. Prepared for the USDA Forest Service, Southwestern Region by The Nature Conservancy, Tucson, AZ. 43 pp.
- Smith, E. and H. Schussman. 2007. Historical Range of Variation and State and Transition Modeling of Historic and Current Landscape Conditions for Potential Natural Vegetation Types of the Southwest. The Nature Conservancy, Southwest Forest Assessment Project.
- Sorensen D.C., J.A. Finkral, E.T. Kolb, and H.C. Huang. 2011. Short- and long-term effects of thinning and prescribed fire on carbon stocks in ponderosa pine stands in northern Arizona. Forest Ecology and Management. 261 (2011) 460–472.
- Steinke, R. 2007. Historic Ponderosa Pine Stand Structure of Mollisols, and Mollic Integrade Soils on the Coconino National Forest, USDA Forest Service, Coconino National Forest. Unpublished internal study.
- Strand, E.K., L.A. Vierling, S.C. Bunting, and P.E. Gessler. 2009. Quantifying successional rates in western aspen woodlands: Current conditions, future predictions. Forest Ecology and Management 257:1705–1715.

- Stratton, Richard D. 2004. Assessing the Effectiveness of Landscape Fuel Treatments on Fire Growth and Behavior. Journal of Forestry 102(7):32–40.
- ______. 2006. Guidance on spatial wildland fire analysis: models, tools, and techniques. Gen. Tech. Rep. RMRS-GTR-183. Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station. 15 pp.
- _____. 2009. Landfire Fuels Data Acquisition, Critique, Modification, Maintenance, and Model Calibration. USDA Forest Service. RMRS-GTR-220.
- Strom, B.A., and P.Z. Fulé. 2007. Pre-wildfire fuel treatments affect long-term ponderosa pine forest dynamics. International Journal of Wildland Fire 16:128–138.
- Sugihara, Neil G., Jan W. van Wagtendonk, and JoAnn Fites-Kaufman. 2006. Fire as an ecological process. In: Fire in California's Ecosystems. Neil G. Sugihara, Jan W. van Wagtendonk, Kevin E. Shaffer, JoAnn Fites-Kaufman, and Andrea E. Thode, eds. California: University of California Press. Berkeley. Pp. 58–74.
- Swetnam, T. 1990. Fire History and Climate in the Southwest. Panel paper presented at the conference, Effects of Fire Management of Southwestern Natural Resources. Tucson, AZ, November 14–17, 1988.
- Swetnam, T.W., and C.H. Baisan. 1996. Historical fire regime patterns in the southwestern United States since AD 1700. Fire effects in southwestern forest: Proceeding of the 2nd La Mesa Fire symposium. Fort Collins, CO: USDA Forest Service Technical Report RM-GTR-286. Pages 11–32.
- Swetnam, T.W., and J.L. Betancourt. 1998. Mesoscale disturbance and Ecological Response to Decadal Climatic Variability in the American Southwest. Journal of Climate 11:3128–3147.
- Swetnam, T.W., and J.H. Dieterich. 1985. Fire history of ponderosa pine forests in the Gila Wilderness, New Mexico. pp. 390–397. In: Proceedings of the Symposium and Workshop on Wilderness Fire. Nov. 15–18, 1983, Missoula, MT. USDA For. Serv., Gen. Tech. Rep. INT-182.
- Tong, D.Q., and D.L. Mauzerall. 2008. Summertime State-Level Source-Receptor Relationships between Nitrogen Oxides Emissions and Surface Ozone Concentrations over the Continental Unites States. Environmental Science and Technology 42:7976–7984.
- Triepke, F.J., B.J. Higgins, R.N. Weisz, J.A. Youtz, and T. Nicolet. 2011. Diameter caps and forest restoration Evaluation of a 16-inch cut limit on achieving desired conditions. USDA Forest Service Forestry Report FR-R3-13-3. Southwestern Region, Regional Office, Albuquerque, NM. 31 pp.
- USDA. 2008. Fire Effects Information System Glossary. In: Fire Effects Information System [Online]. USDA Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Online: http://www.fs.fed.us/database/feis/glossary.html. Accessed October 14, 2008.
- USDA Forest Service. Kaibab National Forest. 2006. Ecological Sustainability Analysis of the Kaibab National Forest: An Evaluation of Terrestrial Ecosystems (Ecological Units, Soil Composition, Structure and Processes) that Affect Ecosystem Diversity and Contribute to Ecological Sustainability. R. Steinke, author.

- USDA and USDI. 1995. Federal Wildland Fire Management: Policy and Program Review: Final Report. Washington, DC.
- USDI Bureau of Land Management. 2011. Northern Arizona Proposed Withdrawal Final Environmental Impact Statement. St. George, UT.
- US Environmental Protection Agency. 1999. Regional Haze Rule. 40 CFR 51.300–309. http://www.epa.gov/ttncaaa1/t1/fr notices/rhfedreg.pdf.
- _____. 2010. Air Quality Index Charts for Coconino County. http://www.epa.gov/air/data/reports.html.
- U.S. Laws, Statutes, etc.; Public Law 101–549. Clean Air Act as Amended Nov. 1990. 42 U.S.C. §7401.
- Van Wagner, C.E. 1973. Height of crown scorch in forest fires. Canadian Journal of Forest Resource 3:373–378.
- _____. 1977. Conditions for the start and spread of a crown fire. Canadian Journal of Forest Research 71(3):23–30.
- Waltz, A., P.Z. Fulé, W.W. Covington, and M.M. Moore. 2003. Diversity in ponderosa pine forest structure following ecological restoration treatments. Forest Science 49(6): 885–900.
- Ward, D.E., and C.C. Hardy. 1991. Smoke emissions from wildland fires. Environmental International 17:117–134.
- Waring, K.M., D.M. Reboletti, L.A. Mork, C-H. Huang, R.W. Hofstetter, A.M. Garcia, P.Z. Fulé, and T.S. Davis. 2009. Modeling the impacts of two bark beetle species under a warming climate in the southwestern USA: Ecological and Economic Consequences. Environmental Management DOI 10.1007/s00267-009-9342.
- Weaver, H. 1951. Fire as an Ecological factor in southwestern ponderosa pine forests. Journal of Forestry. 49: 93–98.
- Westerling, A.L., H.D. Hidalgo, D.R. Cayan, and T.W. Swetnam. 2006. Warming and earlier spring increases western U.S. forest wildfire activity. Science 313:940–943.
- Wiedinmyer, C., and M.D. Hurteau. 2012. Prescribed Fire as a Means of Reducing Forest Carbon Emissions in the Western United States. Environmental Science and Technology 44:1926–1932.
- Williams, A.P., C.D. Allen, C.I. Millar, T.W. Swetnam, J.M. Michaelsen, C.J. Still, and S.W. Leavitt. 2010. Forest responses to increasing aridity and warmth in the southwestern United States. Proceedings of the National Academy of Sciences of the United States of America 107(50):21289–21294.
- Woods, K.W., J. Langer, K. Mesaros, and S. Plumb. 2012. Carbon Commodities Funding Forest Restoration Draft Report. Prepared for M. Selig, Grand Canyon Trust.
- Zimmerman, G.T., and R.D. Laven. 1987. Effects of Forest Fuel Smoke on Dwarf Mistletoe Seed Germination. Great Basin Naturalist 47(4):652–659.

Heritage and Tribal Resources

- Covington, W. Wallace, Peter Z. Fulé, and Margaret M. Moore.1997. Restoring Ecosystem Health in Ponderosa Pine Forests of the Southwest. Journal of Forestry, 95 (4): 23–29.
- Crossley, Angela, David J. Gifford, and Mike Lyndon. 2003. Timberline Wildland Urban Interface. COF Project 20003-41-A. Ms. On file at the Coconino NF 4FRI Project Record.
- Deal, Krista.1999. Effects of Prescribed Fire on Obsidian and Implications for Reconstructing Past Landscapes. Annual Meeting of the Society for California Archaeology, April 23–25, 1999, Sacramento, CA.
- Gifford, David. J. 2011. A Heritage Resources Clearance and Archaeological Survey Strategy for the 4FRI Project, First EIS, on the Coconino and Kaibab National Forests. 2011. COF Project 2011-04-12 and KNF Report 2011-07-15. Ms. On file at the Coconino NF 4FRI Project Record.
- _____. 2010. Heritage Wildland Fire Report. COF Project 2010-20-A. Ms. On file at the Coconino NF 4FRI Project Record.
- Gifford, David. J., Margaret Hangan, David Johnson, Craig Johnson, Dan Mezza, and Henry Provencio. 2013. Four-Forest Restoration Initiative Coconino and Kaibab National Forests Heritage Specialist Report. Ms. On file at the Coconino NF 4FRI Project Record.
- Haines, Jeremy. 2010. Schultz Fire BAER Assessment. COF Report 2010-26-A. Ms. On file at the Coconino NF 4FRI Project Record.
- Hanson, John. 1999. Kaibab Cultural Affiliation Assessment. Ms. on file at the Kaibab National Forest, Williams, AZ.
- Jackson, Robert J.1998. Prescribed Fire and the Protection of Heritage Resources. A Heritage Resources Management Module, Prepared for the USDA Forest Service, Pacific Southwest Region, National Forests of the Sierra Nevada. Pacific Legacy, Inc. Sacramento, CA.
- Johnson, Craig. 2013. Four-Forest Restoration Initiative Tribal Relations Specialist Report. Ms. On file at the Coconino NF 4FRI Project Record.
- Public Law 89-665; 16 U.S.C 470 et seq. National Historic Preservation Act (NHPA). Online: www.achp.gov/nhpa.html.
- Ruscavage-Barz, Samantha.1999. Fire in the Hole: The Effects of Fire on Subsurface Archaeological Materials (Draft). National Park Service, Bandelier National Monument, New Mexico. Manuscript on file, Bandelier National Monument, New Mexico and Western Archaeological and Conservation Center, Tucson, AZ.
- Parker, Patricia, and Thomas King. 1998. National Register Bulletin 38: Guidelines for Evaluating and Documenting Traditional Cultural Properties. USDI, NPS, Interagency Resources Division.
- USDA Forest Service.2003. First Amended Programmatic Agreement between the Southwestern Region the New Mexico Historic Preservation Office, and the Arizona State Historic Preservation Office Regarding Historic Property Protection and Responsibilities. Ms. On file at the Coconino NF 4FRI Project Record.

USDI National Park Service. Cultural Resources Protection and Fire Planning Course. 2004. Fire Effects to Lithic Artifacts. January 12–16, 2004, Tucson, AZ.

Lands, Minerals, and Lands Special Uses

- Rowe, Julie. 2012. Lands Special Uses and Minerals Report, Four-Forest Restoration, Coconino and Kaibab National Forests, Environmental Impact Statement. Ms. On file at the Coconino NF 4FRI Project Record.
- USDA Forest Service. 2011. Lands Specialist Report for Coconino National Forest Draft Land Management Plan. Flagstaff, AZ. Unpublished document on file at Coconino National Forest Supervisor's Office.
- ______. 2011. Minerals Specialist Report for Coconino National Forest Draft Land Management Plan. Flagstaff, AZ. Unpublished document on file at the Coconino National Forest Supervisor's Office.
- ______. 2012. Minerals and Mining Activities section, Draft Environmental Impact Statement for Kaibab National Forest Land Management Plan Revision. Williams, AZ. Unpublished document on file at the Kaibab National Forest Supervisor's Office.
- ______. 2012. IWEB Special Uses Database System (SUDS). Coconino National Forest, query on March 9, 2012, Authorizations by Township/Range/Section.

Rangeland Management

- Abella, S.R. 2004. Tree thinning and prescribed burning effects on ground flora in Arizona ponderosa pine forests: A review. Journal of the Arizona-Nevada Academy of Science 36(2):68–76.
- Abella, S.R., and W.W. Covington. 2006. Forest ecosystems of an Arizona Pinus ponderosa landscape: multifactor classification and implications for ecological restoration. Journal of Biogeography 33:1368–1383.
- Arizona Champion. 1888. Flagstaff, Arizona weekly newspaper.
- Arnold, J.F. 1950. Changes in Ponderosa Pine Bunchgrass Ranges in Northern Arizona Resulting from Pine Regeneration and Grazing. Journal of Forestry 48:118–126.
- Arnold, J.F. 1955. Plant Life-Form Classification and Its Use in Evaluating Range Conditions and Trend. Journal of Range Management 8(4):176–181.
- Bakker, J.D., and M.M. Moore. 2007. Controls on vegetation structure in southwestern ponderosa pine forests, 1941 and 2004. Ecology: 88:2305–2319.
- Beale, E.F. 1858. Wagon road from Fort Defiance to the Colorado River. 35 Cong. 1 Sess., Sen. Exec. Doc. 124.
- Bell, W.A. 1870. New Tracks in North America. 2nd Edition, 2 Vols. London: Chapman and Hall.
- Brewer, D.G. 2011. Parker 3 Step analysis for 4FRI project area. 4FRI Project Record.

- Brewer, D.G., R.K. Jorgensen, L.P. Munk, W.A. Robbie, and J.L. Travis. 1991. Terrestrial Ecosystem Survey of the Kaibab National Forest. USDA Forest Service Southwestern Region. 319 pp.
- Breshears, R.G, N.S. Cobb, P.M. Rich, K.P. Price, C.D. Allen, R.G. Balice, W.H. Romme, J.H. Kastens, M.L. Floyd, J. Belnap, J.J. Anderson, O.B. Myers, and C.W. Meyer. 2005. Regional vegetation die-off in response to global-change-type drought. Proceedings of the National Academy of Sciences 102(42):15144–48.
- Cooper, C.F. 1960. Changes in vegetation, structure, and growth of southwestern pine forest since white settlement. Ecological Monographs 30(2):129–164.
- Covington, W.W. 1993. Sustainable ecological systems: implementing an ecological approach to land management. USDA. Forest Service. Rocky Mountain Experiment Station. Gen Tech. Report. RM-247.
- Covington, W.W., and M.M. Moore. 1994. Southwestern ponderosa forest structure and resource conditions: changes since Euro-American settlement. Journal of Forestry 92:39–47.
- Dutton, C.E. 1887. Physical geology of the Grand Canon district. U.S. Geological Survey. 2nd Annual Report, pp. 49–166.
- Farish, T.E. 1889. Northern Arizona, its forest, arable, and grazing lands. Phoenix, Arizona Gazette Printers.
- Ffolliott, P.F. 1983. Overstory-understory relationships: southwestern ponderosa pine forests. Pp 13–18. In: Overstory-Understory Relationships in Western Forests. E.T. Bartlett and D.R. Betters, eds. West. Reg. Res. Pub. 1. Colorado Agr. Exp. Sta., Fort Collins.
- Giffis, K.L., J.A. Crawford, M.R. Wagner, and W.H. Moir. 2001. Understory response to management treatments in northern Arizona ponderosa pine forest. Forest Ecology and Management 146:239–245.
- Gundale, M.J., T.H. DeLuca, C.E. Fiedler, P.W. Ramsey, M.G. Harrington, and J.E. Gannon. 2005. Restoration treatments in a Montana ponderosa pine forest: Effects on soil physical, chemical and biological properties. Forest Ecology and Management 213:25–38.
- Hannemann, Mike. 2013. Range Specialist Report, Coconino and Kaibab Four-Forest Restoration Initiative (4FRI), DEIS. Ms. On file at Coconino NF, 4FRI project record. 44 pp.
- Heinlein, T.A. 1996. Fire regimes and forest structure in lower mixed conifer forests: San Francisco Peaks, Arizona. M. S. Thesis. Northern Arizona Univ., Flagstaff, AZ. 99 pp.
- Hughs, L.C. 1893. Report of Governor of Arizona to Secretary of Interior. In: Ann. Report Dept. Interior, Misc. Reports, 1893.
- Lata, Mary. 2013. Fire Ecology, Fuels and Air Quality Specialist Report, Four-Forest Restoration Initiative. Ms. On file at Coconino NF, 4FRI project record.
- Laughlin, D.C., M.M. Moore, and P.Z. Fulé. 2011. A century of increasing pine density and associated shifts in understory plant strategies. Ecology 92:556–561.
- Laughlin, D.C., and M.M. Moore. 2009. Climate-induced temporal variation in the productivity-diversity relationship. Oikos 118:897–902.

- Laughlin, D.C., and S.R. Abella. 2007. Abiotic and biotic factors explain independent gradients of plant community composition in ponderosa pine forests. Ecological Modeling 205: 231–240.
- Laughlin, D.C., M.M. Moore, J.D. Bakker, C.A. Casey, J.D. Springer, P.Z. Fulé, and W.W. Covington. 2006. Assessing Targets for the Restoration of Herbaceous Vegetation in Ponderosa Pine Forests. Restoration Ecology 548–560.
- Laughlin, D.C., J.D. Bakker, and P.Z. Fulé. 2005. Understory plant community structure in lower montane and subalpine forests, Grand Canyon National Park, USA. Journal of Biogeography 32:2083–2102.
- Loeser, M.R., T.D. Sisk, and T.E. Crews. 2007. Impacts of grazing intensity during drought in an Arizona Grassland. Conservation Biology 21(1):87–97.
- McLaughlin, S.P. 1978. Determining understory production in Southwestern ponderosa pine forests, Bulletin of the Torrey Botanical Club 105(3):224–229.
- Merriam, C.H. 1890. Results of a biological survey of the San Francisco Mountain region and desert of the Little Colorado, Arizona. USDA North American. Fauna 3.
- Moore, M.M., C.A. Casey, J.D. Bakker, J.D. Springer, P.Z. Fulé, W.W. Covington, and D.C. Laughlin. 2006. Herbaceous vegetation responses (1992–2004) to restoration treatments in a ponderosa pine forest. Rangeland Ecology Management 59:135–144.
- Moore, M.M., and D.A. Deiter. 1992. Stand density index as a predictor of forage production in Northern Arizona pine forests. Journal of Range Management 45:267–271.
- Moore, M.M., D.W. Huffman, J.D. Bakker, A.J. Sánchez Meador, D.M. Bell, P.Z. Fulé, P.F. Parysow, and W.W. Covington. 2004. Quantifying forest reference conditions for ecological restoration: The Woolsey plots. Final report to the Ecological Restoration Institute for the Southwest fire initiative.
- Naumburg, E., and L.E. DeWald. 1999. Relationships between Pinus ponderosa forest structure, light characteristics, and understory graminoid species presence and abundance. Forest Ecology and Management 124(1999):205–215.
- Noble, William O. 2012. Understory Response to Changes in Overstory Cover. USDA Forest Service, Coconino National Forest, Flagstaff, AZ. Unpublished report.
- O'Connor, T.G. 1991. Local extinction in perennial grasslands: a life-history approach. American Naturalist 137:753–773.
- Pearson, G.A. 1910. Reproduction of western yellow pine in the Southwest. USDA Forest Service. Circular 174.
- Pearson, H.A., and D.A. Jameson. 1967. The Wild Bill Range: The relationship between timber and cattle production on ponderosa pine range. Rocky Mountain Forest and Range Experiment Station. USDA Forest Service.
- Riegel, G.M., R.F. Miller, W.C. Krueger. 1995. The effects of aboveground and belowground competition on understory species composition in a Pinus ponderosa forest. Forest Science 41:864–889.

- Savage, M. 1991. Structural dynamics of a southwestern pine forest under chronic human disturbance. Annuals of the Association of American Geographers 81:271–289.
- Savage, M., and T.W. Swetnam. 1990. Early 19th century fire decline following sheep pasturing in a Navajo ponderosa pine forest. Ecology 71:2374–2378.
- Stein, S.J. 1988. Explanation of the imbalanced age structure and scattered distribution of ponderosa pine within a high-elevation mixed conifer forest. Forest Ecology Management 25:139–153.
- Swetnam, T.W., and C.H. Baisan. 1996. Historical fire regime patterns in the southwestern United States since AD 1700. Pp. 11–32. In: Proc. of the 2nd La Mesa Fire Symposium, C.D. Allen, ed. USDA For. Serv. Gen. Tech. Rep. RM-GTR-286. 216 pp.
- Stoddard, M.T., C.M. McGlone, P.Z. Fulé, D.C. Laughlin, and M.L. Daniels. 2011. Native plants dominate understory vegetation following ponderosa pine forest restoration treatments. Western North American Naturalist 71:206–214.
- Tapia Bojorquez, L.A., Peter F. Ffolliott, and D. Phillip Guertin. 1990. Herbage production-forest overstory relationship in two Arizona ponderosa pine forests. Journal of Range Management. 43:25–28.
- Westoby, M., B. Walker, and F. Noy-Meir. 1989. Opportunistic management for rangeland not in equilibrium. Journal of Rangeland Management 42(4).
- White, A.S. 1985. Pre-settlement regeneration patterns in a southwestern ponderosa pine stand. Ecology 66:589–594.

Recreation

- American Trails. 2013. Website resources: National Scenic Trails.

 Online: http://www.americantrails.org/resources/feds/40yearfact.html. Accessed on December 12, 2012.
- Arizona State Parks. 2008. Arizona Statewide Comprehensive Outdoor Recreation Plan. State of Arizona. Online: http://azstateparks.com/publications/index.html. Accessed July 12, 2012.
- CLIMAS. 2011. Climate Change in the Southwest. Online: http://www.climas.arizona.edu/sw-climate/climate-change. Accessed July 12, 2012.

- Cordell, H. Ken, Gary T. Green, and Carter J. Betz. 2009. Long-Term National Trends in Outdoor Recreation Activity Participation 1980 to Now. A Recreation Research Report in the IRIS Series. USDA Forest Service, Southern Research Station and Forest Sciences Laboratory, University of Georgia, University of Tennessee.


 Online: http://warnell.forestry.uga.edu/nrrt/nsre/IrisReports.html. Accessed July 12, 2012.
- Fairbank, David Metz. 2011. Key Findings National Voter Attitudes Toward America's Forests. Metz, Fairbanks for National Association of State Foresters.

 Online: http://www.stateforesters.org/library?sort_by=created&sort_order=DESC&page=3. Accessed July 12, 2012.
- Headwaters Economics. 2012. A profile of Demographics. State of Arizona, Coconino County, AZ. Produced by Economic Profile System Human Dimensions Toolkit. 57 pp.
- ______. 2012. Travel and Tourism. State of Arizona, Coconino County, AZ. Produced by Economics Profile System Human Dimensions Toolkit. 30 pp.
- Hesseln, Hayley, John B. Loomis, Douglas B. Rideout, and Armando Gonzalez-Caban. 2004.

 Integrated fuels treatment assessment: ecological, economic, and financial impacts. Final Report 99-1-1-05. Submitted to Joint Fire Science Program: Boise, ID.

 Online: http://www.firescience.gov/projects/99-1-1-05/project/99-1-1-05/final_report.pdf. Accessed July 12, 2012.
- Interagency Wild and Scenic Rivers Coordinating Council. May 2011. A compendium of questions and answers related to Wild and Scenic Rivers.

 Online: http://www.rivers.gov/rivers/documents/q-a.pdf. Accessed on December 12, 2012.
- Johnson, Kenneth M., and Susan I. Stewart. 2007. Demographic Trends in National Forests, Recreational Retirement and Amenity Areas. IN: Kruger, L. ed. Proceedings Recreation Research and Management Workshop. General Technical Report PNW-GTR-698. Portland, OR. USDA Forest Service, Pacific Northwest Research Station. Pages 187–199.
- Marlon, Jennifer R., Patrick J. Bartlein, Daniel G. Gavin, Colin J. Long, R. Scott Anderson, Christy E. Briles, Kendrick J. Brown, Daniele Colombaroli, Douglas J. Hallett, Mitchell J. Power, Elizabeth A. Scharf, and Megan K. Walsh. 2011. Long-term Perspective on Wildfires in the Western USA. Online: http://www.pnas.org/content/109/9/E535. Accessed July 12, 2012.
- Minor, Charlotte. 2013. Four-Forest Restoration Initiative Recreation Specialist Report. Ms. On file at the Coconino NF 4FRI Project Record. 92 pp.
- _____. 2013. Four-Forest Restoration Initiative Scenery Specialist Report. Ms. On file at the Coconino NF, 4FRI Project Record.
- Noble, Bill O. 2012. Understory Response to Changes in Overstory Cover. USDA Forest Service, Coconino National Forest, Flagstaff, AZ. Unpublished report.
- Ritchie, Martin W., Brian M. Wing, Todd A. Hamilton. 2008. Stability of the Large Tree Component in Treated and Untreated Late-Seral Interior Ponderosa Pine Stands. Canadian Journal of Forestry Research 38: 919–923.
- Sommers, Willie. 2009. Arizona's State Trust Land. Arizona State Land Department. Phoenix, AZ. Pages 8–9.



- . 2012d. 2005 National Visitor Use Monitoring: Visitor Use Report, Kaibab NF. USDA Forest Service, Southwestern Region.
 - Online: http://www.fs.fed.us/recreation/programs/nyum. Accessed July 12, 2012.
- . 2012. Kaibab National Forest Draft Land Management Plan. USDA Forest Service, Southwestern Region. 196 pp.
 - Online: http://prdp2fs.ess.usda.gov/detail/kaibab/landmanagement/planning/?cid=STELP RDB5106605.
- Van Mantgem, Phillip J., Nathan L. Stephenson, John C. Byrne, Lori D. Daniels, Jerry F. Franklin, Peter Z. Fulé, Mark E. Harmon, Andrew J. Larson, Jeremy M. Smith, Alan H. Taylor, and Thomas T. Veblen. 2009. Widespread Increase of Tree Mortality Rates in the Western Unites States. Science 323:521-524.
- Vest, Marshall. 2012. The Future is a Lot Like the Present, Only Longer Yogi Berra. Arizona's Economy. Eller College of Management, University of Arizona. April 2012/Spring Issue. 9 pp.
- Westerling, A.L., H.G. Hidlago, D.R. Cayan, and T.W. Swetnam. 2006. Warming and earlier spring increase western U.S. forest wildfire activity. Science 313:940–943.
- Williams, A. Park, Craig D. Allen, Constance I. Millar, Thomas W. Swetnam, Joel Michaelsen, Christopher J. Still, and Steven W. Leavitt. 2010. Forest responses to increasing aridity and warmth in the southwestern United States. Proceedings of the National Academy of Sciences of the United States of America, 107:21289–21294 pp. Online: http://www.pnas.org/content/107/50/21289. Accessed July 12, 2012.
- Winter, Patricia. 2002. Californian's Opinions on Wildland and Wilderness Fire Management. From: Proceedings of the Ninth International Symposium on Society and Resource Management, Bloomington, IN, June 2–5, 2002. Page 90. Online: http://www.ncrs.fs.fed.us/pubs/gtr/gtr nc231.pdf#page=90.

Silviculture

- Abella, Scott R. 2008. Managing Gambel oak in southwestern ponderosa pine forests: the status of our knowledge, Gen. Tech. Rep. RMRS-GTR-218. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 27 pp.
- Abella, S.R., and C.W. Denton, 2009. Spatial variation in reference conditions: Historical tree density and pattern on a Pinus ponderosa landscape. Canadian Journal of Forestry 39:2391-2403.
- Abella, S.R., C.W. Denton, D.G. Brewer, W.A. Robbie, R.W. Steinke, W.W. Covington. 2011. Using a terrestrial ecosystem survey to estimate the historical density of ponderosa pine trees. Research Note RMRS-RN-45. USDA Forest Service, Rocky Mountain Research Station, Fort Collins, CO. 9 pp.
- Allen, S.R., M. Savage, D.A. Falk, K.F. Suckling, T.W. Swetnam, T. Shulke, P.B. Stacey, P. Morgan, M.T. Hoffman, and J.T. Klingel. 2002. Ecological restoration of southwestern ponderosa pine ecosystems: A broad perspective. Ecological Applications 12(5):1418– 1433.

- Allen, C.D. 2007. Interactions across spatial scales among forest dieback, fire, and erosion in northern New Mexico landscapes. Ecosystems 10: 797–808.
- Andrews, S.R., and J.P. Daniels. 1960. A survey of dwarf mistletoes in Arizona and New Mexico. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Station Paper 49:17 pp.
- Brown, P.M., M.W. Kaye, L. Huckaby, and C. Baisan. 2001. Fire history along environmental gradients in the Sacramento Mountains, New Mexico: Influences of local patterns and regional processes. Ecoscience 8:115–126.
- Chojnacky, D.C., B.J. Bentz, and J.A. Logan. 2000. Mountain pine beetle attack in ponderosa pine: comparing methods for rating susceptibility. USDA Forest Service Research Paper, RMRS-RP-26, 10 pp.
- Cooper, C.F. 1960. Changes in vegetation, structure, and growth of southwestern pine forests since white settlement. Ecological Monographs 30:129–164.
- Covington, W.W., and M.M. Moore. 1994a. Postsettlement changes in natural fire regimes and forest structure: Ecological restoration of old-growth ponderosa pine forests. Journal of Sustainable Forestry 2(1/2):153–181.
- Covington, W.W., and M.M. Moore. 1994b. Southwestern ponderosa pine structure: changes since Euro-American settlement. Journal of Forestry 92:39–47.
- Covington, W.W., P.Z. Fulé, M.M. Moore, S.C. Hart, T.E. Kolb, J.N. Mast, S.S. Sackett, and M.R. Wagner. 1997. Restoring ecosystem health in ponderosa pine forests of the southwest. Journal of Forestry 94(4):23–29.
- Crookston, Nickolas L., Melinda Moeur, and David Renner. 2002. Users guide to the most similar neighbor imputation program version 2. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. General Technical Report RMRS-GTR-96.
- Dahms C.W., and B.W. Geils, tech. eds. 1997. An assessment of forest ecosystem health in the Southwest. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, General Technical Report RM-GTR-295. 97 pp. Fort Collins, CO.
- DeMars, C.J., and B.H. Roettgering. 1982. Western pine beetle. USDA Forest Service Forest Insect and Disease Leaflet 1. 8 pp.
- Dixon, Gary E. comp. 2002. Revised: November 24, 2010. Essential FVS: A user's guide to the Forest Vegetation Simulator. Internal Rep. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Forest Management Service Center. 240 pp.
- Drake, W.M. 1910. A report on the Coconino National Forest. Unpublished report, Coconino National Forest, Flagstaff, AZ.
- Ehle, D.S.; Baker, W.L. 2003. Disturbance and stand dynamics in ponderosa pine forests in Rocky Mountain National Park, USA. Ecological Monographs 73:543-566.
- Fairweather M.L., K. Barton, B. Geils, and M. Manthei. 2006. Aspen Dieback and Decline in Northern Arizona. National Forest Health Monitoring. USDA, Forest Service, 2006 Poster Presentations.

- ______. 2008. Aspen Decline on the Coconino National Forest. In: McWilliams, M. G. comp 2008. Proceedings of the 55th Western International Forest Disease Work Conference; 2007 October 15–19; Sedona, AZ. Salem, OR; Oregon Department of Forestry.
- Fettig C.J., K.D. Klepzig, R.F. Billings, A.S. Munson, T.E. Nebeker, J.F. Negron, and J.T. Nowak. 2007. The effectiveness of vegetation management practices for prevention and control of bark beetle infestations in coniferous forests of the western and southern United States. Forest Ecology and Management 238:24–53.
- Fiedler, C.E., S.F. Arno, and M.G. Harrington. 1996. Flexible silvicultural and prescribed burning approaches for improving health of ponderosa pine forests. In: Conference on adaptive ecosystem restoration and management: Restoration of Cordilleran conifer landscapes of North America. Pp 69–74. W.W. Covington and P. K. Wagner, eds. General Technical Report RM-GTR-278. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO.
- Friederici, P., ed. 2003. Ecological Restoration of Southwestern Ponderosa Pine Forests. Washington, DC: Island Press.
- Friederici, P. 2004. Establishing reference condition for southwestern ponderosa pine forest. Working papers in southwestern ponderosa pine forest restoration. Ecological Restoration Institute. Flagstaff, AZ. 16 pp.
- Frinkral, A.J., and A.M. Evans. 2008. Effects of thinning treatment on carbon stocks in a northern Arizona ponderosa pine forest. Forest Ecology and Management 255:2743–2750.
- Fulé, P.Z., W.W. Covington, and M.M. Moore. 1997. Determining reference conditions for ecosystem management of southwestern ponderosa pine forests. Ecological Applications 7:895–908.
- Fulé, P.Z., J.E. Crouse, T.A. Heinlein, M.M. Moore, W.W. Covington, and G. Vankamp. 2003. Mixed-severity fire regime in high-elevation forest of the Grand Canyon, AZ, USA. Landscape Ecology 18:465–486.
- Furniss R.L., and V.M Carolin. 1977. Western Forest Insects. USDA Forest Service Misc. Publ. No. 1339. 654 pp. Washington, DC.
- Germain C.J., M.J. Weiss, and R.C. Loomis. 1972. Insect and disease conditions 1972. USDA Forest Service, Southwestern Forest Insect & Disease Bulletin 3(1):19. Albuquerque, NM.
- Gill, S., G.S. Biging, and E.C. Murphy. 2000. Modeling conifer tree crown radius and estimating canopy cover. Forest Ecology and Management 126:405–416.
- Gitlin, A.R., C.M. Sthultz, M.A. Bowker, S. Stumpf, K.L. Paxton, K. Kennedy, A. Muñoz, J.K. Bailey, and T.G. Whitham. 2006. Mortality gradients within and among dominant plant populations as barometers of ecosystem change during extreme drought. Conservation Biology 20:1477–1486.
- Hawksworth, F.G., and D. Wiens. 1996. Dwarf mistletoes: biology, pathology, and systematics. USDA Forest Service, Agriculture Handbook 709. Washington, DC. 410 pp.

- Hessburg, P.F., and J.S. Beatty. 1985. Incidence, severity, and growth losses associated with ponderosa pine dwarf mistletoe on the Coconino National Forest, AZ. U.S. Forest Service, Southwestern Region, R3-85-12, 30 pp.
- Hopkins, A.D. 1909. Practical information on the scolytid beetles of North American forests. 1. Bark Beetles in the genus Dendroctonus. Bulletin 83. USDA Bureau of Entomology, Washington, DC. 169 pp.
- Hurteau, M., and M. North. 2009. Fuel treatment effects on tree-based carbon storage under modeled wildfire scenarios. Frontiers in Ecology and the Environment, 7:409–414.
- Hurteau, M.D., M.T. Stoddard, and P.Z. Fulé. 2011. The carbon costs of mitigating high-severity wildfire in southwestern ponderosa pine. Global Change Biology, 17:1516–1521.
- Jennings, D.T., and R.E. Stevens. 1982. Southwestern pine tip moth. USDA Forest Service, Forest Insect & Disease Leaflet 58.
- Kaye, M.W., and T.W. Swetnam, 1999. An assessment of fire, climate, and Apache history in the Sacramento Mountains, NM, USA. Physical Geography 20:305–330.
- Kenaley, S.C., R.L. Mathiasen, and C.M. Daugherty. 2006. Selection of dwarf mistletoe-infected ponderosa pines by Ips species (Coleoptera: Scolytidae) in northern Arizona. Western North American Naturalist 66(3):279–284.
- Kenaley, S.C., R.L. Mathiasen, and E.J. Harner. 2008. Mortality Associated with a Bark Beetle Outbreak in dwarf mistletoe-infested ponderosa pine stands in Arizona. Western Journal of Applied Forestry 23:113–120.
- Keyser, Chad E., and Gary E. Dixon, comps. 2008. (Revised February 3, 2010). Central Rockies
 (CR) Variant Overview Forest Vegetation Simulator. Internal Rep. Fort Collins, CO:
 U.S. Department of Agriculture, Forest Service, Forest Management Service Center. 66
 pp.
- Kolb, T.E., K.M. Holmberg, M.R. Wagner, and J.E. Stone. 1998. Regulation of ponderosa pine foliar physiology and insect resistance mechanisms by basal area treatments. Tree Physiology 18:375–381.
- Kolb, T.E., N. Guerard, R.W. Hofstetter, and M.R. Wagner. 2006. Attack preference of Ips pini on Pinus ponderosa in northern Arizona: tree size and bole position. Agricultural and Forest Entomology 8:295–303.
- Lata, Mary. 2013. Fire Ecology, Fuels and Air Quality Specialist Report, Four-Forest Restoration Initiative. Ms. On file at Coconino NF, 4FRI project record.
- Laughlin, D.C., M.M. Moore, J.D. Bakker, C.A. Casey, J.D. Springer, P.Z. Fulé, and W.W. Covington. 2006. Assessing targets for the restoration of herbaceous vegetation in ponderosa pine forests. Restoration Ecology 14:548–560.
- Lessard G., D.T. Jennings. 1976. Southwestern pine tip moth damage to ponderosa pine reproduction. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Research Paper RM-168, 8 pp. Fort Collins, CO.
- Long, D.W., and M.R. Wagner. 1992. Effects of Southwestern pine tip moth and vegetation competition on ponderosa pine growth. Forest Science 38:173–186.

- Long, J.N., and F.W. Smith. 1984. Relation between size and density in developing stands: a description and possible mechanism. For. Ecol. And Management 7:191–206.
- Long, J.N. 1985. A practical approach to density management. Forestry Chronicle 61:23–27.
- Long, J.N., and T.W. Daniel. 1990. Assessment of growing stock in uneven-aged stands. Western Journal of Applied Forestry. 5:93–96.
- Lynch A.M., J.H. Anhold, and J.D. McMillin, S.M. Dudley, R.A. Fitzgibbon, and M.L. Fairweather. 2008a. Forest insect and disease activity on the Coconino N.F., 1918–2006. USDA Forest Service, Report for the Coconino N.F./Regional Analysis Team.
- Lynch A.M., J.H. Anhold, and J.D. McMillin, S.M. Dudley, R.A. Fitzgibbon, and M.L. Fairweather. 2008b. Forest insect and disease activity on the Kaibab NF and Grand Canyon NP, 1918–2006. USDA Forest Service, Draft Report for the Kaibab NF/Regional Analysis Team.
- Mast, J.N., P.Z. Fulé, M.M. Moore, W.W. Covington, and A.E.M. Waltz. 1999. Restoration of presettlement age structure of an Arizona ponderosa pine forest. Ecological Applications 9:228–239.
- Mast, J.N., T.T. Veblen, and Y.B. Linhart. 1998. Disturbance and climatic influences on age structure of ponderosa pine at the pine/grassland ecotone, Colorado Front Range. Journal of Biogeography 25:743–767.
- McMillin, Joel D. et al. 2011. Draft hazard rating for Ips beetles during drought in Arizona.

 Unpublished paper on file at: U.S. Department of Agriculture, Forest Service,

 Southwestern Region, State and Private Forestry, Forest Health Protection, Flagstaff, AZ.

 1 p.
- McMillin, Joel. 2012. Personal communication email: 2/13/2012. U.S. Department of Agriculture, Forest Service, Southwestern Region, State and Private Forestry, Forest Health Protection, Flagstaff, AZ.
- McCusker, N.A. 2013. Four-Forest Restoration Initiative Coconino and Kaibab National Forests Silviculture Specialist Report. Ms. On file at Coconino NF, 4FRI project record.
- Menzel, J.P., and W.W. Covington. 1997. Changes from 1876 to 1994 in a forest ecosystem near Walnut Canyon, northern Arizona. In: Proceedings of the Third Biennial Conference of Research on the Colorado Plateau. Pp 151–172. C. van Riper III, and E.T. Deshler, eds. Transactions and Proceedings Series NPS/NRNAU/NRTP-97/12. Dept. of the Interior, National Park Service. 256 pp.
- Moir, W.H. 1966. Influence of ponderosa pine on herbaceous vegetation. Ecology 47:1045–1048.
- Moir, W.H., G. Geils, M.A. Benoit, and D. Scurlock. 1997. Ecology of southwestern ponderosa pine forests. In: Songbird ecology in southwestern ponderosa pine forests: A literature review. Pp 3–27. W.M. Block and D.M. Finch, tech. eds. General Technical Report RM-GTR-292. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. 152 pp.
- Moore, M.M., D.W. Huffman, P.Z. Fulé, W.W. Covington, and J.E. Crouse. 2004. Comparison of historical and contemporary forest structure and composition on permanent plots in southwestern ponderosa pine forests. Forest Science 50:62–176.

- Mueller R.C., C.M. Scudder, M.E. Porter, R.T. Trotter, C.A. Gehring, and T.G. Whitham. 2005. Differential tree mortality in response to severe drought: evidence for long-term vegetation shifts. Journal of Ecology 93:1085–1093.
- Naumburg, E., and L.E. DeWald. 1999. Relationships between Pinus ponderosa forest structure, light characteristics, and understory graminoid species presence and abundance. Forest Ecology and Management 124:205–215.
- Negrón, J.F., J.L Wilson, and J.A. Anhold. 2000. Stand conditions associated with roundheaded pine beetle (Coleoptera: Scolytidae) infestations in Arizona and Utah. Environmental Entomology 29:20–27.
- Negrón, J.F., J.D. McMillin, J.A. Anhold, and D. Coulson. 2009. Bark beetle-caused mortality in a drought-affected ponderosa pine landscape in Arizona, USA. Forest Ecology and Management 257:1353–1362.
- Noble, William O. et al. 2013. Wildlife Specialist Report and Biological Evaluation, Four-Forest Restoration Initiative Coconino and Kaibab NF Environmental Impact Statement. Ms. On file at the Coconino NF 4FRI Project Record.
- Parmeter Jr., J.R. 1978. Forest stand dynamics and ecological factors in relation to dwarf mistletoe spread, impact, and control. In: Dwarf mistletoe control through forest management. R.F. Scharpf and J.R. Parmeter, tech. coords. April 11–13, 1978. Berkeley, DA. Berkeley, CA: General Technical Report PSW-31. U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 16–30.
- Pearson, G.A. 1950. Management of ponderosa pine in the Southwest: As developed by research and experimental practice. Agriculture Monograph No. 6. USDA Forest Service, Fort Collins, CO. 34 pp.
- Pyne, Stephen J. 1982. Fire in America: A Cultural History of Wildland and Rural Fire. Princeton, NJ: Princeton University Press.
- Reineke, L.H. 1933. Perfecting a stand-density index for even-aged forests. Journal of Agricultural Research. 46:627–638.
- Reynolds, R.T., R.T. Graham, M.H. Reiser, R.L. Bassett, P.L. Kennedy, D.A. Boyce Jr., G. Goodwin, R. Smith, and E.L. Fisher. 1992. Management recommendations for the northern goshawk in the Southwestern United States. General Technical Report RMRS-GTR-217. USDA Forest Service, Rocky Mountain Research Station, Fort Collins, CO. 90 pp.
- Rolf, J.A. 2001. Aspen fencing in Northern Arizona: A 15-year perspective. In: Sustaining aspen in western landscapes: symposium proceedings. Pp. 193–196. W.D. Shepperd, D. Binkley, D.L. Bartos, T.J. Stohlgren, and L.G. Eskew, compilers. June 13–15, 2000; Grand Junction, CO. USDA Forest Service, Rocky Mountain Research Station, Proceedings RMRS-P-18. Fort Collins, CO.
- Sánchez Meador, A.J., P.F. Parysow, and M.M. Moore. 2010. Historical stem-mapped permanent plots increase precision of reconstructed reference data in ponderosa pine forests of northern Arizona. Restoration Ecology 18:224–234.

- Scurlock, Dan, and Deborah M. Finch. 1997. A historical review. In: Songbird ecology in southwestern ponderosa pine forests: a literature review. Pp. 43–68. William M. Block, and Deborah M. Finch, tech. eds. Gen. Tech. Rep. RM-GTR-292. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 152 pp.
- Schubert, Gilbert H. 1974. Silviculture of southwestern ponderosa pine: The status of our knowledge. Res. Paper RM-123. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 71 p.
- Shepperd, W.D., and M.L. Fairweather. 1994. Impact of large ungulates in restoration of aspen communities in a southwestern ponderosa pine ecosystem. In: Sustainable ecological approach to land management. Pp. 344–347. W.S. Covington and L.F. DeBano, eds. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, General Technical Report RM-247, Fort Collins, CO.
- Shepperd, W.D., L.A. Asherin, and C.B. Edminister. 2002. Using individual tree selection silviculture to restore northern goshawk habitat: Lessons from a southwestern study. In: Beyond 2001: A Silvicultural Odyssey to Sustaining Terrestrial and Aquatic Ecosystems. Proceedings from the 2001 National Silviculture Workshop, May 6–10, 2002, Hood River, OR. PNW-GTR-546.
- Schmid, J.M., and S.A. Mata. 1992. Stand density and mountain pine beetle-caused mortality in ponderosa pine stands. USDA Forest Service Research Note, RM-515.
- Schmid, J.M., S.A. Mata, R.A. Obedzinski. 1994. Stand hazard rating ponderosa pine stands for mountain pine beetles in the Black Hills. USDA Forest Service Research Note, RM-529.
- Society of American Foresters (SAF). 1998. The dictionary of forestry. Bethesda, MD. 210 pp.
- _____. 2005. Use of silviculture to achieve and maintain forest health on public lands. Position Statement Available at: http://www.safnet.org/policyandpress/psst/silviculture.pdf.
- Swetnam, T.W., and C.H. Baisan. 1996. Historical fire regime patterns in the southwestern United States since AD 1700. In: 2nd La Mesa Fire Symposium. Pp 11–32. C.D. Allen, ed. Los Alamos, NM. General Technical Report RM-GTR-286. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. 216 pp.
- USDA Forest Service. 1987. Coconino National Forest Land Management Plan, as amended.
- _____. 1988. Kaibab National Forest Land Management Plan, as amended.
- _____. 1994. Sustaining our aspen heritage into the twenty-first century. USDA Forest Service, Southwestern Region and Rocky Mountain Forest and Range Experiment Station. 7 pp.
- _____. 1996. Record of decision for amendment of forest plans, Arizona and New Mexico. United States Department of Agriculture, Forest Service, Southwestern Region.
- _____. 1997. Plant associations of Arizona and New Mexico. 3rd ed. Vol. 1. USDA Forest Service, Southwestern Region, Albuquerque, NM. 291 pp.
- _____. 2000. Forest insect and disease conditions in the Southwestern Region, 1999. USDA Forest Service, Southwestern Region, R3-00-01: 17 pp. Albuquerque, NM.

- . 2002. Forest insect and disease conditions in the Southwestern Region, 2001. USDA Forest Service, Southwestern Region, R3-02-01: 17 pp. Albuquerque, NM. _____. 2003. Forest insect and disease conditions in the Southwestern Region, 2002. USDA Forest Service, Southwestern Region, R3-03-01: 33 pp. Albuquerque, NM. . 2004. Forest insect and disease conditions in the Southwestern Region, 2003. USDA Forest Service, Southwestern Region, Forestry and Forest Health, R3-04-02, 34 pp. Albuquerque, NM. . 2006. Cultural Resources Management. Logging Railroads of the Coconino and Kaibab National Forests. Supplemental Report to a National Register of Historic Places Multiple Property Nomination. 1993. Report No. 19. USDA Forest Service. Southwestern Region. Flagstaff, AZ. 302 pp. . 2007. Historic ponderosa pine stand structure of mollisol and mollic integrade soils on the Coconino National Forest. Flagstaff, AZ. Unpublished document on file at the Coconino National Forest Supervisors Office. . 2008a. Historic ponderosa pine stand structure of mollisol and mollic integrade soils on the Kaibab National Forest. Williams, AZ. Unpublished document on file at the Kaibab National Forest Supervisors Office. . 2008b. Forest insect and disease conditions in the Southwestern Region, 2007. USDA Forest Service, Southwestern Region, Forestry and Forest Health, PR-R3-16-4, 47 pp. Albuquerque, NM. . 2011. Forest insect and disease conditions in the Southwestern Region, 2010. USDA Forest Service, Southwestern Region, Forestry and Forest Health, PR-R3-16-7, 45 pp. Albuquerque, NM.
- USDI Fish and Wildlife Service. 1995. Recovery Plan for the Mexican Spotted Owl: Vol. I. Albuquerque, NM. 172 pp.
- USDI Fish and Wildlife Service. 2012. Mexican Spotted Owl Recovery Plan First Revision (*Strix occidentalis lucida*). Southwest Region U.S. Fish and Wildlife Service. Albuquerque, NM, USA. 414 pp.
- Vandendriesche, Don, comp. 2010. A compendium of NFS regional vegetation classification algorithms. Internal Rep. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Forest Management Service Center. 74 pp.
- Weaver, H. 1951. Fire as an ecological factor in southwestern ponderosa pine forests. Journal of Forestry 49:93–98.
- White, A.S. 1985. Pre-settlement regeneration patterns in a Southwestern ponderosa pine stand. Ecology 66:589–594.
- Woolsey, T.S. Jr. 1911. Western yellow pine in Arizona and New Mexico. USDA Forest Service, Bulletin 101. Washington, DC.
- Yasinski, F.M., and D.A. Pierce. 1958. Forest insect conditions in Arizona, New Mexico and west Texas—1957. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station 30, 10 pp. Fort Collins, CO.

Scenery

- Abella, S.R. 2004. Tree thinning and prescribed burning effects on ground flora in Arizona ponderosa pine forests: a review. Journal of the Arizona-Nevada Academy of Science 36:68–76.
- _____. 2008. Managing oak in southwestern ponderosa pine forests: The status of our knowledge. General Technical Report RMRS-GTR-218. USDA Forest Service, Rocky Mountain Research Station, Fort Collins, CO. 27 pp.
- Abella, S.R., and J.D. Springer. 2008. Estimating soil seed bank characteristics in ponderosa pine forests using vegetation and forest-floor data. Research Note RMRS-RN-35. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fort Collins, CO. 7 pp.
- Abella, S.R, and P.Z. Fulé . 2008. Fire Effects on Gambel Oak in Southwestern Ponderosa Pine-Oak Forests. Res. Note RMRS RN-34. Ft. Collins, CO: USDA Forest Service, Rocky Mountain Research Station. 6 pp.
- Allen, S.R., M. Savage, D.A. Falk, K.F. Suckling, T.W. Swetnam, T. Shulke, P.B. Stacey, P. Morgan, M.T. Hoffman, and J.T. Klingel. 2002. Ecological Restoration of Southwestern Ponderosa Pine Ecosystems: A Broad Perspective. Ecological Applications 12(5):1418–1433.
- Brown, Harry E. 1958. Gambel Oak in West-Central Colorado. Ecology. 39: 317–327.
- CLIMAS. 2011. Climate Change in the Southwest. Online: http://www.climas.arizona.edu/sw-climate-change. Accessed July 12, 2012.
- Cooper, C.F. 1960. Changes in vegetation, structure, and growth of southwestern pine forests since white settlement. Ecological Monographs 30:129–164.
- _____. 1961. Patterns in ponderosa pine forests. Ecology 42:493–499
- Diggins, Corinne A. 2010. Modeling Forest Change, Bird Communities, and Management Alternatives on a Restored Ponderosa Pine Forest. Master's Thesis. Northern Arizona University, Flagstaff, AZ.
- Fairweather, Mary Lou, Brian W. Giles, and Mike Manthei. 2007. Aspen Decline on the Coconino National Forest. Online: http://digitalcommons.usu.edu/aspen_bib/506. Accessed July 12, 2012.
- Fiedler, C.E., S.F. Arno, and M.G. Harrington. 1996. Flexible silvicultural and prescribed burning approaches for improving health of ponderosa pine forests. In: Conference on adaptive ecosystem restoration and management: Restoration of Cordilleran conifer landscapes of North America. Pp 69–74. W.W. Covington and P.K. Wagner, eds. General Technical Report RM-GTR-278. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO.
- Fulé, P.Z. 2004. Changes in canopy fuels and potential fire behavior 1880–2040: Grand Canyon, AZ. Ecological Modeling 175(3):231–248.
- Fulé, P.Z., W.W. Covington, and M.M. Moore. 1997. Determining reference conditions for ecosystem management of southwestern ponderosa pine forests. Ecological Applications 7:895–908.

- Guido, Zack. Extreme Events in the Southwest. CLIMAS.

 Online: http://www.climas.arizona.edu/feature-articles/sep-2011. Accessed July 12, 2012.
- Heinlein, T.A., M.M. Moore, P.Z. Fulé, and W.W. Covington. 2005. Fire history and stand structure of two ponderosa pine-mixed conifer sites: San Francisco Peaks, AZ, USA. International Journal of Wildland Fire 14:307–320.
- Hessberg, P.F., and J.S. Beatty. 1985. Incidences, Severity and Growth Losses Associated with Ponderosa Pine Dwarf Mistletoe on the Coconino National Forest, Arizona. USDA Forest Service, Southwestern Region. R3-85-12. 30 pp.
- Johnson, E.A, K. Miyanishi, and J.M.H. Weir. 1998. Wildfires in Western Canadian Boreal Forest: Landscape Management and Ecological Patterns. Journal of Vegetation Science, 9:603–610.
- Kruse, William H. 1992. Quantifying Wildlife Habitats Within Gambel Oak/Forest/Woodland Associations in Arizona. In: Ecology and Management of Oaks and Associated Woodlands: Perspectives in the Southwestern United States and Northern Mexico. Pp. 182–186. Peter F. Ffolliott, G.J. Gottfried, D.A. Bennett, C. Hernandez, V. Manuel, A. Ortega-Rubio, and H.R. Hamre, tech coords. April 27–30, 1992. Sierra Vista, AZ. Gen. Tech. Rep. RM-218. Ft Collins, CO: USDA Forest Service, Rocky Mountain Research Station.
- Laughlin, D.C., and S.R. Abella. 2007. Abiotic and biotic factors explain independent gradients of plant community composition in ponderosa pine forests. Ecological Modeling 205:231–240.
- Laughlin, D.C., M.M. Moore, J.D. Bakker, C.A. Casey, J.D. Springer, P.Z. Fulé, and W.W. Covington. 2006. Assessing targets for the restoration of herbaceous vegetation in ponderosa pine forests. Restoration Ecology 14:548–560.
- Lynch, Ann M., J.A. Anhold, J.D. McMillin, S.M. Dudley, R.A. Fitzgibbon, and M. Fairweather. 2008. Forest Insect and Disease Activity on the Coconino National Forest 1918–2006. Unpublished Report. USDA Forest Service, Coconino National Forest, Flagstaff, AZ.
- McArthur, E.D, and J.R. Taylor. 2004. *Chrysothamnus nausiosus* (Pallas x Pursh) Britton. Asteraceae. In: Woodland Shrubs of the United States and its Territories: Thamnic Descriptions. J.K. Francis, ed. Vol. 1. USDA Forest Service Gen. Tech. Rep. IITF-GTR-26. Fort Collins, CO.
- Moir, W.H., B. Geils, M.A. Benoit, and D. Scurlock. 1997. Ecology of southwestern ponderosa pine forests. In: Songbird ecology in southwestern ponderosa pine forests: A literature review. Pp 3–27. W.M. Block and D.M. Finch, tech. eds. General Technical Report RM-GTR-292. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. 152 pp.
- Neff, D.J., and N.W. Woolsey. 1979. Effects of Predation by Coyotes on Antelope Fawn Survival on Anderson Mesa, AZ. Special Report 8. Arizona Game and Fish Department. 36 pp.
- Noble, Bill O. 2012. Understory Response to Changes in Overstory Cover. Unpublished report. USDA Forest Service, Coconino National Forest, Flagstaff, AZ.

- Pearson, G.A. 1950. Management of ponderosa pine in the Southwest: As developed by research and experimental practice. Agriculture Monograph No. 6. USDA Forest Service, Fort Collins, CO. 34 pp.
- Roccaforte, J.P., P.Z. Fulé, and W.W. Covington. 2008. Landscape-scale changes in canopy fuels and potential fire behavior following ponderosa pine restoration treatments. International Journal of Wildland Fire 17(2):293–303.
- Rosenstock, S.S. 1998. Influence of Gambel oak on breeding birds in Northern Arizona. Condor 100:485–492.
- Ryan, Robert L. 2005. Social Science to Improve Fuels Management: A Synthesis of Research on Aesthetics and Fuels Management. GTR NC-261. St. Paul, MN: USDA Forest Service, North Central Research Station. 58 pp.
- Swetnam, T.W., and C.H. Baisan. 1996. Historical fire regime patterns in the southwestern United States since AD 1700. In: 2nd La Mesa Fire Symposium; Los Alamos, NM. Pp 11–32. C.
 D. Allen, ed. General Technical Report RM-GTR-286. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. 216 pp.
- Tisdale, E.W., and M. Hironaka. 1981. The sagebrush-grass ecoregion: A Review of the Ecological Literature. Forest, Wildlife, and Range Experiment Station Contribution No. 209. University of Idaho, Moscow, ID. 33 pp. . 1975. National Forest Landscape Management. Vol. 2. USDA Agriculture Handbook No. 462. Online: http://naldr.nal.usda.gov/NALWeb/Agricola Link.asp?Accession= CAT87208522. . 1990. Soil and Water Conservation Practices Handbook. Forest Service Handbook 2509.22. USDA Forest Service, Southwestern Region.104 pp. . 2000. Landscape Aesthetics: A Guide for Scenery Management, as revised. USDA Handbook 701. Online: http://library.rawlingsforestry.com/fs/landscape_aesthetics/. Accessed 7/12/2012. . 2004. Kaibab National Forest Recreation Opportunity Spectrum-Scenery Management System Guidebook. Unpublished document. USDA Forest Service, Kaibab National Forest, Williams, AZ. 53 pp. ___. 2007. Appendix J: Recommended SMS Refinements. USDA Forest Service. On file at Coconino National Forest, Flagstaff, AZ. 33 pp. _. 2007a. Recreation Facility Analysis, Action Plan for Kaibab National Forest. Unpublished report. Available at Kaibab National Forest, Williams, AZ. . 2008. Coconino National Forest Land Management Plan, as amended. USDA Forest Service, Southwestern Region. Online: http://www.fs.usda.gov/detail/coconino/ landmanagement/planning/?cid=stelprdb5334653. Accessed July 12, 2012.

. 2008a. Recreation Facility Analysis, Action Plan for Coconino National Forest. Unpublished report. Available at Coconino National Forest, Flagstaff, AZ.

- 2010. Kaibab National Forest Land Management Plan, as amended. USDA Forest Service, Southwestern Region. Online: http://prdp2fs.ess.usda.gov/main/kaibab/landmanagement/planning. Accessed July 12, 2012.
 2012. 2010 National Visitor Use Monitoring: Visitor Use Report, Coconino NF. USDA Forest Service, Southwestern Region. Online: http://www.fs.fed.us/recreation/programs/nvum/.
 2012b. 2005 National Visitor Use Monitoring: Visitor Use Report, Coconino NF. USDA Forest Service, Southwestern Region. Online: http://www.fs.fed.us/recreation/programs/nvum/.
 2012c. 2010 National Visitor Use Monitoring: Visitor Use Report, Kaibab NF. USDA Forest Service, Southwestern Region. Online: http://www.fs.fed.us/recreation/programs/nvum/.
 2012d. 2005 National Visitor Use Monitoring: Visitor Use Report, Kaibab NF. USDA Forest Service, Southwestern Region. Online: http://www.fs.fed.us/recreation/programs/nvum/. Accessed July 12, 2012.
- Van Wagner, C.E. 1993. Prediction of crown fire behavior in two stands of jack pine. Canadian Journal of Forest Research 23:442–449.
- Weaver, H. 1951. Fire as an ecological factor in southwestern ponderosa pine forests. Journal of Forestry 49:93–98.
- White, A.S. 1985. Pre-settlement regeneration patterns in a Southwestern ponderosa pine stand. Ecology 66:589–594.
- Woolsey Jr., T.S., 1911. Western yellow pine in Arizona and New Mexico. USDA Forest Service Bulletin 101. Government Printing Office, Washington, DC.

Socioeconomics

- Arizona Department of Commerce. 2008. Arizona County Profiles. Online: http://www.azcommerce.com. Accessed June 6, 2011.
- Becker, D.R., D. Larson, and E.C. Lowell. 2009. Financial Considerations of Policy Options to Enhance Biomass Utilization for Reducing Wildfire Hazards. Forest Policy and Economics 11:628–635.
- Boyd, J., and S. Banzhaf. 2007. What Are Ecosystem Services?: The need for standardized environmental accounting units. Ecological Economics 61(4):716–723.
- Combrink, T., W. Fox, and J. Peterson. 2012. Workforce Needs of the Four Forest Restoration Initiative Project: An Analysis. Northern Arizona University, Ecological Restoration Institute.
- Council on Environmental Quality (CEQ). 1997. Environmental Justice: Guidance Under the National Environmental Policy Act. Washington, DC: Executive Office of the President.
- Florida, R. 2002. The Rise of the Creative Class. New York: Basic Books.
- Gude, P.H., R. Rasker, and J. van den Noort. 2008. Potential for Future Development on Fire-Prone Lands. Journal of Forestry 106(4):198–205.

- Horne, A., and R. Haynes. 1999. Developing Measures of Socioeconomic Resiliency in the Interior Columbia Basin. USDA Forest Service General Technical Report, PNW-GTR-453. April 1999.
- Jaworski, Delilah. 2013. Four-Forest Restoration Initiative Socioeconomic Resource Report. Ms. On file at the Coconino NF 4FRI Project Record.
- Knotek, K., A.E. Watson, W.T. Borrie, J.G. Whitmore, and D. Turner. 2008. Recreation Visitor Attitudes Toward Management-ignited Prescribed Fires in the Bob Marshall Wilderness Complex, Montana. Journal of Leisure Research 40(4):608–618.
- Kochi, I., G.H. Donovan, P.A.Champ, and J.B. Loomis. 2010a. The Economic Cost of Adverse Health Effects from Wildfire-Smoke Exposure: a review. International Journal of Wildland Fire 19:803–817.
- Kochi, I., J. Loomis, P. Champ, and G. Donovan. 2010b. Health and Economic Impact of Wildfires: Literature review. USDA Forest Service.
- Loomis, J., D. Griffin, E. Wu, and A. Gonzalez-Caban. 2002. Estimating the Economic Value of Big Game Habitat Production from Prescribed Fire Using a Time Series Approach. Journal of Forest Economics 8:119–129.
- Lowell, E.C., D.R. Becker, R. Rummer, D. Larson, and L. Wadleigh. 2008. An Integrated Approach to Evaluating the Economic Costs of Wildfire Hazard Reduction through Wood Utilization Opportunities in the Southwestern United States. Forest Science 54(3):273–283.
- Mercer, D.E., J.M. Pye, J.P. Prestemon, D.T. Butry, and T.P. Holmes. 2000. Economic Effects of Catastrophic Wildfires: assessing effectiveness of fuel reduction programs for reducing the economic impacts of catastrophic forest fire events. Final Report for the Joint Fire Science Program.
- Mercer, D.E., J.P. Prestemon, D.T. Butry, and J.M. Pye. 2007. Evaluating Alternative Prescribed Burning Policies to Reduce Net Economic Damages from Wildfire. American Journal of Agricultural Economics 89(1):63–77.
- Minnesota IMPLAN Group (MIG). 2009. IMPLAN Professional Version 3.0.
- Morton, D.C., M.E. Roessing, A.E. Camp, and M.L. Tyrrell. 2003. Assessing the Environmental, Social, and Economic Impacts of Wildfire. Yale School of Forestry and Environmental Studies, GISF Research Paper 001.
- Office of the President. 1994. Executive Order 12898: Federal Actions to Address Environmental Justice in Minority Population and Low-income Populations. Washington, DC: Executive Office of the President.
- Prestemon, J.P., K.L. Abt, and R.J. Huggett Jr. 2008. Market Impacts of a Multiyear Mechanical Fuel Treatment Program in the U.S. Forest Policy and Economics 10:386–399.
- Rittmaster, R., W.L. Adamowicz, B. Amiro, and R.T. Pelletier. 2006. Economic Analysis of Health Effects from Forest Fires. Canadian Journal of Forest Research 36:868–877.
- Seesholtz, D., D. Wickwar, and J. Russell. 2004. Social Economic Profile Technical Guide. USDA Forest Service, Inventory Monitoring Institute.

Selig, M., D. Vosick, and J. Seidenberg. 2010. Four Forest Restoration Initiative Landscape Strategy: Economics and Utilization Analysis. Flagstaff, AZ: Four Forest Restoration Initiative Stakeholder Group. U.S. Bureau of Economic Analysis. 2011a. Local Area Personal Income, Table CA05. Online: http://www.bea.gov/regional/reis. Accessed on May 10, 2011. _. 2011b. Employment by NAICS Industry, Table CA25N. Economic Profile System – Human Dimensions Toolkit Online: http://www.headwaterseconomics.org/tools/eps-hdt. Accessed on May 12, 2012. U.S. Bureau of Labor Statistics. 2011. Local Area Unemployment. Online: http://www.bls.gov/lau. Accessed June 2, 2011. U.S. Census Bureau. 1990. American FactFinder. Online: http://factfinder.census.gov. Accessed May 10, 2011. _____. 2000. American FactFinder. Online: http://factfinder.census.gov. Accessed May 10, 2011. _____. 2010. American FactFinder2. Online: http://factfinder2.census.gov. Accessed February 29, 2012. USDA. 1997. Environmental Justice Departmental Regulation. Washington, DC: Office of the Chief Information Officer. USDA Forest Service. 1998. Economic and Social Conditions of Communities: Economic and Social Characteristics of Interior Columbia Basin Communities and an Estimation of Effects on Communities from the Alternatives of the Eastside and Upper Columbia River Basin DEIS. Portland, OR: Pacific Northwest Research Station. . 2008a. Economic and Social Sustainability Assessment. Flagstaff, AZ: Coconino National Forest. _____. 2008b. Economic and Social Sustainability Assessment. Williams, AZ: Kaibab National Forest. _____. 2011a. Coconino Visitor Use Report. National Visitor Use Monitoring Program. Online: http://www.fs.fed.us/recreation/programs/nvum/. Accessed February 29, 2012. ____. 2011b. Kaibab Visitor Use Report. National Visitor Use Monitoring Program. Online: http://www.fs.fed.us/recreation/programs/nvum/. Accessed February 29, 2012. Western Forestry Leadership Coalition (WFLC). 2010. The True Cost of Wildfire in the Western

Soils

Arizona Department of Environmental Quality and USDA. 2008. Intergovernmental agreement between the State of Arizona and U.S. Department of Agriculture, Forest Service Southwestern Region. February 15, 2008.

White Mountain Independent (WMI). 2011. Two Charged with Causing Arizona's Wallow Fire.

Online: http://www.wmicentral.com. Accessed October 26, 2011.

U.S. Report of the WFLC.

- Brewer, Dave, Rodney Jorgensen, Lewis Munk, and Wayne Robbie. 1991. Terrestrial Ecosystems Survey of the Kaibab National Forest. USDA Forest Service, Southwestern Region. 319 pp.
- Brewer, Dave, et al. 2000. Combining Terrestrial Ecosystem Survey Units to Assist in the Analysis of Existing Conditions for Forest Restoration at the Landscape Scale. 24 pp.
- Brown, James, et al. 2003. Coarse Woody Debris: Managing Benefits and Fire Hazard in the Recovering Forest. RMRS GTR 105. 16 pages
- Covington, W.W., and L.F. DeBano. 1990. Effects of fire on pinyon–juniper soils. In: Effects of Fire Management of Southwestern Natural Resources. J.S. Krammes, tech. coord. USDA Forest Service Gen. Tech. Rep. RM-191. Pp. 8–86.
- Covington, W.W., and S.S. Sackett. 1992. Soil mineral nitrogen changes following prescribed burning in ponderosa pine. Forest Ecology and Management 54:175–191.
- Elliot, William J., Ina Sue Miller, Lisa Audin, eds. 2010. Cumulative watershed effects of fuel management in the western United States. Gen. Tech. Rep. RMRS-GTR-231. Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station. 299 pp.
- Elliot, William J., D Page-Dumroese, and P.R. Robichaud. 1999. The effects of forest management on erosion and soil productivity. Proceedings of the Symposium on Soil Quality and Erosion Interaction, Keystone, CO, July 7, 1996. Ankeny, IA: Soil and Water Conservation Society. 16 pp. Online: http://forest.moscowfsl.wsu.edu/smp/docs/docs/Elliot_1-57444-100-0.html. Accessed March 24, 2010.
- Fleishman, Dick. 1996. Best management practices monitoring U-Bar and Merritt Forest Product sale. USDA Forest Service Blue Ridge Ranger District. Letter file code 2520 and 2450. 16 pp.
- Fleishman, Richard, 2005. Monitoring of Best Management Practices-Pack Rat Salvage Sale. USDA Forest Service Mogollon Rim Ranger District. Letter file code 2520.
- Froehlich, H.A., D.E. Aulerich, and R. Curtis. 1981. Designing skid trail systems to reduce soil impacts from tractive logging machines. Forest Research Lab, Oregon State University, Corvallis, OR. Research Paper 44. 15 pp.
- Graham, Russell T., Sarah McCaffrey, and Theresa B. Jain, tech. eds. 2004. Science basis for changing forest structure to modify wildfire behavior and severity. Gen. Tech. Rep. RMRS-GTR-120. Fort Collins, CO. USDA Forest Service, Rocky Mountain Research Station. 43 pp.
- Graham, Russell T., Alan E. Harvey, Martin F. Jurgensen, Theresa B. Jain, Jonalea R. Tonn, and Deborah S. Page-Dumroese. 1994. Managing coarse woody debris in forests of the Rocky Mountains. Res. Pap. INT-RP-477. Ogden, UT: USDA, Forest Service, Intermountain Research Station. 12 pp.
- Gucinski, Hermann, Michael J. Furniss, Robert R. Ziemer, and Martha H. Brookes. 2001. Forest roads: a synthesis of scientific information. Gen. Tech. Rep. PNWGTR-509. Portland, OR: USDA Forest Service, Pacific Northwest Research Station. 103 pp.
- Huffman, D. 2010. Coarse Woody Debris in Pinyon-Juniper.

- Jagow, Peter. 1994. Best Management Practices monitoring forms for the Anchor Timber Sale and Hospital Timber Sale. From Arizona Department of Quality, 10 pp.
- Korb, J.E., N.C. Johnson, and W.W. Covington. 2004. Slash pile burning effects on soil biotic and chemical properties and plant establishment: Recommendations for amelioration. Restoration Ecology 12:52–62.
- Lata, Mary. 2013. Fire Ecology, Fuels and Air Quality Specialist Report, Four-Forest Restoration Initiative. Ms. On file at Coconino NF, 4FRI project record.
- McCusker, N.A. 2013. Four-Forest Restoration Initiative Coconino and Kaibab National Forests Silviculture Specialist Report. Ms. On file at Coconino NF, 4FRI project record.
- Miller, Greg, N., Ambos, P. Boness, D. Reyher, G. Robertson, K. Scalzone, R. Steinke, and T. Subirge. 1995. Terrestrial Ecosystems Survey of the Coconino National Forest. USDA Forest Service, Southwestern Region. 405 pp. Online: http://alic.arid.arizona.edu/tes/tes.html.
- Neary, Dan G., K. Ryan, and L. DeBano. 2005. Wildland Fire in Ecosystems. Effects of Fire on Soil and Water. USDA Forest Service. RMRS-GTR-42-Volume 4. Fort Collins, CO. 250 pp.
- Passovoy, Davis, Fulé, Pete, 2006. Snag and woody debris dynamics following severe wildfires in northern Arizona ponderosa pine forests. Forest Ecology and Management. 246 pp.
- Robichaud, P.R., Brown, R.E. 1999. Revised 2000. What happened after the smoke cleared: onsite erosion rates after a wildfire in eastern Oregon. In: Olsen, D.S.; Potyondy, J.P., eds. Proceedings: wildland hydrology conference. 1999. June. Bozeman, MT. Hernon, VA: American Water Resource Association: 419–426.
- Seymour, G., and A. Tecle. 2004. Impact of slash pile size and burning on ponderosa pine forest soil physical characteristics. Journal of the Arizona-Nevada Academy of Science 37(2):74–82.
- Steinke, Rory W. 2007a. Historic Ponderosa Pine Stand Structure of Mollisols, and Mollic Integrade Soils on the Coconino National Forest (Internal Study).
- ______. 2007b. Historic Ponderosa Pine Stand Structure of Mollisols, and Mollic Integrade Soils on the Kaibab National Forest (Internal Study).
- _____. 2013. Soil Resources Specialist's Report, 4 Forest Restoration Initiative. Ms. On file at the Coconino NF 4FRI Project Record. 425 pp.
- USDA Agricultural Research Service. 1999. National Soil Erosion Research Laboratory. WEPP: Road Interface for Predicting Forest Road Runoff, Erosion and Sediment Delivery. Researchers Elliot, Hall, and Scheele. Draft December 1999. Moscow, Idaho. Technical Documentation Web site online: http://forest.moscowfsl.wsu.edu/fswepp/docs/wepproaddoc.html.
- ______. Agricultural Research Service. 2006. National Soil Erosion Research Laboratory. Moscow, Idaho. Water Erosion Prediction Project Web site at http://forest.moscowfsl.wsu.edu/fswepp/. Elliot et. al. 9/22/2006.
- USDA Forest Service. 1984. Terrestrial Ecosystems Survey (TES) Handbook. Chapter 5.

 1987. Coconino National Forest Land and Resource Management Plan and amendments USDA Forest Service. Southwestern Region. 270 pp. Online: http://www.fs.fed.us/r3/coconino/projects/plan-revision-2006/current-plan.shtml .
 1988. Kaibab National Forest Land and Resource Management Plan. USDA Forest Service. Southwestern Region. Albuquerque, NM.
 1991a. Forest Service Handbook (FSH) 2509.19. Soil and Water Conservation Handbook.
 1991b. Soil Management Handbook 2509.18-91-1. WO Amendment. Chapter 2.2, Soil Quality Monitoring.
 1994a Graham, R.T., A.E. Harvey, M.F. Jurgensen, T.B. Jain, J.R. Tonn, and D.S. Page-Dumroese. Managing Coarse Woody Debris in Forests of the Rocky Mountains. U.S. Res. Pap. Int-477. Ogden, UT. U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 13 pp.
 . 1994b. Managing Coarse Woody Debris in Forests of the Rocky Mountains. Res. Pap. Int. 477. Ogden, UT. U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 13 pp.
 . 1999. Forest Service Handbook (FSH) 2509.18. Region 3 Supplement No. 2509.18-99-1.
 2000. WEPP Technical Documentation. Rocky Mountain Research Station and San Dimas Tech Center. Online: http://forest.moscowfsl.wsu.edu/fswepp/docs/distweppdoc.html .
 2009a. National Technology and Development Program. Soil-Disturbance Field Guide. 0819 1815.
 2009b. Soil-Disturbance Field Guide. National Technology & Development Program. 0819 1815.
 2010a. Forest Service Manual (FSM) 2500-2010-1. (Supersedes FSM 2550).
 2010b. Forest Service Watershed Condition Classification Technical Guide. Potyondy. Geier et. al. 85 pages. Available at http://www.test.fs.fed.us/publications/watershed .
 2011. Watershed Condition Framework Implementation Guide. Online: http://www.test.fs.fed.us/publications/watershed .
 2012. National Best Management Practices for Water Quality on National Forest System Lands. Technical Guide. Washington Office. April 2012. FS-990a. 165 pp.

Transportation

Code of Federal Regulations 36 CFR 212.1 Definitions. Online http://cfr.vlex.com/vid/212-1-definitions-19770981.

Fleishman, Dick. 2013. Transportation Specialist's Report, Four-Forest Restoration Initiative, Coconino and Kaibab National Forest. Ms. On file at the Coconino NF 4FRI Project Record.

USDA Forest Service. 1995. Chapter 10 Forest Service Handbook (FSH) 7709.58— Transportation System Maintenance Handbook Amendment No. 7709.58-95-1 Effective July 28, 1995. 19 pp.
2008. Travel Analysis Report for the Tusayan Ranger District, Kaibab National Forest. Southwestern Region. 136 pp.
2010. Travel Analysis Process Report Coconino National Forest. Southwestern Region. 20 pp Online: http://www.redrockcountry.org/about-us/tmr/tmr-documents/tap-cnf-2009-03-12.pdf .
2010a. Travel Analysis Process Report, Kaibab National Forest Williams RD. Southwestern Region. 68 pp.
2010b. Decision Notice (DN) and Finding of No Significant Impact (FONSI) for the Williams Ranger District Travel Management Project. Kaibab National Forest. 21 pp.
2011. Decision Notice (DN) and Finding of No Significant Impact (FONSI) for the Tusayan Ranger District Travel Management Project. Kaibab National Forest. 22 pp.
2011a. Record of Decision (ROD) Travel Management Plan Coconino National Forest. 76 pp.
2012. Field Review of 4FRI Temporary Roads and Road Systems—4FRI First EIS Area 9 pp. Unpublished internal document.
Watershed
Arizona Department of Environmental Quality. 2008. Intergovernmental agreement between the State of Arizona and U.S. Department of Agriculture, Forest Service Southwestern Region. February 15, 2008.
. 2010. Lake Mary Regional TMDL for Mercury in Fish Tissue. Upper Lake Mary, Lower Lake Mary, Soldiers Lake, Soldiers Annex Lake, and Lower Long Lake; Little Colorado River Watershed; Coconino County, AZ. 53 pp.
2010. Oak Creek and Spring Creek, Verde River Watershed Total Maximum Daily Loads for Escherichia coliform; Coconino County, AZ. 46 pp.
Baker, M.B. Jr., and P.F. Ffolliott. 1999. Interdisciplinary land use along the Mogollon Rim. In: Baker, M.B., Jr., comp. History of watershed research in the central Arizona highlands. Gen. Tech. Rep. RMRS-GTR-29. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. Pp. 27–34.
Benavides-Solorio, Juan de Dios, and Lee H. MacDonald. 2005. Measurement and prediction of post-fire erosion at the hillslope scale, Colorado Front Range. International Journal of

Betts, E.F., and J.B. Jones. 2009. Impact of wildfire on stream nutrient chemistry and ecosystem

metabolism in boreal forest catchments of interior Alaska. Arctic, Antarctic, and Alpine

Research 41:407–417. DOI: 10.1657/1938-4246-41.4.407.

Wildland Fire14:1–18.

- Bosch, J.M.; Hewlett, J.D. 1982. A review of catchment experiments to determine the effect of vegetation changes on water yield and evapotranspiration. Journal of Hydrology. 55: 3–23.
- Brewer, David G., Rodney K. Jorgensen, Lewis P. Munk, Wayne A. Robbie, and Janet L. Travis. 1991. Terrestrial Ecosystem Survey of the Kaibab National Forest, Coconino County and Part of Yavapai County. USDA Forest Service. 319 pp.
- Brown, T.M. 2002. Short-term total suspended-solid concentrations resulting from stream crossing obliteration in the Clearwater National Forest. M.S. Thesis. University of Washington. Seattle, WA. 107 pp.
- Brown, H.E., M.B. Baker Jr., J.J. Rogers, W.P. Clary, J.L. Kovner, F.R. Larson, C.C. Avery, and R.E. Campbell. 1974. Opportunities for increasing water yields and other multiple use values on ponderosa pine forest lands. Res. Pap. RM-129. Fort Collins, CO.
- Brown, J.K., M.A. Marsden, K.C. Ryan, and E.D. Reinhardt. 1985. Predicting duff and woody fuel consumed by prescribed fire in the northern Rocky Mountains. Res. Pap. INT-RP-337. Ogden, UT. USDA Forest Service. Intermountain Research Station. 23 pp.
- Burton, Timothy A. 1997. Effects of Basin-Scale Timber Harvest on Water Yield and Peak Streamflow. Journal of the American Water Resources Association 33: 6.
- CARB. 2007. California Air Resources Board. Online: http://www.arb.ca.gov/cc/cc.htm.
- Childs, Michael R. 2013. Fisheries Specialist Report, Four Forest Restoration Initiative. Ms. On file at Coconino NF, 4FRI project record .103 pp.
- City of Flagstaff. 2010. Report to the Consumer on Water Quality. January 1, 2010–December 31, 2010. 10 pp. Online: http://www.flagstaff.az.gov/DocumentCenter/Home/View/13174.
- _____. 2012. Where does our water come from? City of Flagstaff Official Web site. Online: <u>City</u> of Flagstaff Official Website. Access May 21, 2012.
- Covington, W.W., and L.F. DeBano. 1990. Effects of fire on pinyon–juniper soils. In: Effects of Fire Management of Southwestern Natural Resources. J.S. Krammes, tech. coord. USDA For. Serv. Gen. Tech. Report RM-191. Pp. 78–86.
- Covington, W.W., and S.S. Sackett. 1986. Effect of periodic burning on soil nitrogen concentrations in ponderosa pine. Soil Science Society of America Journal. 50:452–457.
- _____. 1992. Soil mineral changes following prescribed burning in ponderosa pine. Forest Ecology and Management. 54:175–191.
- Croke, J.C., and S.P. Mockler. 2001. Gully initiation and road to stream linkage in a forested catchment in southeast Australia. Earth Surface Processes and Landforms 26:1–13.
- DeBano, L.F., D.G. Neary, and P.F. Ffolliott. 1998. Fire's effects on ecosystems. New York: John Wiley and Sons, Inc. 333 pp.
- DeBano, L.F., 1981. Water repellant soils: a state-of-the-art. Gen. Tech. Rep. PSW-46, illus. Pacific Southwest Forest and Range Exp. Station. USDA Forest Service. Berkley, CA. 21 pp.

- DeBano, L.F., and J.S. Krammes. 1966. Water repellent soils and their relation to wildfire temperatures. Bulletin of the I.A.S.H., XI(2):14–19.
- DiTomaso, J.M. 2000. Invasive weeds in rangelands: species, impacts, and management. Weed Science 48:255–265.
- Doerr, S.H., R.A. Shakesby, and R.P.D. Walsh. 2000. Soil water repellency: its causes, characteristics and hydro-geomorphological significance. Earth-Science Reviews 51:33–65.
- Elliot, W.J., D.L. Scheele, and D.E. Hall. 2000. The Forest Service WEPP interfaces. Paper No. 005021. St. Joseph, MI.: ASAE. 9 pp.
- Elliot, William J., Ina Sue Miller, and Lisa Audin, eds. 2010. Cumulative watershed effects of fuel management in the western United States. Gen. Tech. Rep. RMRS-GTR-231. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 299 pp.
- Elson, T.E. 1972. Williams Municipal Watershed Hydrologic Survey and Analysis for the USDA Forest Service. 172 pp. Environmental Protection Agency. 2010. Online: http://www.epa.gov/climatechange/.
- Environmental Protection Agency. 2010. http://www.epa.gov/climatechange/.
- Ffolliott, P.F., G.S. Gottfried, and M.B. Baker, Jr. 1989. Water yield from forest snowpack management: research findings in Arizona and New Mexico. Water Resources Research 25:1999–2007.
- Foltz, R.B., and K.A. Yanosek. 2005. Effects of road obliteration on stream water quality. In: Managing Watersheds for Human and Natural Impacts: Engineering, Ecological, and Economic Challenges. Proceedings of the 2005 Watershed Management Conference. G. E. Moglen, ed. July 19–22, 2005. Williamsburg, VA. Sponsored by Environmental and Water Resources Institute (EWRI) of the American Society of Civil Engineers. 12 pp.
- Gottfried, G.J., and L.F. DeBano. 1990. Streamflow and water quality responses to preharvest prescribed burning in an undisturbed ponderosa pine watershed. In: Effects of fire management of southwestern natural resources. J.S. Krammes, tech. coord. Gen. Tech. Report RM-191. USDA Forest Service, Fort Collins, CO.
- Greater Flagstaff Forest Partnership. 2010. Annual Report. 2010.

 Online: http://www.gffp.org/docs/GFFP_2010_Annual_Report.pdf Accessed May 16, 2012.
- Guido, Zack. 2008. Southwest Climate Change Network.


 Online: http://www.southwestclimatechange.org/impacts/land/fire.
- Hendricks, B.A., and J.M. Johnson. 1944. Effects of fire on steep mountain slopes in central Arizona. Journal of Forestry 42:568–571.
- Ice, George. 2004. History of Innovative Best Management Practice Development and its Role in Addressing Water Quality Limited Waterbodies. Journal of Environmental Engineering 2(6):684–689.

- Intergovernmental Panel on Climate Change (IPCC). 2007. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. S. Solomon, D. Quin, and M. Manning. Cambridge, United Kingdom, Cambridge University Press. 996 pp.
- Landsberg, J.D. and Tiedemann, A.R., 2000. Fire Management, in *Drinking Water from Forests* and *Grasslands, a Synthesis of Scientific Literature*, G.E. Dissmeyer, ed., Gen. Tech. Rep. SRS39.USDA Forest Service, Southern Research Station.
- Libohova, Zamir. 2005. Effects of thinning and wildfire on sediment production rates, channel morphology, and water quality in the Upper South Platte River Watershed. M.S. Thesis. Colorado State University. 261 pp.
- Luce, C.H., and T.W. Cundy, 1992. Modification of the kinematic wave-Philip infiltration overland flow model. Water Resources Research. 28(4):1179–1186.
- MacDonald, Christopher. 2013. Water Quality and Riparian Areas Specialist Report, Four-Forest Restoration Initiative, Coconino and Kaibab National Forest. Ms. On file at the Coconino NF 4FRI Project Record. 185 pp.
- MacDonald, L.H., and J.D. Stednick. 2003. Forests and water: A state-of-the-art review for Colorado. Colorado Water Resources Research Institute Rep. No. 196. Fort Collins, CO. Colorado State University. 65 pp.
- MacDonald, L.H., D.B. Coe, and S.E. Litschert. 2005. Assessing cumulative watershed effects in the central Sierra Nevada: Hillslope measurements and catchment-scale modeling. In: Proceedings of the Sierra Nevada science symposium. D.D. Murphy and P.A. Stine, eds. October 7–10, 2002. Kings Beach, CA. PSW-GTR-193. Albany, CA. Pacific Southwest Research Station. USDA Forest Service. Pp. 149–157.
- Megahan, W.F. 1978. Erosion processes on steep granitic road fills in central Idaho. Proceedings of the Soil Science Society of America Journal. 42(2): 350–357.
- Miller, Cory A. 2007. Analysis of Current and Historical Surface Flows and Hydrologic Response to Restoration Treatments in the Upper Lake Mary Watershed, Arizona. M.S. Thesis. Northern Arizona University. 78 pp.
- Miller, Greg, N., Ambos, P. Boness, D. Reyher, G. Robertson, K. Scalzone, R. Steinke, and T. Subirge. 1995. Terrestrial Ecosystems Survey of the Coconino National Forest. USDA Forest Service, Southwestern Region. 405 pp. Online: http://alic.arid.arizona.edu/tes/tes.html.
- Montgomery, D.M. 1994. Road surface drainage, channel initiation, and slope stability. Water Resources Research 30:1925–1932.
- Mullen, Regina M., Abraham E. Springer, and Thomas E. Kolb. 2006. Complex Effects of Prescribed Fire on Restoring the Soil Water Content in a High-Elevation Riparian Meadow, AZ. Restoration Ecology 14(2):242–250.
- Natural Resources Conservation Service. 2001. Rangeland Soil Quality—Aggregate Stability. Soil Quality Information Sheet. Rangeland Sheet 3.

- Neary, Daniel G., K. Ryan, and L. DeBano. 2005. Wildland Fire in Ecosystems. Effects of Fire on Soil and Water. USDA Forest Service. RMRS-GTR-42-Volume 4. Fort Collins, CO. 250 pp.
- Ojima, D.S., D.S. Schimel, W.J. Parton, and C.E. Owensby. 1994. Long- and short-term effects of fire on nitrogen cycling in tallgrass prairie. Biogeochemistry 24:67–84.
- Pinkham, Richard, and Bill Davis. 2002. North Central Arizona Water Demand Study. A report submitted to the Coconino Plateau Water Advisory Council. Rocky Mountain Institute. 178 pp.
- Potyondy, John P., and Theodore W. Geier. 2010. Watershed Condition Classification Technical Guide. United States Department of Agriculture, Forest Service Technical Guide FS-978. 41 pp.
- Reid, L.M., and T. Dunne. 1984. Sediment production from forest road surfaces. Water Resources Research 20(11):1753–1761.
- Rich, L.R., and G.J. Gottfried. 1976. Water yields resulting from treatments on the Workman Creek experimental watersheds in Central Arizona. Water Resources Research 12(5):1053–1060.
- Robichaud, P.R., T.R. Lillybridge, and J.W. Wagenbrenner. 2006. Effects of post fire seeding and fertilizing on hillslope erosion in north-central Washington, USA. Catena 67:56–67.
- Robichaud, P.R., and T.A. Waldrop. 1994. A comparison of surface runoff and sediment yields from low- and high-severity site preparation burns. Water Resources Bulletin. 30(1):27–34.
- Robichaud, P.R. 1996. Spatially-varied erosion potential from harvested hillslopes after prescribed fire in the interior Northwest. Dissertation. University of Idaho. Moscow, ID. 219 pp.
- _____. 2000. Fire effects on infiltration rates after prescribed fire in northern Rocky Mountain forests, USA. Journal of Hydrology 231–232(1–4):220–229.
- Robichaud, Pete R.; MacDonald, Lee H.; Foltz, Randy B. 2010. Fuel management and erosion. Chapter 5 in: Elliot, W.J.; Miller, I.S.; Audin, L., eds. 2010. Cumulative watershed effects of fuel management in the western United States. Gen. Tech. Rep. RMRS-GTR-231. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 79–100.
- Ryan, M.G., and W.W. Covington. 1986. The effect of a prescribed burn in ponderosa pine on inorganic nitrogen concentrations of mineral soil. Research Note RM-464. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 5 pp.
- Savage, S.M. 1974. Mechanism of fire-induced water repellency in soil. Soil Science Society of America Proceedings 38: 652–657.
- Savage, S.M., J.P. Martin, J. Letey. 1969. Contribution of some soil fungi to natural and heat-induced water repellency in sand. Soil Science Society of America Proceedings 33:405–409.

- Seager, R., R. Burgman, Y. Kushnir, A. Clement, E. Cook, N. Naik, and J. Miller. 2008. Tropical Pacific Forcing of North American Medieval Megadroughts: Testing the Concept with an Atmosphere Model Forced by Coral-Reconstructed SSTs. Journal of Climate 21:6175–6190.
- Springer, A.E., and L.E. Stevens. 2008. Spheres of discharge of springs. Hydrogeology Journal (2009)17: 83–93. DOI 10.1007/s10040-008-0341-y.
- Springer, A.E., and T. Kolb. 2000. Ponderosa pine water balance at Hart Prairie: Role of herbaceous transpiration. Water Resources Research Center Annual Technical Report FY 2000. 66 pp.
- Stednick, J.D. 1996. Monitoring the effects of timber harvest on annual water yield. Journal of Hydrology 176(1/4):79–95.
- Steinke, R. 2013. Soil Resources Specialist's Report, 4 Forest Restoration Initiative. Ms. On file at the Coconino NF 4FRI Project Record. 425 pp.
- Stevens, L.E., J.D. Ledbetter, and A.E. Springer. 2012. Sky Islands Alliance Springs Inventory and Assessment Training Manual, Version 2.0. Springs Stewardship Institute. Museum of Northern Arizona. Flagstaff. http://springstewardship.org/workshops.html.
- Swank, W.T., L.F. DeBano, and D. Nelson. 1989. Effects of timber management practices on soil and water. In: The scientific basis for silvicultural and management decisions in the National Forest System. Russell Burns, tech. comp. GTR-WO-55. Washington, DC. USDA Forest Service. Pp.79–106.
- Thomsen, Bert W. 1969. Surface Water Supply for the City of Williams, Arizona. M.S. Thesis submitted to the Committee on Hydrology and Water Resources. University of Arizona. 55 pp.
- Tiedemann, A.R., and T.D. Anderson. 1980. Combustion losses of sulfur from native plant materials and forest litter. In: Proceedings Sixth Conference on Fire and Forest Meteorology. April 22–24, 1980. Society of American Foresters. Pages 220–227.
- Tiedemann, Arthur R., Carol E. Conrad, and John H. Dieterich. 1979. Effects of fire on water: a state-of-knowledge review. In: General Technical Report WO-10. USDA Forest Service.
- Troendle, Charles A., Marc S. Wilcox, Greg S. Bevenger, and Laurie S. Porth. 2001. The Coon Creek Water Yield Augmentation Project: implementation of timber harvesting technology to increase streamflow. Forest Ecology and Management 143:179–187.
- Truebe, M., and G. Evans. 1994. Lowell surfacing thickness design test road: Final report. Federal Highway Forest Service. San Dimas Technology and Development Center. San Dimas, CA. 108 pp.
- USDA. 2010. Agriculture Research Service, Water Erosion Prediction Project Website.

 Online: http://www.ars.usda.gov/Research/docs.htm?docid=10621. Accessed July 15, 2010.
- USDA Forest Service. 1987. Coconino National Forest Land and Resource Management Plan and amendments. USDA Forest Service, Southwestern Region. 270 pp.
 Online: http://www.redrockcountry.org/about-us/fpr/current-forest-plan-w-amends.pdf.



Wildlife

Resources Bulletin 32:1195-1207.

- Abella, S.R. 2008. Managing Gambel oak in southwestern ponderosa pine forests: The status of our knowledge. USDA Forest Service General Technical Report RMRS-GTR-218.
- Abella, S.R., and P.Z. Fulé. 2008. Changes in Gambel oak densities in southwestern ponderosa pine forests since Euro-American settlement. Research Note RMRS-RN-36. USDA Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- Austin, W., K. Day, S. Franklin, J. Humphrey, W.G. Hunt, C. Parish, R. Sieg, and K. Sullivan. 2007. Review of the second five years of the California condor reintroduction program in the Southwest. Southwest Condor Working Group and the USDI Fish and Wildlife Service Arizona Ecological Services Office, Flagstaff. 87 pp.
- Arizona Department of Game and Fish. 2011a. California Condor Recovery. 1 page.

 Online: http://www.azgfd.gov/w_c/california_condor.shtml. Accessed April 25, 2011.
- _____. 2011b. The Coconino County Wildlife Connectivity Assessment: Report on Stakeholder Input. 52 pp.
- Arnold, J.F. 1950. Changes in ponderosa pine bunchgrass ranges in northern Arizona resulting from pine regeneration and grazing. J. For: 118–126.
- Bagne, K.E., K.L. Purcell, and J.T. Rotenberry. 2008. Prescribed fire, snag population dynamics, and avian nest site selection. Forest Ecology and Management 255:99–105.

- Barlow, Jon C., Sheridan N. Leckie, and Colette T. Baril. 1999. Gray Vireo (*Vireo vicinior*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America
 Online: http://bna.birds.cornell.edu/bna/species/447doi:10.2173/bna.447. Accessed on September 18, 2012.
- Batista, J., T. Piechota, D. James, and K. Stave. 2002. Literature Review Dust Suppression and Its Environmental Impacts, Prepared for the Expert Panel on Potential Environmental Impacts of Dust Suppressants: "Avoiding Another Times Beach". University of Nevada, Las Vegas, Las Vegas, NV.
- Bechard, Marc J., and Josef K. Schmutz. 1995. Ferruginous Hawk (Buteo regalis), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America
 Online: http://bna.birds.cornell.edu/bna/species/172doi:10.2173/bna.172. Accessed September 18, 2012.
- Bechard, Marc J., C. Stuart Houston, Jose H. Sarasola, and A. Sidney England. 2010. Swainson's Hawk (Buteo swainsoni), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/265doi:10.2173/bna.265. Accessed September 18, 2012.
- Beier, P., E.C. Rogan, M.F. Ingraldi, and S.S. Rosenstock. 2008. Does forest structure affect reproduction of northern goshawks in ponderosa pine forests? Journal of Applied Ecology 45:342–350.
- Beier, P., and M.F. Ingraldi. 2012. Commentary: There is no evidence that the Forest Service's goshawk recommendations improve nest productivity. Wildlife Society Bulletin 36:153–154.
- Bowers, N., R. Bowers, and K. Kaufman. 2004. Kaufman Field Guide to Mammals of North America. Houghton Mifflin Harcourt, 2004. 352 pp.
- Brown, D.E., and R. Davis. 1998. Terrestrial bird and mammal distribution changes in the American Southwest, 1890–1990. Pages 47–64 in B. Tellman, editor. The future of arid grasslands: identifying issues, seeking solutions. USDA Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- Brown, P.M.; M.W. Kaye, L. Huckaby, and C. Baisan. 2001. Fire history along environmental gradients in the Sacramento Mountains, New Mexico: Influences of local patterns and regional processes. Ecoscience 8:115–126.
- Capinera, J.A. 2010. Insects and Wildlife: Arthropods and Their Relationships with Wild Vertebrate Animals. Wiley-Blackwell, Oxford, UK. 486 pp.
- Chambers, C.L. 2002. Forest management and the dead wood resource in ponderosa pine forests: effects on small mammals. USDA Forest Service, Pacific Southwest Research Station, Albany, CA.
- _____. 2008, 2009, 2010, 2011. Personal communications. Professor, wildlife ecology, School of Forestry, Northern Arizona University.

- Chambers, C.L., and J.N. Mast. 2005. Ponderosa pine snag dynamics and cavity excavation following wildfire in northern Arizona. Forest Ecology and Management 216:227–240.
- Chambers, C.L., and R.R. Doucett. 2008. Diet of the Mogollon Vole as Indicated by Stable-Isotope Analysis (C13 and N15). Western North American Naturalist 68(2) pp. 153–160.
- Chan-McLeod. 2003, as cited in U.S. Fish and Wildlife Service. 2007. Chiricahua Leopard Frog (Rana chiricahuensis) Recovery Plan. U.S. Fish and Wildlife Service, Southwest Region, Albuquerque, NM. 149 pp. Appendices A–M.
- Cicero, C. 2000. Juniper Titmouse (Baeolophus ridgwayi), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/485bdoi:10.2173/bna.485, accessed on September 18, 2012.
- CLIMAS. 2011. Climate Change in the Southwest. Online: http://www.climas.arizona.edu/sw-climate/climate-change. Accessed April, 2012.
- Cockrum, E.L. 1960. The recent mammals of Arizona: their taxonomy and distribution. Univ. of Ariz. Press, Tucson, AZ. 276 pp.
- Corbett, J. 2008. Report on evaluation of the abandoned mine features on the Kaibab National Forest Tusayan District, AZ. Final report from Bat Conservation International to the Regional Environmental Engineer, Region 3 of the U.S. Forest Service, Albuquerque, NM. 7 pp.
- Corman, T., and C. Wise-Gervais. 2005. Arizona Breeding Bird Atlas. University of New Mexico Press. Albuquerque, NM. 636 pp.
- Dargan, C.M. 1991. Roost site characteristics of bald eagles wintering in north-central Arizona. M.S. Thesis, Northern Arizona University, 73 pp.
- Delaney, D.K., and T.G. Grubb. 2003. Effects of Off-Highway Vehicles on Northern Spotted Owls: 2002 Results. A Report to the State of California Department of Parks and Recreation, Off-Highway Motor Vehicle Recreation Division Contract Number No. 4391Z9-0-0055.
- Dewey, S.R., and P.L. Kennedy. 2001. Effects of supplemental food on parental-care strategies and juvenile survival of Northern Goshawks. Auk 118:352-365.
- Dodd, N.L., S.S. Rosenstock, C.R. Miller, and R.E. Schweinsburg. 1998. Tassel-eared squirrel population dynamics in Arizona: index techniques and relationships to habitat conditions. AGFD Research Branch Technical Report 27. Phoenix, AZ.
- Dodd, N.L., R.E. Schweinsburg, and S. Boe. 2006. Landscape-scale forest habitat relationships to tassel-eared squirrel populations: Implications for ponderosa pine forest restoration. Restoration Ecology 14:537–547.
- Dixon, G.E. 2002. Essential FVS: A user's guide to the Forest Vegetation Simulator. Internal Rep. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Forest Management Service Center. 240 pp. (Revised: November 24, 2010).

- Driscoll, J.T., K.V. Jacobson, G.L. Beatty, J.S. Canaca, and J.G. Koloszar. 2006. Conservation assessment and strategy for the bald eagle in Arizona. Nongame and Endangered Wildlife Program Technical Report 173. Arizona Game and Fish Department, Phoenix, AZ.
- England, A.S., and W.F. Laudenslayer, Jr. 1993. Bendire's Thrasher (*Toxostoma bendirei*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/071doi:10.2173/bna.71. Accessed August 30, 2012 and September 18, 2012.
- Fairweather, M., Geils, B., and Manthei, M. 2008. Aspen Decline on the Coconino National Forest. In: McWilliams, M. G. comp 2008. Proceedings of the 55th Western International Forest Disease Work Conference; 2007 October 15–19; Sedona, AZ. Salem, OR; Oregon Department of Forestry.
- Ffolliott, P.F., and G.J. Gottfried. 1991. Natural tree regeneration after clearcutting in Arizona's ponderosa pine forests: two long-term case studies. Res. Note RM-507. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 6 pp.
- Fulé, P.Z., W.W. Covington, and M.M. Moore. 1997. Determining reference conditions for ecosystem management of Southwestern ponderosa pine forests. Ecological Applications, 7:895–908.
- Fulé, P.Z., W.W. Covington, H.B. Smith, J.D. Springer, T.A. Heinlein, K.D. Huisinga, and M.M. Moore. 2002a. Comparing ecological restoration alternatives: Grand Canyon, AZ. Forest Ecology and Management 170:19–41.
- Fulé, P.Z., W.W. Covington, M.M. Moore, T.A. Heinlein, and A.E.M. Waltz. 2002b. Natural variability in forests of the Grand Canyon, USA. Journal of Biogeography 29:31–47.
- Fulé, P.Z., and J.E. Crouse, J.P. Roccaforte, and E.L. Kalies. 2012. Do thinning and/or burning treatments in western USA ponderosa or Jeffrey pine dominated forests help restore natural fire behavior? Forest Ecology and Management 269:68–81.
- Furniss, Michael J., Brian P. Staab, Sherry Hazelhurst, Catherine F. Clifton, Kenneth B. Roby, Bonnie L. Ilhadrt, Elizabeth B. Larry, Albert H. Todd, Leslie M. Reid, Sarah J. Hines, Karen A. Bennett, Charles H. Luce, and Pamela J. Edwards. 2010. Water, climate change, and forests: watershed stewardship for a changing climate. Gen. Tech. Rep. PNW-GTR-812. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 75 pp.
- Ganey, J.L. 1999. Snag density and composition of snag populations on two national forests in northern Arizona. Forest Ecology and Management 117:169–178.
- Ganey, J.L. 2012. Personal communications. USDA Forest Service, Rocky Mountain Research Station, Flagstaff, Arizona.
- Ganey, J.L., and S.C. Vojta. 2005. Changes in snag populations in Northern Arizona mixed conifer and Ponderosa pine forests, 1997–2002. Forest Science 51:396–405.
- _____. 2007. Modeling snag dynamics in northern Arizona mixed-conifer and ponderosa pine forests. Res. Pap. RMRS-RP-66WWW.Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 15 pp.

- 2011. Tree mortality in drought-stressed mixed-conifer and ponderosa pine forests, Arizona, USA. Forest Ecology and Management 261 (2011) 162–168.
- _____. 2012. Trends in Snag Populations in Drought-stressed Mixed-conifer and Ponderosa Pine Forests, 1997–2007. International Journal of Forestry Research.
- Ganey, J.L., and Carol L. Chambers. 2011. A reconnaissance of small mammal communities in Garland and Government Prairies, Arizona. Western North American Naturalist 71: 151–157.
- Ganey, Joseph L., James P. Ward, Jr., and David W. Willey, David W. 2011. Status and ecology of Mexican spotted owls in the Upper Gila Mountains recovery unit, Arizona and New Mexico. Gen. Tech. Rep. RMRS-GTR-256WWW. Fort Collins, CO: USDA, Forest Service, Rocky Mountain Research Station. 94 pp.
- George, T.L., S. Zack, and W.F. Laudenslayer, Jr. 2005. A comparison of bird species composition and abundance between late- and mid-seral ponderosa pine forests. USDA Forest Service General Technical Report PSW-GTR-198.
- Gilbert-Norton, L., R. Wilson, J.R. Stevens, and K.H. Beard. 2010. A meta-analytic review of corridor effectiveness. Conservation Biology 24:660–668.
- Glinski, R.L. 1998. The Raptors of Arizona. The University of Arizona Press, Tucson, AZ. pp. 105–108.
- Greenwald, D.N., C. Crocker-Bedford, L. Broberg, K.F. Suckling, and T. Tibbitts. 2005. A review of northern goshawk habitat selection in the home range and implications for forest management in the western United States. Wildlife Society Bulletin, 33:120–128.
- Grubb, T.G., and C.E. Kennedy. 1982. Bald eagle winter habitat on the National Forest System in the Southwest. USDA Forest Service, Southwestern Region. Wildlife Unit Technical Series. 116 pp.
- Grubb, T.G., S.J. Nagiller, W.L. Eakle, and G.A. Goodwin. 1989. Winter roosting patterns of bald eagles (Haliaeetus leucocephalus) in north-central Arizona. Southwestern Naturalist 34:453–459.
- Guzy, Michael J., and Peter E. Lowther. 2012. Black-throated Gray Warbler (*Setophaga nigrescens*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/319doi:10.2173/bna.319. Accessed September 18, 2012.
- Hedwall, S.J. 2011 and 2012. Personal communications. Senior Wildlife Biologist, U.S. Fish and Wildlife Service. Arizona Ecological Services Office, Flagstaff, AZ.
- Higgins, B.J. 2008. Personal communications. Forest Planner, Kaibab National Forest, Williams, AZ.
- Hoffmeister, D.F. 1971. Mammals of Grand Canyon. The University of Illinois Press. 183 pp.

 _____.1986. Mammals of Arizona. The University of Arizona Press. 602 pp.

- Holden, Z.A., P. Morgan, M.G. Rollins, and R.G. Wright. 2006. Ponderosa pine snag densities following multiple fires in the Gila Wilderness, NM. Forest Ecology and Management 221:140–146.
- Huffman, D.W., and M.M. Moore. 2004. Responses of *Fendler ceanothus* to overstory thinning, prescribed fire, and drought in an Arizona ponderosa pine forest. Forest Ecology and Management 198:105–115.
- Hurley, J.F., H. Salwasswer, and K. Shimamoto. 1982 Fish and wildlife habitat capability models and special habitat criteria. California and Nevada Wildlife Transactions. 4 pp.
- Jacobson, K.V., J.S. Canaca, and J.T. Driscoll. 2005. Arizona bald eagle management program 2005 summary report. Nongame and Endangered Wildlife Program Technical Report 237. Arizona Game and Fish Department, Phoenix, AZ.
- Joshi, P. 2009. Night Roosts of Bald Eagles (*Haliaeetus luecocephalus*) Wintering in Northern Arizona. Thesis. Northern Arizona University.
- Joyce, L.A., G.M. Blate, et al. 2008. Preliminary Review of Adaptation Options for Climate-Sensitive Ecosystems and Resources. In: S.H. Julius, J.M. West, J.S. Baron, et al. (editors). Washington, DC., U.S. Climate Change Science Program and the Subcommittee on Global Change Research: 3-1 to 3-127.
- Kalies, E.L., C.L. Chambers, and W.W. Covington. 2010. Wildlife responses to thinning and burning treatments in southwestern conifer forests: a meta-analysis. Forest Ecology and Management 259:333–342.
- Kalies, E.L., B.G. Dickson, C.L. Chambers and W.W. Covington. 2012. Community occupancy responses of small mammals to restoration treatments in ponderosa pine forests, northern Arizona, USA. Ecological Applications, 22(1). pp. 204–217.
- Kunzler, L.M.; Harper, K.T. 1980. Recovery of Gambel oak after fire in central Utah. Great Basin Naturalist. 40:127–130.
- Latta, M.J., C.J. Beardmore, and T.E. Corman. 1999. Arizona Partners in Flight Bird Conservation Plan. Version 1.0. Nongame and Endangered Wildlife Program Technical Report 142. Arizona Game and Fish Department, Phoenix, AZ.
- Leonard, A. 2012. Kaibab National Forest's Climate Change Approach for Plan Revision. Unpublished report. Kaibab National Forest Supervisor's Office. Williams, AZ.
- Long, J.N. 1985. A practical approach to density management. Forestry Chronicle 61:23–27.
- Marlon, J.R., P.J. Bartlein, M.K. Walsh, S.P. Harrison, K.J. Brown, M.E. Edwards, P.E. Higuera, M.J. Power, C. Whitlock, R.S. Anderson, C. Briles, A. Brunelle, C. Carcaillet, M. Daniels, F.S. Hu, M. Lavoie, C. Long, T. Minckley, P.J.H. Richard, D.S. Shafer, W. Tinner, and C.E. Umbanhower Jr. 2009. Wildfire responses to abrupt climate change in North America. Proceedings of the National Academy of Science 106 (8), 2519–2524.
- Martin, A.C., H.S. Zim, and A.L. Nelson. 1961. American Wildlife and Plants: A Guide to Wildlife Food Habits. Dover Publications, New York NY. 500 pp.

- Martin, T.E. and J.L. Maron. 2012. Climate impacts on bird and plant communities from altered animal-plant interactions. Nature Climate Change DOI: 10.1038/NCLIMATE1348. Online: www.nature.com/natureclimatechange.
- Mast, J.N. 2008 and 2011. Personal communications. Geography and Earth Science, School of Forestry, Carthage College, Kenosha, WI.
- Mazerolle and Desrochers 2005, as cited in U.S. Fish and Wildlife Service. 2007. Chiricahua Leopard Frog (Rana chiricahuensis) Recovery Plan. U.S. Fish and Wildlife Service, Southwest Region, Albuquerque, NM. 149 pp. Appendices A–M.
- McCall, T. 2011. Personal communications. Game Specialist, Region 2, Arizona Department of Game and Fish. Flagstaff, AZ.
- Merritt, J.F. 2010. The Biology of Small Mammals. Johns Hopkins University Press, Baltimore, MD. 313 pp.
- Mikesic, D.G., and J.R. Nysted. 2001. Species account for *Mustela nigripes*. Navajo Heritage Program. Window Rock, AZ. Revised: 15 Feb 2005.
- Millar, C.I., N.L. Stephenson, and S.L. Stephens. 2007. Climate Change and Forests of the Future: Managing in the Face of Uncertainty. Ecological Applications (17): 2145–2151.
- Moir, W.H. and J.H. Dieterich. 1988. Old-growth ponderosa pine from succession on pine-bunchgrass habitat types in Arizona and New Mexico. Natural Areas Journal 8: 17–24.
- Moore, M.M., D.W. Huffman, J.D. Bakker, A.J. Sánchez Meador, D.M. Bell, P.Z. Fulé, P.F. Parysow, W.W. Covington. 2004. Quantifying Forest Reference Conditions for Ecological Restoration: The Woolsey Plots. Final Report to the Ecological Restoration Institute for the Southwest Fire Initiative.
- Morrison, M.L., B.G. Marcot, and R.W. Mannan. 2006. Wildlife-Habitat Relationships: concepts and applications, 3rd Edition. Island Press. Washington, DC. 493 pp.
- Noble, William O. et al. 2013. Wildlife Specialist Report and Biological Evaluation, Four-Forest Restoration Initiative Coconino and Kaibab NF Environmental Impact Statement. Ms. On file at the Coconino NF 4FRI Project Record.
- NatureServe Explorer: An online encyclopedia of life [web application]. 2009. Version 7.1. NatureServe, Arlington, VA. Online: http://www.natureserve.org/explorer. Accessed June 29, 2009; July 9, 2010, December 2011, August 2012.
- Opler, P.A., and A.B. Wright. 1999. A Field Guide to Western Butterflies. Peterson Field Guide Series. Houghton Mifflin Company. New York, NY. 540 pp.
- Overby, C.M. 2012. Personal communications. Forest Biologist, Coconino National Forest. Coconino Supervisor's Office, Flagstaff, AZ.
- Pagel, J.E., D.M. Whittington, and G.T. Allen. 2010. Interim Golden Eagle Technical Guidance: Inventory and Monitoring Protocols; and Other Recommendations in Support of Golden Eagle Management and Permit Issuance.
- Parish, C. 2012. Personal communications (email to Bill Noble, April 27, 2012). Peregrine Fund Condor Recovery Project.

- Patton, D.R. 2011. Forest Wildlife Ecology and Habitat Management, 2011 CRC Press, Boca Raton, FL. 292 pp.
- Patton, D.R., and J. Gordon. 1995. Fire, habitats, and wildlife. Final Report submitted to the USDA Forest Service Coconino National Forest. School of Forestry, Northern Arizona University, Flagstaff, AZ.
- Patton, D.R., and C.L. Chambers. 2002. R3HARE, A logical wildlife relationships data model for habitats on southwestern national forests. School of Forestry Faculty Document, Northern Arizona University, Flagstaff *in* D. R. Patton, Forest Wildlife Ecology and Habitat Management, 2011 CRC Press, Boca Raton, FL. 292 pp.
- Paxon, J. 2011. The monster reared its ugly head (again). Arizona Wildlife News *July–August* pp. 8–12.
- Prather, J.W., N.L. Dodd, B.G. Dickson, H.M. Hampton, Y. Xu, E.N. Aumack, and T.D. Sisk. 2006. Landscape models to predict the influence of forest structure on tassel-eared squirrel populations. Journal of Wildlife Management 70:723–731.
- Reineke, L.H. 1933. Perfecting a stand-density index for even-aged forests. Journal of Agricultural Research. 46:627–638.
- Ray, C.T. 2011. Predicting the effects of forest management policies on goshawk occurrence in northern Arizona ponderosa pine. Master's thesis. Northern Arizona University, Flagstaff, AZ. May 2011. 142 pp.
- Reynolds, R.T., R.T. Graham, M.H. Reiser, R.L. Bassett, P.L. Kennedy, D.A. Boyce, G. Goodwin, R. Smith, and E.L. Fisher. 1992. Management recommendations for the northern goshawk in the southwestern United States U.S. Forest Service, Southwestern Region. General Technical Report RM-217, Fort Collins, CO, USA.
- Reynolds, R.T., R.T. Graham, and D.A. Boyce, Jr. 2008. Northern Goshawk Habitat: An Intersection of Science, Management, and Conservation. The Journal of Wildlife Management 72:1047–1055.
- Reynolds, R.T., D.A. Boyce, Jr., and R.T. Graham. 2012. Ponderosa pine forest structure and northern goshawk reproduction: response to Beier et al. (2008). Wildlife Society Bulletin 36:147–152.
- Roos, C.I., and T.W. Swetnam. 2011. A 1416-year reconstruction of annual, multidecadal, and centennial variability in area burned for ponderosa pine forests of the southern Colorado Plateau region, Southwest USA. The Holocene 22:281–290.
- Salafsky, S.R. 2004. Co-variation between Prey Abundance on Northern Goshawk Fecundity on the Kaibab Plateau, Arizona. M.S. thesis. Colorado State University. Fort Collins, CO.
- Salafsky, S.R., R.T. Reynolds, and B.R. Noon. 2005. Patterns of temporal variation in goshawk reproduction and prey resources. Journal of Raptor Research 39:237–246.
- Salafsky, S.R., R.T. Reynolds, B.R. Noon, and J.A. Wiens. 2007. Reproductive responses of Northern Goshawks to variable prey populations. Journal of Wildlife Management 71(7):2274–2283.

- Sauer, J.R., J.E. Hines, J.E. Fallon, K.L. Pardieck, D.J. Ziolkowski, Jr., and W.A. Link. 2011. The North American Breeding Bird Survey, Results and Analysis 1966–2010. Version 12.07.2011 USGS Patuxent Wildlife Research Center, Laurel, MD. Online: http://www.mbr-pwrc.usgs.gov/bbs/bbs.html. Accessed March 2, 2012.
- Sauer, J.R., and W.A. Link. 2011. Analysis of The North American Breeding Bird Survey Using Hierarchical Models. The Auk 128:87–98.
- Smith, E.B. 2011. Relationships between Overstory and Understory Vegetation in Ponderosa Pine Forest of the Southwest. Unpublished Report to the Kaibab National Forest. The Nature Conservancy, Arizona. 16 pp.
- Solvesky, B. 2008. Personal communications. Wildlife biologist, US Fish and Wildlife Service, Sacramental, CA.
- Solvesky, B., and C.L. Chambers. 2007. Bat Roost Inventory and Monitoring Project for Arizona Game and Fish Department Region 2. Final Report.
- _____. 2009. Roosts of Allen's lappet-browed bat in northern Arizona. Journal of Wildlife Management 73(5):677–682.
- Springer, A.E., and L.E. Stevens. 2008. Spheres of discharge of springs. Hydrogeology Journal (2009) 17: 83–93. DOI 10.1007/s10040-008-0341-y.
- Sterling, John C. 1999. Gray Flycatcher (*Empidonax wrightii*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/458doi:10.2173/bna.458, accessed September 18, 2012.
- Taylor, D.A.R. 2006. Forest Management and Bats. Bat Conservation International. 13pp. Online: www.batcon.org.
- Swetnam, T.W., and C.H. Baisan. 1996. Historical fire regime patterns in the southwestern United States since AD 1700. Pp 11–32 in Allen, C.D. (ed.). 2nd La Mesa Fire Symposium; Los Alamos, NM. General Technical Report RM-GTR-286. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. 216 pp.
- USDA Forest Service. 1987. Coconino National Forest Service Land and Resource Management Plan, as amended. Flagstaff, AZ.
- . 1987. Kaibab National Forest Land Management Plan, as amended.
 . 2002. Management Indicator Species Status Report for the Coconino National Forest. Flagstaff, AZ: Coconino National Forest.
 . 2005. Forest Service Manual 2670.5. Threatened, Endangered, and Sensitive Plants and Animals. Definitions. Page 10. Online: http://fs.usda.gov/wps/myportal/fsintranet. Accessed January 26, 2013.
 . 2006. Final Supplement to the Final Environmental Impact Statement for Amendment of Forest Plans. Forest Service, Southwestern Region, Arizona and New Mexico. 149 pp.
 . 2008. Forest insect and disease conditions in the Southwestern Region, 2007. USDA

Forest Service, Southwestern Region, Forestry and Forest Health, PR-R3-16-4, 47 p.

Albuquerque, NM.

	Management Indicator Species of the Kaibab National Forest; an evaluation of ation and habitat trends, Version 3.0, 2010. Williams, AZ: Kaibab National Forest.
	Southwestern Climate Change Trends and Forest Planning A Guide for Addressing te Change in Forest Plan Revisions for Southwestern National Forests and National ands.
Sensit	Kaibab National Forest. Threatened, Endangered, Protected, Candidate, and ive Species List, updated September 13, 2012. Kaibab National Forest Supervisor's Williams, AZ.
	l Wildlife Service. 1995. Recovery Plan for the Mexican Spotted Owl: Vol. I. uerque, NM. 172 pp.
a None	50 CFR Part 17 Endangered and Threatened Wildlife and Plants: Establishment of essential Experimental Population of California Condors in Northern Arizona. Final Federal Register 61 (201):54044–54060.
1996b.	California condor recovery plan, third revision. Portland, OR.
experi	Endangered and threatened wildlife and plants: establishment of a nonessential mental population of black-footed ferrets in Aubrey Valley, Arizona. Final Rule. al Register 61(55):11320–11336.
1988. I 154 pp	Black-footed Ferret Recovery Plan. U.S. Fish and Wildlife Service, Denver, CO.
	Endangered and Threatened Wildlife and Plants; 50 CFR Part 17 Final Designation tical Habitat for the Mexican Spotted Owl. Federal Register 69 (168):53182–53230.
	Chiricahua Leopard Frog (<i>Rana chiricahuensis</i>) Recovery Plan. U.S. Fish and fe Service, Southwest Region, Albuquerque, NM. 149 pp. Appendices A–M.
Online	Birds of Conservation Concern. 93 pages. birds: http://www.fws.gov/migratorybirds/NewReportsPublications/SpecialTopics/BCC BCC2008.pdf. Accessed March 11, 2012.
and Re	Biological and Conference Opinion, The continued Implementation of the Land esource Management Plan for the Coconino National Forest of the Southwestern n. March 30, 2012.
and Re	Biological and Conference Opinion, The continued Implementation of the Land esource Management Plan for The Kaibab National Forest of the Southwestern n. March 30, 2012.
	Mexican Spotted Owl Recovery Plan First Revision (<i>Strix occidentalis lucida</i>). west Region U.S. Fish and Wildlife Service. Albuquerque, NM, USA. 414 pp.
April 2	Threatened and Endangered Species – Coconino County. Unpublished document. 25, 2012. 7pp. Arizona Ecological Field s. website:http://www.fws.gov/southwest/es/Arizona/Documents/Countylists/Cocodf.

- Vickery, P.D. 1996. Grasshopper Sparrow (*Ammodramus savannarum*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/239doi:10.2173/bna.239, accessed September 18, 2012.
- Waddell, R.B., R.A. Ockenfels, and S.R. Boe. 2005. Management recommendations for pronghorn on Camp Navajo, Arizona Army National Guard, Northern Arizona. Final report submitted to DEMA/JP-F Arizona Army National Guard. 28 pp.
- Waltz, A.E.M. and W.W. Covington. 2004. Ecological Restoration Treatments Increase Butterfly Richness and Abundance: Mechanisms of Response. Restoration Ecology 12:85–96.
- Ward, J.M., and P.L. Kennedy. 1996. Effects of supplemental food on size and survival of juvenile northern goshawks. Auk 113:200–208.
- Waskiewicz, J.D., P.Z. Fulé, and P. Beier. 2003. Comparing classification systems for ponderosa pine snags in northern Arizona. Western Journal of Applied Forestry 22: 233–240.
- Westerling, A.L., H.G. Hidalgo, D.R. Cayan, and T.W. Swetnam. 2006. Warming and earlier spring increase western U.S. forest wildfire activity. Science 313:940–943.
- Western Bat Working Group. 2005a Western red bat species accounts.

 Available http://www.wbwg.org/species_accounts, accessed August 28, 2012.

 ______. 2005b. Pale Townsend's big-eared bat species account.

 Available http://www.wbwg.org/species_accounts, accessed August 28, 2012.

 ______. 2005c. Western mastiff bat species accounts.

 Available http://www.wbwg.org/species_accounts, accessed August 28, 2012.
- Wiens, J.D., B.R. Noon, and R.T. Reynolds. 2006. Post-fledgling survival of northern goshawks: the importance of prey abundance, weather, and dispersal. Ecological Applications 16:406-418.
- Williams, A.P., C.D. Allen, C.I. Millar, T.W. Swetnam, J. Michaelsen, C.J. Still, and S.W. Leavitt. 2010. Forest responses to increasing aridity and warmth in the southwestern United States. Proceedings of the National Academy of Sciences 107: 21289–21294.
- Wisdom, M.J. and L.J. Bate. 2008. Snag density varies with intensity of timber harvest and human access. Forest Ecology and Management 255 (2008) 2085–2093.